

9-5-74

32 | 33 T29S R1E

$\frac{1}{4}$

Fd:

A CONGLOMERATE STONE, LOOSELY  
SET, MEASURING 9" X 10" X 4" (REC.  
18" X 10" X 4") SET 7" IN THE GROUND AND  
MARKED WITH A "+" CHISELED ON TOP  
AND " $\frac{1}{4}$ " CHISELED ON THE WEST FACE  
FROM WHICH:

AN ORIG. 20" NOW 24" D. FIR BEARS N83°E  
28 $\frac{1}{2}$  FT., ALIVE AND WELL-HEALED, WE  
DO NOT OPEN.

WE FIND OAK WOOD FRAGMENTS IN THE  
GROUND AT THE PROPER POSITION FOR  
THE ORIG. SW BEARING TREE. THERE  
IS NO REMAINING TRACE OF THIS TREE.

#81 T29-1E ✓

U. S. File No. 57/P-3 PAGE 2 C

TO NEW NW BT 18" D. FR

N 42° W

59° @ 13° ,9744 57<sup>5</sup>

" 1/4 S 32 CS BT

AT THE CORNER POINT, WE SET A BRASS  
CAP, MARKED:

COUNTY SURVEYOR'S OFFICE

T 29 S

S 32 | S 33

$\frac{1}{4}$

R 1 E

1974

WE DEPOSIT THE ORIGINAL CORNER STONE  
ALONGSIDE THE BRASS CAP AND MARK  
THE FOLLOWING BEARING TREE;

AN 18" D. FIR BEARS N 42° W 57  $\frac{5}{8}$  FT.,  
SCRIBED " $\frac{1}{4}$  S 32 CS BT"

COMPASS DECLINATION SET AT 20° EAST.

9-5-74

Harry J. Lough  
PETER L. EALE