

T293

24	19
25	30

R1E R2E

FD:

A STONE, 12" X 10" X 6", LODSELEY SET, MARKED WITH A CHISELED "+" ON TOP AND 4 NOTCHES ON THE NORTH FACE. WE DO NOT FIND THE NOTCHES CALLED FOR ON THE SOUTH FACE HOWEVER THE STONE HAS SUFFERED FIRE DAMAGE IN THAT AREA.

WE FIND AN ORIG. 30" CEDAR, NOW A 34" STUMP BEARING S 40° E 36 $\frac{3}{4}$ FT., WE OPEN BLAZE PARTIALLY AND FIND GOOD SCRIBING "S 2° E"

THERE IS NO REMAINING EVIDENCE OF ANY OTHER ORIGINAL BEARING TREES.

#14 T29-2E ✓
#87 T29-1E ✓

28³ @ 22¹/₂°

,92388

27° ±

76
10

BOAT SPIKE

D. Fe STUMP

29°

(23)

S 55¹/₂° W

AT THE CORNER POINT, WE SET AN
IRON PIPE, FLUSH WITH THE GROUND
WITH A BRASS CAP ATTACHED, MARKED:

COUNTY SURVEYOR'S OFFICE

T295

S24 | S19

S25 | S30

R1E | R2E

1974

WE PLACE THE ORIGINAL STONE ALONG-
SIDE THE BRASS CAP AND SET THE
FOLLOWING BEARING OBJECT;

A BOAT SPIKE, STAMPED WITH A "25"
ON TOP, DRIVEN IN THE TOP OF A 36"
FIR STUMP BEARS S $55\frac{1}{2}^{\circ}$ W 29 $\frac{1}{2}$ FT.

NOTE:

THIS CORNER LIES AT THE BOTTOM OF
A SW SLOPE IN AN OLD CLEARCUT UNIT.
APPROX. 65 FT. NORTH OF A SMALL CREEK,
COURSE N 50° W.

10-10-74

Gary L. Langley
PETER L. EARLE

C. S. File No. 57/2-104