

1-20-75



NE CORNER DLC 52 T265 R4W

(SEE MAP FILE M 50-32)


Fd:

$\frac{3}{8}$ " IRON ROD SET FOR NE CORNER OF DLC 52  
 FROM SURVEY BY McLIND. DATED JULY, 1973 AND  
 FILED IN DOUGLAS CO. SURVEYOR'S OFFICE IN MAP  
 FILE M 50-32.

AT THE CORNER POINT WE SET A 1" X 30" IRON PIPE  
 27 INCHES IN THE GROUND WITH BRASS CAP ATTACHED  
MARKED!

COUNTY SURVEYOR'S OFFICE

T265



1975

WE PLACE THE FOUND IRON ROD ALONGSIDE  
 THE BRASS CAP AND MARK THE FOLLOWING  
 BEARING TREES:

DIETZGEN NO. 385-6

#108 ✓

27"  
34"  
CIRC.

" W. OAK, FORKED, DBAUGHTER MEAS.

BELOW FORK

N 80° E

" NE DLC 5Z CSBT

50° @ 6° .9945 49.7

50° LVL 50°

50° LVL 50°

45° @ 9° .9877 44.8

194.5

15  
48"  
CIRC.

FORK WITH  
" B. OAK, GROWING IN A CLUMP OF 4 SPROVE  
ON A COMMON BASE

N 80° E

" NE DLC 5Z CSBT "

50° @ 11° .9816 49.1

50° @ 7° .9925 49.6

50° @ 4° .9976 49.9

27° @ 3 1/2° .9981 26.9

175.5

DISTANCE TAKEN TO CENTER OF COMMON BASE

9563

47.8

50° @ 17

FUL. COE

SOUTH 2

20° LVL

20

67.8

A 27" FORKED W. OAK (DIAMETER MEASURED  
BELOW FORK) BEARS N 80° E 194<sup>±</sup> FT.,  
SCRIBED "NE DLC 5Z CS BT"

A 15" B. OAK, ONE OF FOUR SPROUTS GROWING  
ON A COMMON BASE BEARS N 8° E 175<sup>±</sup> FT.,  
SCRIBED "NE DLC 5Z CS BT" (BEARING AND  
DISTANCE TAKEN TO CENTER OF COMMON ROOT  
CROWN)

NOTE:

WE PLACE A STEEL FENCE POST WITH  
SURVEY MARKER SIGN ATTACHED 1<sup>0</sup> FT. NORTH  
OF CORNER.

COMPASS DECLINATION SETTING: 20° EAST.

1-20-75

Larry L. Langley  
PETER LEARLE

OK  
*[Signature]*