10-16-75

T 30 S R 5 W

SE COR
DLC 46

SEE RENEWAL #86

FD: R 1" x 24" OUTER DIAMETER
IP LAYING ON THE GROUND FROM
WHICH:
A 10" FIR STUMP (WAS 6" FIR)
WITH VISIBLE SCRIBE "BT" BEARS
S 4° E 24.5 FT
A STUMP HOLE BEARS N 5° E
10.5 FT
AN ORIGINAL 18" NOW 36" BLACK
OAK SHOWING GOOD SCAR BEARS
N 37 1/2° W 208.4 FT (CALC:
N 37 1/2° W 213.2 FT)
NO SIGN OF OTHER TREE

AT THE CORNER AS DETERMINED
BY RECORD DISTANCE AND BEARING
FROM OBT WE SET A 1" x 30"
IP WITH BRASS CAP STAMPED"
DOUGLAS CO. SURVEYOR
T 30 S R 5 W
SE. COR.

#263

DLC 46 C. S. File No. 51/36-18
1975

DIETZGEN NO. 385-6

$47^{5} @ 13° \quad (.9744) \quad = 46^{m}$

FROM WHICH

AN OBT 36" BLACK OAK BEARS

N 37½° W 21¾ FT

A 10" FIR STUMP BEARS S 3° E

20¾ FT

A 14" BLACK OAK SCRIBED "S E

COR DLC 46 CSBT" IN A

DOUBLE BLAZE BEARS N 29° E

46¾ FT

A 21" INCENSE CEDAR SCRIBED

"SE COR DLC 46 CSBT" IN

A DOUBLE BLAZE BEARS

N 71½° E 33¾ FT

COMPASS DECLINATION 20° EAST

10-16-75

CLELL GOODWIN

GARY LANGLITZ

VIC CANGIE

LENORA LADIG

OK

U. S. File No. 5736-18

DIETZGEN CO. 385-6