

RENEWAL

TZIS

RBW	RTW
S12	S7
S13	S18

FOUND

1. GOVERNMENT LAND OFFICE BRASS
CAP STAMPED;

TZIS

RBW	RTW
S12	S7
S13	S18

1954

2. 13 INCH NOW 15 INCH DIAMETER
HEMLOCK STUMP, BEARS N 48° E
19² FEET (RECORD 18² FEET).
HAS GOOD BLAZE.

3. 10 INCH NOW 11 INCH DIAMETER
HEMLOCK STUMP, BEARS S 58° E 24² FEET
(RECORD 25² FEET), HAS GOOD
BLAZE.

DIETZGEN NO. 385-B

#141
#2412

S. File No. ~~1412~~ - 24

1)

RENEWAL

R8 W 1 1/2 R7 W
S12 BT
S13 BT

38 INCH FIR STUMP BEARS

4. S 56 1/2° W 13 1/2 FEET. HAS GOOD BLAZE.

8 INCH NOW 12 INCH HEMLOCK

5. STUMP BEARS N 59 1/2° W 19 1/2 FEET (RECORD 19 1/4 FEET)

I OPEN PORTION OF BLAZE AND FIND GOOD SCRIBING "S 12 BT".

(NOTE)

BARK HAS BEEN REMOVED FROM ALL BEARING TREE STUMPS AND A PRESERVATIVE HAS BEEN APPLIED. STUMPS HAVE BEEN CAPPED WITH ALUMINIUM SHEET METAL, AND ARE TAGGED.

RENEWAL

A CEDAR, 7 1/2 INCHES DIAMETER

BEARS S 27 1/2° W 45 1/2 FEET,

SCRIBED "T21S R8W S13 CS BT".

TREE IS GROWING OUT FROM THE

NINE SIDE OF A 52 INCH DIA.

FIR STUMP. LARGE BLAZE IS 5 FEET

DIETZEN NO. 0885-6

RENEWAL

TZIS
R BW RTU
5/2/57
2/13/818

ABOVE GROUND, BEARING AND
DISTANCE WERE RECORDED
FROM THE HEIGHT DESCRIBED.

NO OTHER B.T.'S WERE SCRIBED
AS CORNER LIES IN CLEAR CUT
AREA.

10-29-75

L.E. MONREAN

P.L. EARLE

OK


DIETZEN NO. 38556

File No. 57/36-243