

RENEWAL

T 225 R 5 W  
S.W. COR  
D.L.C. 43

REN\*120

FOUND

10' x 12' x 18" STONE SET BELOW SURFACE.  
PLOW SHARE IN BURIED MOUND OF STONE  
WITH FENCE POST ALONG SIDE.

ORIGINAL BEARING TREE NOT FOUND.

RENEWAL

SET BRASS CAP AT S.W. COR D.L.C. 43

STAMPED

"

COUNTY SURVEYOR'S OFFICE

T 225 R 5 W

S.W. COR.

D.L.C. 43

1975

CAP IS APPROX 1 FOOT ABOVE GROUND,  
IN MOUND OF STONE APPROX 1 FOOT  
HIGH AND 3 FOOT DIAMETER AT BASE.  
CAP IS APPROX 4 FEET EAST OF FENCE  
RUNNING N 31° E IN OPEN FIELD.

#149-✓

C.S. File No. 57/39-10

1)

DIETZGEN NO. 385-6

RENEWAL

1225 RBW  
SW COR  
DLC 43

BEARING TREES

30 INCH DIAMETER FIR TREE BEARS N55 1/2° E  
54 1/2 FEET, SCRIBED "SW COR DLC 43  
CS BT".

11-13-75  
L. E. MOURREAU  
JMC

OK  
JMC

DIETZGEN NO. 385-6

C. S. File No. 57/39-10

2)