

RENEWAL

T255 R 7 W

SECTION

A.P. 6

✓ SEE RENEWALS NO.

75, 76, 198, & 210.

FOUND1. 3' PRONGED CEDAR — *Gar*

6 FT. DIAMETER AT BASE, BLAZED TRUNK
 ONLY PORTION STANDING. BEARS
 N 52° W, 204⁶ FEET.

NOTE: FENCE POST SET BY GARRETT
 NOT FOUND, SET TEMPORARY POINT

FROM WHICH

2. A 5/8 INCH DIAMETER IRON ROD
 SET BY GARRETT (SEE CS FILE NO. 58/41)
 BEARS SOUTH, 181⁶ FEET.

3. A 1" IRON BAR WITH EYE ON TOP
 BEARS NORTH, 100 FEET (SEE RENEWAL
 NO. 198), FROM WHICH.

4. A 7" ASH BEARS N 14° E, 7² FEET.
 BLAZED AND SCRIBED "WP AP 6 BT".

SET.

FROM TEMPORARY POINT AT A.P.

1. 6 DLC 39 (S.E. COR.), A
 WITNESS POINT, NORTH, 135° FEET.

#213, ~~57/39-28~~

WITNESS POINT IS A BRASS CAP
STAMPED

" COUNTY SURVEYORS OFFICE "

T29S R7W

W. P.

135 FEET

SOUTH TO

A.P. 6 DLC 39

1975

FROM WHICH

A. AN ASH, 6 INCH DIAMETER, BEARS
N 38° W, 60 $\frac{1}{2}$ FEET, TREE
BLAZED AND SCRIBED "WP AP 6
CS BT"

B. A RED CEDAR, 8 INCH DIAMETER,
BEARS S 79 $\frac{1}{2}$ ° W, 25° FEET.
TREE BLAZED AND SCRIBED
"WP AP 6 CS BT".

57/39-28
②

SET

2. REPLACE $\frac{1}{8}$ INCH DIAMETER IRON ROD
SET BY GARRETT (C.S. FILE 58/41)
WITH BRASS CAP, WITNESS POINT BEARS
SOUTH, 181 $\frac{1}{2}$ FEET FROM A.P. NUMBER
6 DLC 39. BRASS CAP STAMPED

"COUNTY SURVEYORS OFFICE"

T29S R7W

W. P.

181 $\frac{1}{2}$ FEET

NORTH TO

A.P. 6 DLC 39

1975

FROM WHICH

- A. AN ASH, 17 INCH DIAMETER, BEARS
S 10° W, 33 $\frac{1}{2}$ FEET. TREE BLAZED
AND SCRIBED "W P AP 6 DLC 39
CS BT". TREE IS FORKED AT BASE,
BEARING AND DISTANCE RECORDED TO
BASE.

- B. A MAPLE, 9 INCH DIAMETER, BEARS
N 61° E, 13 $\frac{1}{2}$ FEET. TREE BLAZED AND

C.S. FILE NO. 57/39-28

SCRIBED "WP AP 6 CS BT".

NOTE: AS A.P. 6 (SE COR. DLC 39)
FALLS IN OLALLA CREEK I DID NOT
REMOUUMENT THE CORNER. THE 1" BAR
SET BY BYRON IS ONE FOOT FROM
EDGE OF BADLY ERRODED CREEK
BANK.

(COMPASS DECLINATION
20° E)

12-9-75

L. E. MONREAN

P. L. E.

J. H. C.

