

24

26 | 25

T225 R7W

CLOSING

CORNER

(SEE REN. # 51)

To:

1"X1" "T-IRON" SET BY HAINES IN 1957
NEAR THE BASE OF A 30" D. FIR,

FROM WHICH:

THE TWO REMAINING ORIGINAL BEARING
TREES ARE LOCATED AS FOLLOWS:

AN ORIG. 8" NOW 30" D. FIR, ALIVE AND
COMPLETELY HEALED BEARS S 59° E
33⁰ FT.

AND AN ORIG. 50" NOW 60" D. FIR, SCRIBING
VISIBLE ON PREVIOUSLY OPENED BLAZE,
BEARS S 85° W 26[±] FT.

WE DO NOT SET A BRASS CAP.

WE MARK AN ADDITIONAL BEARING TREE AS FOLLOWS:

13²⁰⁰ C.S. File No. 57/39-49

NEW BT

18"

58²@6°

.9945

57²

D.F.R

S40°W

"CC T22S R7W S26 CS BT"

23⁴

24

.9135

26⁹

31¹@

29¹

.8703

32³

AN 18" D. FIR BEARS S 40° W 57 ²/₂ FT.,

SCRIBED "CC T225 R7W S26 CS BT"

IN A DOUBLE BLAZE.

COMPASS DECLINATION SETTING: 20° EAST

12-29-75

Larry L. Angles

M. LENORA LADIG

A. V. CANGIE

OK
JLL