

E 1/16  $\frac{27}{34}$

DATE: 20 Sept. 1977

Condition Report Only  
 Not Found  
 Renewed  
 Unrecorded  
 Surveyed In  
 Referenced Out

Previous Renewal #'s NONE

Monument(s) Found: (Condition and Source) NONE

Accessories Found: (Condition and Source) NONE

RENEWAL

Monument Set: (Procedure and Description) E 1/16 S 27-534  
The E 1/16 CORNER WAS SINGLE PROPORTIONED BETWEEN THE 1/4  
CORNER AND THE SECTION CORNER. SET: 2 1/4" DIA

BRASS CAP ATTACHED TO A 2" X 30" IRON PIPE.

Mkd. E 1/16 S 27  
T195 R10W  
S 34  
PLS 1017  
1977

New Accessories: (Description) \_\_\_\_\_

52" D-FIR brs. N34°W, Dist. 54°00', Double  
FACED SCRIBED 1/4 S 27 AND BT

24" D-FIR brs. S 76 1/2°W, Dist. 55°20', Double  
FACED SCRIBED 1/4 S 34, AND BT.

Location and Comments:  
Go USFS Road #1984  
TO CATTLE guard on  
The west side of Mr.  
Frank Andrews  
Farm, then go  
south 180 ft to  
corner.

20°  
US Forest Service  
Ernesto R. Alvarado  
Stu Johnston  
Gordon H. Long

Compass Declination  
Agency  
Party Chief  
Notekeeper  
Witnesses

CS 58/162-3b

T19-10  
1/4 COR  
27  
34

DATE: Sept. 12, 1977

Condition Report Only  
 Not Found  
 Renewed  
 Unrecorded  
 Surveyed In  
 Referenced Out

Previous Renewal #'s NONE

Monument(s) Found: (Condition and Source) \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

Accessories Found: (Condition and Source) Found two old blazed  
Trees EAST of the North Fork of Smith River AND by  
chopping out the blazed AND finding them to be 70 and 61  
year old; (both trees have been dead AT LEAST seven  
years), we determined this to be the ORIGINAL  
blaze line. other blaze line are as recent  
as 12-25 years. calls to toe of slope, old  
trail and river were checked AND found

#~~18~~ 18

C. S. File No. SB/62-3C

Page 4 of 4

To agree with the G.L.O. CALLS. Found a 18"  
Rotten Alder snag brs. N 8° W, Dist 13<sup>01</sup> with face  
chopped-out. No ORIGINAL scribing visible.  
Single proportionate would have place the 1/4  
corner at the Toe of the slope.

RENEWAL

Monument Set: (Procedure and Description) Re-established by GLO  
Field Notes CALLS AND BLAZE Tree for ALIEMENT.

Set: 2 1/4" DIA BRASS CAP ATTACHED TO

a 2" x 30" IRON PIPE. BRASS CAP  
IS SIX INCH ABOVE THE GROUND.  
B.C. MKD.

7195 RIDW  
1/4 S27  
4 S34  
PLS 1017  
1977

New Accessories: (Description)

46" D-Fir, brs N 22 W, DIST. 35<sup>31</sup> Double Faced  
scribed 1/4 S 27 AND BT

22" maple, brs. S 84 E, DIST. 30<sup>88</sup> Double  
Faced scribed 1/4 S 34 AND BT.

Location and Comments:

GO USFS ROAD #18  
TO Fork of West and  
North Fork of the  
Smith River. Location  
Posted about 300 ft  
from the bridge go  
west 80 ft.

20°  
US Forest Service  
Ernesto R. ALVARADO  
Eric STOLSIg  
Gordon H. Long

Compass Declination  
Agency  
Party Chief  
Notekeeper  
Witnesses

CS 58/162-3d

Feet

Beginning at the corner common to 26, 27, 34 and 35, T19S R10W WM as previously described, thence N89° 01' 41" W along the south boundary of Section 27.

815<sup>69</sup>

Flat marshy area

1309<sup>47</sup>

E 1/16 corner, set 2 1/4" Brass Cap attached to a 2" X 30" iron pipe; by single proportionate measurement. Brass cap is 6" above the ground.

Brass cap marked

	T19S	R10W
	S	27
E 1/16	<hr style="width: 100px; margin: 0 auto;"/>	
	S	34
	PLS	1017
		1977

From which

52" Douglas-fir bears N34°W Distance 54<sup>00</sup> ft.  
Double faced scribed; E 1/16 S27 & BT

24" Douglas-fir bears S76 1/2° W Distance 55<sup>90</sup> ft.  
Double faced scribed: E 1/16 S34 & BT

1550<sup>74</sup>

Ridge top bears NW & SE descend

1802<sup>58</sup>

Flat ground

2175<sup>72</sup>

East bank of North Fork of the Smith River; 70 feet wide, course SW

2477<sup>26</sup>

Trail bears N & S and camper parking area

2490<sup>89</sup>

East edge of USFS Road #1860 bears NE & SW

2564<sup>88</sup>

Toe of slope, bears NE & SW; ascend

2618<sup>94</sup>

1/4 corner, set: 2 1/4" Diameter Brass Cap attached to a 2" X 30" iron pipe. Brass cap is 6" above the ground. Brass Cap mark:

	T19S	R10W
1/4	S 27	<hr style="width: 100px; margin: 0 auto;"/>
	S 34	

From Which:

PLS 1017  
1977

Original Bearing Trees A 72" Douglas-fir (snag 5'high) bears S55°W - 56<sup>8</sup> links to ctr.  
A 18" Alder (dead) bears N8°W - 19 links

C. S. File No. 88/162-3E