

RENEWAL

T 305 R 8 W  
S18 S17  
S19 S20

(SEE RENEWAL NO. 70)

FOUND

1. BRASS CAP AT  
SECTION CORNER  
STAMPED;

" COUNTY SURVEYORS OFFICE "

T 305 R 8 W

S18 S17  
S19 S20  
1965

FROM WHICH

2. ORIGINAL 12 NOW 18 INCH  
DIAMETER LAUREL SNAG BEARS  
S. 11° E, 38<sup>2</sup> FEET. SNAG HAS  
BEEN OPENED, NO SCRIBING  
VISIBLE AS SNAG IS BADLY  
DECAYED.

(ALL OTHER ORIGINAL B.T.S.  
ARE GONE)

✓✓

#116

59/2-10

L

20 INCH NOW 22 INCH DIAMETER  
REDCEDAR BEARS N  $12\frac{1}{2}^{\circ}$  E, 32<sup>9</sup>

3. FEET (RECORD N  $11^{\circ}$  E, 31<sup>5</sup> FEET.  
TREE SCRIBED "T30S R8W S17CS BT".

4. 15 INCH DIAMETER W. FIR IS  
UP ROOTED, APPROXIMATE STANDING  
POSITION IS N  $59^{\circ}$  W, 9<sup>6</sup> FEET.  
TREE HAS GOOD BLAZE.

5. 15 INCH DIAMETER W. FIR IS  
UP ROOTED, APPROXIMATE STANDING  
POSITION IS S  $1^{\circ}$  E, 19<sup>0</sup> FEET.  
TREE IS SCRIBED "T30S R8W S20  
CS BT".

6. 9 INCH DIAMETER D. FIR IS UPROOTED,  
APPROXIMATE STANDING POSITION  
IS S  $31^{\circ}$  W, 23<sup>0</sup> FEET. TREE  
HAS GOOD BLAZE.

### RENEWAL

6. A 16" DIAMETER D. FIR BEARS  
N  $13^{\circ}$  W, 63<sup>9</sup> FEET. TREE BLAZED  
AND SCRIBED "T30S R8W S18  
CS BT".

G.S.F. 59/2-10

RENEWAL

2. A 13 INCH DIAMETER D. FIR  
BEARS S 66° W, 32 1/2 FEET.  
TREE BLAZED AND SCRIBED  
" T 30 S R 8 W S 19 C S BT "

3. SET SPIKE IN 48 INCH  
DIAMETER FIR STUMP, SPIKE  
BEARS S 57° E, 92 5 FEET.  
SPIKE STAMPED " B. O. "

MAG. DEC. 20° E - 1 - 21 - 76

L. E. MOURREAU

R. L. EARLE

J. H. COOK



3  
59/2-10