

①

T325 R5W

4-8-76

X S35 S36 (SEE RENEVAL # 165 AND
CS 45/54)

FOUND:

1/2" I PIPE AT CORNER (SEE CS 45/54) ALSO
LAYING ALONG SIDE I PIPE A 1/2" X 28" I
PIPE WITH BRASS CAP MARKED:
"COUNTY SURVEYOR'S OFFICE"

X S35 S36
1967"

FROM WHICH:

AN ORIG 6" NOW 9" YEW BEARS: N42°E
13.2 FT. WITH "X S36" VISIBLE IN GOOD BLAZE
TREE IS ALIVE (BT IS LEANING TO THE N.E.
DIST. AND BEARING TAKEN FROM BASE OF TREE)

15" NOW 19" D. FIR BEARS: N68°E 60 FT.
WITH 3 BLAZES. "S3 VISIBLE IN UPPER
BLAZE. MIDDLE BLAZE WELL HEALED AND
"B" VISIBLE IN LOWER BLAZE

NO TRACE OF OTHER BT'S.

* NOTE:

THIS CORNER LIES ON EAST EDGE OF
OLD LOG DECK. FOUND A 48" LOG RESTING
ON A 30" LOG 2" OVER THE I PIPE MAKING
CORNER UNACCESSABLE. CUT AWAY LOGS
CORNER IS NOW ACCESSABLE

SET AT TRUE CORNER POINT:

THE 1967 D.C.S.O. BRASS CAP.
STAMPED "1967" ABOVE 1967 AT BOTTOM
OF CAP. SET 1/2" I PIPE ON EAST SIDE OF CAP

DIETZEN NO. 385-6

#, 95

C.S. File No. 59/8-14

$$56.6' @ 11^\circ (.9816) = 56.5'$$

3.5' LEVEL

$$+ 3.5'$$

60.0

FROM WHICH (NEW BT)

A 6" W. FIR BEARSE S 70° E 13.2 FT. SCRIBED
"1/4 S 36 CS BT" IN DOUBLE BLAZE.

NO SUITABLE TREES TO THE WEST.

COMPASS DEC. 20° EAST

4-8-76

M. LENO RA LADIG
PETE L. EARLE

OK
[Signature]

DIETZGEN NO. 385-6