

T24S RIW

4-13-76

S14 | S13

(SEE RENEWAL # 56)

S23 | S24

FD.  
LAYING ON GROUND 1 1/2" x 30" T. PIPE  
WITH BRASS CAP STAMPED:

"COUNTY SURVEYORS OFFICE

T24S

RIW

S14 | S13

S23 | S24

1966"

AN ORIG 8" NOW 16" FIR N26°E 17.2 FT. ALIVE  
AND WELL HEALED (LOWER PART OF TREE CUT INTO)

AN ORIG 8" NOW 1 1/2" FIR S48°E 13.2 FT. ALIVE  
AND WELL HEALED.

AN ORIG 30" NOW 33" FIR SNAG S53°W  
17.8 FT. VISIBLE "T 24 RI S T" ON UNHEALED  
BLAZE.

AN ORIG 6" NOW 9" FIR SNAG N48°W 21.2 FT.

A 8" NOW 10" D. FIR S50°W 11.2 FT. VISIBLE  
"4 1 2 C B" IN GOOD BLAZE

\* INTERSECTED DIST. AND BEARINGS OF THE  
5 BT.'S.

SET AT TRUE CORNER POINT:

THE 1966 DC SO BRASS CAP. IN MOUND  
OF STONE 4" WIDE AT BASE AND 1 1/2" HIGH.  
STAMPED "1976" ABOVE 1966 AT BOTTOM

FROM WHICH: (NEW 1ST)

DIETZGEN NO. 385-S

34.9<sup>ft</sup> @ 10° (.9848) 32.4

②  
A 13" D. FIR BEARS: N 29° W 32.4 FT.  
SCRIBED "T 245 R 1 W S 14 CS BT" IN DOUBLE  
BLAZE.

COMPASS DEC. 20° EAST

4-13-76

M. LENORA LADIG  
PETE L. EARLE  
DEBBIE L. STEWART

NOTE

COR. LIES APPROX 300 FT WEST  
OF TOP OF N-S RIDGE. COR ALSO  
LIES APPROX. 90 FT WEST OF RD. # 24-1-11

OK  
*[Signature]*

DIETZGEN NO. 385-6

C. S. File No. 59/B-16