

6-21-76

T225

13	7	CC
	18	

R11W R10W

FOUND:

AN ORIGINAL BT. A 16" NOW 5 1/2" D. FIR, IN GOOD CONDITION WITH SCRIBING "S 7" VISIBLE ON PREVIOUSLY OPENED BLAZE.

WE DO NOT FIND ANY TRACE OF THE REMAINING ORIGINAL BT'S OR THE ORIGINAL CORNER MONUMENT.

AT THE TRUE CORNER POINT AS DETERMINED AT THE RECORD BEARING & DISTANCE FROM THE ONLY REMAINING ORIGINAL BEARING TREE, WE SET A 1" X 30" I. PIPE ~~WITH~~ 26" IN THE GROUND, WITH BRASS CAP ATTACHED, STAMPED:

DOUGLAS CO. SURVEYOR

T225

S 13	7	CC
	18	
R11W		R10W

#14 T22-11
#74 T22-10

1976

G.S. File No. 57115 C

DIETZEN NO. 385-6

CLOSING CORNER

$$26^{\circ} @ 28^{\circ} = 23^{\circ}$$

$$18^{\circ} @ 12^{\circ} = 17^{\circ}$$

NEW BT

CC T223 RIDW S 18 CS BT

$$22^{\circ} @ 16^{\circ} = 21^{\circ}$$

12" @ 320° E 12" D. Fir

2' 2"
(2' 0" x 2' 10")

CS 59/15 - 21

FROM WHICH WHICH

AN ORIGINAL BEARING TREE, A 16" NOW 54'

D. FIR BEARS N 45° E 39 $\frac{5}{8}$ FT.

WE MARK AN ADDITIONAL BEARING TREE;

A 12" D. FIR BEARS S 20° E. 21 $\frac{5}{8}$ FT.;

SCRIBED "CC T22S R10W S18 CS BT"

IN A DOUBLE BLAZE.

COMPASS DECLINATION SETTING: 20° EAST

6-21-76

Gary L. Longley

M. LINDRA LADIG

PETER L. EARLE

KAREN CHENEY

NOTE: THE NE CORNER OF SECTION 13,

T22S R11W BEARS APPROX. NORTH 50 FT.

OKful

C. S. File No. 59/13