

T 27 S R 5 W

$$\frac{1}{4}$$
 S 33 | S 34
FOUND

1. A WHITE OAK 12 NOW 20 INCH DIAMETER BEARS N 24° E, 102 $\frac{3}{4}$  FEET (AT MAG. DEC. OF 12° E). TREE BEARS N 33° E, 102 $\frac{3}{4}$  FEET (20° E MAG DEC.) TREE HAS BEEN OPENED, HAS OLD BLAZE WITH SCRIBE "B" AND PARTIAL T.

2. FOUND A BLACK OAK AT APPROXIMATE POSITION OF ORIGINAL W. OAK BEARING TREE. TREE BEARS N 12° W 31° FEET. TREE BEING USED AS FENCE CORNER, I OPENED TREE AND FOUND OLD AX MARKS, NO SCRIBING FOUND, POSSIBLE FACE ROTTED. TREE HAS A 20 INCH DIAMETER

#148 ✓

C. S. File No. 59/18-200

RENEWAL

AS CORNER FAILS IN ROAD, I  
SET A WITNESS CORNER NORTH,  
15<sup>9</sup> FEET OF TRUE CORNER  
POSITION. SET BRASS CAP AT  
WITNESS CORNER STAMPED,

" COUNTY SURVEYORS OFFICE "

T 27 S R 5 W

W. C.

SOUTH

15 FEET TO

1/4

S 33 / S 34

1976

2. A WHITE OAK, 9 INCH DIAMETER,  
BEARS N 38° E, 52 1/2 FEET.

TREE DOUBLE BLAZED AND SCRIBED  
" WC 1/4 S 34 CS BT "

DIETZGEN NO. 385-6

3 A CEDAR, 12 INCH DIAMETER,  
BEARS N 72° W, 56 ± FEET.  
TREE DOUBLE BLAZED AND  
SCRIBED " WC 1/4 S 33 CS  
BT".

MAG. DECLINATION  
20° E.

B-23-76

L.E. MONREAN  
P.L. EARLE

OK  
*[Signature]*

DIETZGEN NO. 385-6

G. S. File No. 59/18-20