

RENEWAL

10-12-76

T 30 S R 8 W

S 28 | S 27

S 33 | S 34

SEE RENEWAL # 12

FOUND

BRASS CAP SET BY BYRON STAMPED:

1.

" COUNTY SURVEYOR'S OFFICE "

T 30 S R 8 W

S 28 | S 27

S 33 | S 34

1958

CAP DISLODGED BY UPROOTED TREE.

2.

ORIGINAL 17 NOW 21 INCH R. FIR

IS DEAD. TREE BEARS S 6° W, 13 1/2

FEET. TREE IS BARK SCRIBED " T 30 S

R 8 W S 33 BT "

OTHER ORIGINAL B.T.'S FOUND IN 1958

ARE UPROOTED, AND CUT BELOW

SCRIBINGS.

DIETZGEN NO. 385-6

#119 ✓

C. S. File No. 59/24

51
C

FOUND

3. IS NOW 14 INCH DIAMETER W. FIR (PER RENEWAL #12) IS DEAD. TREE BEARS N 48° E, 70¹/₂ FEET (REC 69¹/₂ FEET) TREE HAS GOOD BLAZE, PARTIALLY OPENED.

OTHER B.T.'S PER RENEWAL #12 HAVE BEEN DESTROYED.

RENEWAL

1. I REPLACE 1958 BRASS CAP AT SECTION CORNER. I RESTAMP DATE "1976".

2. A P. FIR 11 INCH DIAMETER BEARS S 11° W, 30¹/₂ FEET. TREE BLAZED AND SCRIBED "T 30 S R B W S 33 CS BT".

3. SET BRIDGE SPIKE IN 48 INCH DIAMETER FIR STUMP. SPIKE BEARS S 60¹/₂° E, 42¹/₂ FEET, SPIKE STAMPED "S 34".

DIETZEN NO. 385-6

G. S. File No. 59/24-3

RENEWAL

4. SET BRIDGE SPIKE IN A 38
INCH DIAMETER FIR STUMP. SPIKE
BEARS N 77° E, 50⁺ FEET.
SPIKE STAMPED " S 27 ".

5. SET BRIDGE SPIKE IN A 30
INCH DIAMETER FIR STUMP.
SPIKE BEARS N 74° W, 9[±] FEET.
SPIKE STAMPED " S 28 ".

MAG. DEC. 20° E

10-12-76

L.E. MONREAN

P.L. EARLE

OK
JHL

DIETZGEN NO. 385-6