

T 26 S R 3 W

3-21-77

W.C.

RENEWED

1/4 S 10 / S 11

SEE RENEWALS # 23, 37, 61, & 201

FOUND

1. A 5/8 INCH DIAMETER IRON ROD
 SET AS WITNESS CORNER TO 1/4 CORNER
 (SEE REN. NO. 201 R M 2-69)
 ALSO FOUND 1957 COUNTY SURVEYOR
 BRASS CAP MARKED

" COUNTY SURVEYORS OFFICE "
 WIT. COR. 14.1 FEET NORTH OF
 T 26 S R 3 W

1/4 S 10 / S 11
 1957 (#61)

C.S. File No. 59/31 X3

BRASS CAP BEARS N 80° E 84° FEET
 OF WITNESS CORNER TO 1/4 CORNER AS
 DETERMINED BY BAUGHMAN.

FROM THE BAUGHMAN WITNESS CORNER

2. AN OAK 9 (RECORD 7) INCH DIAMETER
 BEARS S 75° E 12 3/4 FEET SCRIBED

#208 "WC 1/4 S 11 BT". THIS TREE IS ALSO THE
 1957 S.W. BEARING TREE (SEE FOUND #5). C

T 26 S R 3 W
W. C.
1/4 S 10/311

PAGE 2

3. AN OAK 8 INCHES DIAMETER BEARS
S 63° W (RECORD S 58° W) 18 1/2 FEET.
TREE SCRIBED "W.C. 1/4 S 10 BT".

FROM THE 1957 COUNTY SURVEYOR
BRASS CAP

4. A FIR 40 NOW 48 INCH DIAMETER
BEARS EAST 62 1/2 FEET. TREE
BARK SCRIBED "W. T. COR. 1/4 S 11
CS BT".

5. A W. OAK 6 NOW 9 INCH DIAM.
BEARS S 75° W 73 1/2 FEET. TREE
HAS WELL HEALED BLAZE, WE OPEN
AND FIND GOOD SCRIBING "W. T. COR.
1/4 S 10 CS BT".

NO OTHER B.T.'s FOUND

RENEWAL

1. WE REPLACE IRON ROD AT BAUGHMAN
WITNESS CORNER WITH A 2 INCH BY
30 INCH IRON PIPE 27 INCHES IN THE
GROUND WITH BRASS CAP MARKED

C. S. File No. 59/31

T 26 S R 3 W
W. C.
1/4 S 10 / S 11

"COUNTY SURVEYORS OFFICE"

W. C.

T 26 S R 3 W

NORTH TO

1/4 S 10 / S 11

16 2 FEET

1977

SET 5/8 INCH DIAM. IRON ROD ALONG
NORTH SIDE OF CAP.

2. I REPLACE 1957 COUNTY SURVEYOR
BRASS CAP WITH A 5/8 INCH DIAM.
IRON ROD.

3. WE REMOVE THE SCRIBING FOUND
ON THE TWO TREES WHICH REFERENCE
THIS MONUMENT (TREES DESCRIBED
IN FOUND 4 AND 5).

THIS RENEWAL WAS DONE IN ACCORDANCE
WITH CIRCUIT COURT DECREE # 75-210
(SEE CS 59/21)

MAG. DEC.
20° EAST

Larry E. Monrean

LARRY E. MONREAN

KAREN CHENEY

PETE EARLE

[Handwritten initials]

C. S. File No. 59/31