

4-6-78

DATE: ~~3-30-78~~

SURVEYOR'S  
T2BS R2W OFFICE

COUNTY

1/4 534  
W.C.  
← WEST  
70.0'  
1978

- Condition Report Only
- Not Found
- Renewed
- Unrecorded
- Surveyed In
- Referenced Out

Previous Renewal #'s \_\_\_\_\_

Monument(s) Found: (Condition and Source) ORIGINAL CORNER  
STONE, 12" x 12" x 18", MARKED  
"1/4". STONE IS LOOSE & LYING  
AT TOP OF ROAD CUT, DIRECTLY  
UP-SLOPE FROM WHERE I HAVE  
DETERMINED ~~GO~~ THE TRUE  
CORNER POINT ~~IS~~ TO BE.

Accessories Found: (Condition and Source) A 30" FIR  
STUMP BEARS N <sup>36°</sup>~~42°~~ 30' W, 53.46'  
(RECORD N 81° 30' W, 53.46') SCRIBING VISIBLE  
ON PARTLY HEALED BLAZE WHICH DOES  
FACE CORNER, "1/4 534 BT". STUMP  
HOLE BEARS N 35° E, 21.12' (RECORD  
N 36° E, 21.12')

#99 T 28-2 x  
 #103 T 29-2 x

CORNER S3|52 T29S R2W BEARS

EAST 258.01' (RECORD 589°58'E,  
253.44')

RENEWAL

Monument Set: (Procedure and Description) CORNER

FALLS IN DITCH LINE OF ROAD,  
SO I SET A 5/8" x 24" IRON  
ROD AT CORNER POINT. (F.S. ROAD  
# 274)

New Accessories: (Description) A 11" DOUG. FIR

BEARS N45°30'E, 14.0' SCRIBED "1/4 S34  
CS BT" ON A DOUBLE BLAZE, A 12"

DOUG. FIR BEARS N9°W, 12.5' SCRIBED  
"1/4 S34 CS BT" ON A DOUBLE BLAZE,

I BURY THE ORIGINAL CORNER STONE

Location and Comments:

20° E

U.S. F.S.

DENNIS GAYLORD

" "

ROLAND SIMSHAUSER

RANDAL LOPEZ

Compass Declination

Agency

Party Chief

Notekeeper

Witnesses

OK *[Signature]*

DATE: \_\_\_\_\_

- \_\_\_\_\_ Condition Report Only
- \_\_\_\_\_ Not Found
- \_\_\_\_\_ Renewed
- \_\_\_\_\_ Unrecorded
- \_\_\_\_\_ Surveyed In
- \_\_\_\_\_ Referenced Out

SEE BACK

Previous Renewal #'s \_\_\_\_\_

Monument(s) Found: (Condition and Source) \_\_\_\_\_

---

---

---

---

---

---

---

---

---

---

Accessories Found: (Condition and Source) \_\_\_\_\_

---

---

---

---

---

---

---

---

---

---

RENEWAL

Monument Set: (Procedure and Description) \_\_\_\_\_

New Accessories: (Description) BETWEEN THE NEW

B.T.'S , 4" OF THE STONE IS ABOVE

GROUND. & THE "1/4" IS FACING NORTH. THE

STONE BEARS N 19° E, 12.1'. A 2 1/2"

BRASS CAP ON A 1" IRON PIPE BEARS EAST,

70.0' FROM CORNER POINT. BRASS CAP STAMPED

AS SHOWN ON PAGE 1 of 2.

Location and Comments:

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

Compass Declination

Agency

Party Chief

Notekeeper

Witnesses

T 28 S R 2 W

SOUTH 1/4 COR, SEC 34

NOT TO SCALE

