

DATE: April 7, 1981

T 305 R9W

S 31 | S 32

S 6 | S 5

T 315 R9W

Condition Report Only

Not Found

Renewed

Unrecorded

Surveyed In

Referenced Out

Previous Renewal #'s 33, 91 <sup>T30-9</sup> (33-38 T31-9)

Monument(s) Found: (Condition and Source) From renewal # 91

a DCSO brass cap 2 1/2 inch diam on a linch iron pipe is firmly set and protrudes 18 1/2 inches from the ground

The cap is marked as follows: COUNTY SURVEYORS

From renewal # 33 a 1 1/4 inch

T 305

S 31 | S 32 R9W

S 6 | S 5

T 315

iron pipe protrudes 18 inches

from the ground on the south edge

of the above mentioned cap. From the 1893 retracement a 14 x 10 x 8 inch stone is set on the west side of the

(cont'd pg 2)

Accessories Found: (Condition and Source) A search is made

for the original bearing trees none are found. Evidence of 3, 1893 retracement bearing trees is found.

A Fir, 30 ins. diam. now a 30 inch D.B.H. 50 feet tall D. fir snag bears N44°E, 42 1/2 feet distant (as per record), tree has good evidence of burling around a rotted and burned blaze, no scribing visible. A fir snag

#126 T30-9 X  
#167 T31-9 X

30 feet tall and 30 inch D.B.H. bears S22 1/2° E, 43<sup>2</sup> feet distant face measurement; no scribing or definite blaze marks are found but this tree agrees reasonably well with 1893 Fir 30 ins. diam. bearing,  
(cont'd, pg 2)

RENEWAL

Monument Set: (Procedure and Description) \_\_\_\_\_

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

New Accessories: (Description) \_\_\_\_\_

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

Location and Comments:

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

Compass Declination  
Agency  
Party Chief  
Notekeeper  
Witnesses

DATE: April 7, 1981

T305 R9W

S31, S32

S67 S5

T315 R9W

Condition Report Only

Not Found

Renewed

Unrecorded

Surveyed In

Referenced Out

Previous Renewal #'s 33, 91

Monument(s) Found: (Condition and Source) (cont'd from pg 1)

brass cap iron pipe monument. Stone is marked with 5 notches on its East edge, no marks are found on the west edge which has been broken (record 5 notches on the East edge, 1 notch on West edge). An iron fence post protrudes 42 inches from ground on the southwest edge of the brass cap iron pipe monument.

Accessories Found: (Condition and Source) S22°E, 42<sup>±</sup> feet

dist. A Fir, 34 ins. diam now a rotted 30 inch diam 12 inch tall burned fir stump bears S21 1/2°W, 32<sup>±</sup> feet distant (as per record), no blazes or scribe marks visible. Northwest 1893 bearing tree is searched for but not found. From renewal #33 two bearing trees are found. An 8" Doug. Fir, now a 12 inch D.B.H.

D. fir bears S 60° W, 34<sup>+</sup> feet distant (as per record);  
tree has a well healed single blaze no scribing visible.

A 10" Oak now a 12 inch D.B.H. Chinquapin bears S 51° E  
20<sup>+</sup> feet distant (as per record); tree has a partially  
healed single blaze with the scribing S 5 BT visible.

RENEWAL

Monument Set: (Procedure and Description) Found monument  
position is accepted

New Accessories: (Description) no other suitable  
bearing tree are available. All found  
trees are tagged with DC 50 bearing tree tags.

Location and Comments: 19° E Compass Declination

DCSO Agency  
Deputy Stephen John Flavia Party Chief  
Stephen John Flavia Notekeeper

Terrie Platt Witnesses

Karen Masely

*[Signature]*