



DATE: JULY 13, 1981

- Condition Report Only
- Not Found
- Renewed
- Unrecorded
- Surveyed In
- Referenced Out

Previous Renewal #'s 16, 71

Monument(s) Found: (Condition and Source) _____

1 1/4" IR, FIRMLY SET, PROJECTING 1 1/2" ABOVE
GROUND WITH BRASS CAP MARKED AS
ABOVE, SET BY JOHN POWELL, DOUGLAS
COUNTY SURVEYOR'S OFFICE IN 1969. ORIGINAL
STONE SET ALONGSIDE.

Accessories Found: (Condition and Source) ORIGINAL BTS:

A 36" F. CEDAR, S25°E, 42³/₄ FT, RESCRIBED BY
A.R. EVANS, DOUGLAS COUNTY SURVEYOR'S OFFICE
IN 1951 WITH SCRIBE MARKS "T32SR3W S1 CS"
VISIBLE ON BARK BLAZE, AND RESCRIBED BY
POWELL IN 1969, WITH SCRIBE MARKS "T32S
R3W S11 CS BT" VISIBLE ON BARK BLAZE.

A 27" D. FIR, S30°W, 5² FT. WITH NO SCRIBE MARKS
VISIBLE ON PREVIOUSLY OPENED BLAZE, AND
RESCRIBED BY POWELL IN 1969, WITH FRAG-
MENTARY SCRIBE MARKS VISIBLE ON PARTLY
HEALED BLAZE.

RENEWAL

Monument Set: (Procedure and Description) _____

New Accessories: (Description) _____

Location and Comments: _____ Compass Declination
_____ Agency
U.S.F.S. Party Chief
LEONARD HERZSTEIN Notekeeper
_____ Witnesses
JIM LANORUM

OK [Signature]

T32SR3W

S3 | S2

S10 | S11

DATE: JULY 13, 1981

- Condition Report Only
- Not Found
- Renewed
- Unrecorded
- Surveyed In
- Referenced Out

Previous Renewal #'s 16, 71

Monument(s) Found: (Condition and Source) _____

Accessories Found: (Condition and Source) _____

AND BITS MARKED BY EVANS IN 1951

A 16" D. FIR, N83°E, 31° FT WITH HEALED
DOUBLE BLAZE.

A 60" D. FIR, N23°W, 54° FT. WITH SCRIBE
MARKS "T32SR3W S3 CS BT" VISIBLE ON
ON BARK BLAZE.

AND BT MARKED BY POWELL IN 1969:
A 9" D. FIR, N66°W, 12" FT, WITH FRAGMENTARY
SCRIBE MARKS VISIBLE ON PARTLY HEAVED DOUBLE
BLAZE.

RENEWAL

Monument Set: (Procedure and Description) _____

New Accessories: (Description) _____

Location and Comments:	_____	Compass Declination
	_____	Agency
	_____	Party Chief
	_____	Notekeeper
	_____	Witnesses

