

T 31 S
¼
S 19 | S 20
R 4 W

DATE: 7-14-81

- Condition Report Only
- Not Found
- Renewed
- Unrecorded
- Surveyed In
- Referenced Out

Previous Renewal #'s 83, 123

Monument(s) Found: (Condition and Source) FD Brass CAP ^(REN #123)

ON 1" IRON PIPE WHICH PROTRUDES 9" ABOVE THE GROUND AND LEANS SLIGHTLY TO THE SOUTH.

THE CAP IS MARKED AS FOLLOWS

COUNTY SURVEYORS OFFICE

¼ 19 | 20
1966

NOTE THE LINE ON THE CAP POINTS N 80° E RATHER THAN NORTH. NO OTHER MONUMENT WAS FOUND.

Accessories Found: (Condition and Source) FD. 10" NOW 11" CEDAR

SNAG 7' TALL WITH SCRIBED ¼ S 19 VISIBLE, BEARS S 64° W 11' FT (REC. S 48° W 11' 2) PER REN # 83.

FD 10" NOW 14" FIR PER REN # 83 BEARS N 52° E 28' FT (REC. N 61° E 26' 2) WITH WELL HEALED BLAZE.

FD. 10" NOW 15" FIR per ren # 83 BEARS N 8° W 65' 2 (REC N 6° W 61' 2) WITH WELL HEALED BLAZE.

#170 2+

MONUMENT SET: RENEWAL

SINCE THE BEARINGS & DIST'S DISAGREE BADLY WITH RECORD CALLS I DO NOT ACCEPT THE POSITION OF THE FD. BRASS CAP AS THE TRUE COR. I REMOVED SAID BRASS CAP FROM THE PIPE. I LEAVE THE 1" IRON PIPE IN PLACE PROTRUDING 7" ABOVE GROUND TO ~~MARK~~ PRESERVE ITS POSITION.

~~Monument Set~~ (~~Procedure and Description~~) I THEN USE THE 3 EXISTING BT'S AND ESTABLISH A POSITION FOR THE COR. WHICH CLOSELY MATCHES REC. CALLS.

I SET A BRASS CAP MARKED:
DOUGLAS CO SURVEYOR
Y4 T315
519 | 520
~~XXXXXXXXXX~~ RAW
1981

FROM WHICH THE 3 EXISTING BT'S BEAR AS FOLLOWS:
10" NOW 11" CEDAR SNAG BEARS S48°W 12° FT (REC. 11^g)
10" NOW 14" FIR BEARS N61°E 27¹ FT. (REC. 26^g)
10" NOW 15" FIR BEARS N6°W 61^g FT (REC. 61^g) NOTE THIS

DIST WAS DIFFICULT TO MEASURE EXACT DUE TO LOG DECK ON LINE

Location and Comments: _____ Compass Declination
_____ Agency
_____ Party Chief
_____ Notekeeper
_____ Witnesses

DATE: 7-14-81

T 31 S

1/4 S 19 | S 20

R 4 W

- Condition Report Only
- Not Found
- Renewed
- Unrecorded
- Surveyed In
- Referenced Out

Previous Renewal #'s _____

Monument(s) Found: (Condition and Source) _____

Accessories Found: (Condition and Source) _____

#170

RENEWAL

Monument Set: (Procedure and Description) _____

THE 1" IRON PIPE WHICH WAS LEFT BEARS
S 21° E 3 ⁶⁵ FT OF SET BRASS CAP.

New Accessories: (Description) _____

24" FIR BEARS S 80° W 72 ² FT SCRIBED
1/4 S 19 CS BT IN DOUBLE BLAZE.

8" FIR BEARS S 26° W 17 ¹ FT. SCRIBED
1/4 S 19 CS BT IN DOUBLE BLAZE.

ALL TREES HAVE NEW DCSO BT TAGS.

Location and Comments:

COR LIES ON
SOUTHERY EDGE
OF DIRT ROAD (31A-192)
AND HAS FENCE
POST WITH SURVEY
MARKER SIGN
0.5 FT SOUTHERLY
OF CAP

19° E
DCSO
Greg Quibell
GREG QUIBELL
DEBBIE STEWART

Compass Declination
Agency
Party Chief
Notekeeper
Witnesses

OK, [Signature]