

578

Subdivision of T. 33 S., R. 8 W.

Chains.

A fir, 8 ins. diam., bears N. $16\frac{1}{2}^{\circ}$ W., 22 lks. dist.,
mkd. T 33 S R 8 W S 2 B T.

Land, mountainous.

Soil, loose, coarse, rocky loam; 3rd rate.

Timber, pine fir, madrona and live oak.

Undergrowth, lilac, madrona, chinquapin, live oak,
buckhorn and manzanita.

S. $89^{\circ} 47'$ E., on random line bet. secs. 1 and 12.

40.00 Set temp. $\frac{1}{4}$ sec. cor.

82.66 Intersect E. bdy. of Tp., 9 lks. N. of the cor. of secs.
1 and 12, heretofore described.

Thence

N. $89^{\circ} 43'$ W., on a true line bet. secs. 1 and 12.

Desc. 90 ft. over SW. slope, through heavy green timber
and dense undergrowth.

11.90 Ravine, course S.; asc. 445 ft. over SE. slope to ridge.

20.05 Road, bears NE. and SW.

37.10 Ridge, bears NE. and SW.; desc. 130 ft. over broken
NW. slope.

42.66 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in
the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.

S1
 $\frac{1}{4}$ ———
S12
1919

from which

A fir, 30 ins. diam., bears N. 13° E., 38 lks. dist.,
mkd. $\frac{1}{4}$ S 1 B T.

A fir, 36 ins. diam., bears S. 7° E., 40 lks. dist.,
mkd. $\frac{1}{4}$ S 12 B T.

Desc. 910 ft. over broken NW. slope.

79.30 Head of ravine, course NW.; thence over N. slope.

82.66 The cor. of secs. 1, 2, 11 and 12.

Chains.

Land, moun

Soil, loos

Timber, fl

Undergrowth

North, on

Desc. 10 f

and dens

0.50 Ravine, co

15.30 Spur, slop

40.00 Set a gran

ground,

from whi

A pine, 40

mkd. $\frac{1}{4}$

A pine, 30

mkd. $\frac{1}{4}$

Desc. 335

70.20 Branch, 3

slope.

84.21 Intersect

N. 89° 5

and 36,

At point o

Set a gran

ground,

S; with

from whi

A madrona,

mkd. T

A fir, 18

mkd. T

Land, moun

Soil, lo

Subdivision of T. 33 S., R. 8 W.

Chains.

Land, mountainous.

Soil, loose, coarse, rocky loam; 3rd rate.

Timber, fir, pine and madrona.

Undergrowth, chinquapin, buckhorn and manzanita.

 North, on Sectional Guide Meridian bet. secs. 1 and 2.
 Desc. 10 ft. over N. slope, through heavy green timber
 and dense undergrowth.

- 0.50 Ravine, course NW.; asc. 40 ft. over SW. slope.
- 15.30 Spur, slopes NW.; desc. 440 ft. over NE. slope.
- 40.00 Set a granite stone, 16 x 12 x 8 ins., 11 ins. in the
 ground, for $\frac{1}{4}$ sec. cor., mkd. $\frac{1}{4}$ on W. face;
 from which
 A pine, 40 ins. diam., bears N. 58° E., 30 lks. dist.,
 mkd. $\frac{1}{4}$ S 1 B T.
 A pine, 30 ins. diam., bears S. 60° W., 12 lks. dist.,
 mkd. $\frac{1}{4}$ S 2 B T.
 Desc. 335 ft. over NE. slope.
- 70.20 Branch, 3 lks. wide, course NW.; asc. 210 ft. over SW.
 slope.
- 84.21 Intersect 7th Standard Parallel South, 0.82 chs.,
 N. 89° 53' W. from the standard cor. of secs. 35
 and 36, heretofore described.
 At point of intersection,
 Set a granite stone, 15 x 10 x 8 ins., 10 ins. in the
 ground, for closing cor. of secs. 1 and 2, mkd. CC on
 S; with 1 groove on E. and 5 grooves on W. face;
 from which
 A madrona, 10 ins. diam., bears S. 42° E., 53 lks. dist.,
 mkd. T 33 S R 8 W S 1 CC B T.
 A fir, 18 ins. diam., bears S. 20° W., 43 lks. dist.,
 mkd. T 33 S R 8 W S 2 CC B T.

Land, mountainous.

Soil, loose, coarse, rocky loam; 3rd rate. C.S. File No. 64/76-1

Subdivision of T. 33 S., R. 8 W.

Chains.

- N. $0^{\circ} 1' W.$, on a true line bet. secs. 2 and 3.
 Desc. 35 ft. over NE. slope, through heavy green timber
 and dense undergrowth.
- 0.90 East Fork of Whiskey Creek, 2 lks. wide, course SE.
 Asc. 615 ft. over SW. slope.
- 16.40 Ridge, bears NW. and SE.; trail bears NW. and SE.
 Desc. 300 ft. over N. slope.
- 33.65 Spur, slopes NE.; desc. 275 ft. over NW. slope.
- 40.00 Set a limestone, 16 x 12 x 10 ins., 11 ins. in the ground,
 for $\frac{1}{4}$ sec. cor., mkd. $\frac{1}{4}$ on W. face; from which
 A fir, 10 ins. diam., bears N. $80^{\circ} E.$, 8 lks. dist.,
 mkd. $\frac{1}{4}$ S 2 B T.
 A fir, 24 ins. diam., bears S. $80^{\circ} W.$, 24 lks. dist.,
 mkd. $\frac{1}{4}$ S 3 B T.
 Desc. 245 ft. over NW. slope.
- 48.00 Branch, 1 lk. wide, course NE.; asc. 15 ft. over SE.
 slope.
- 49.80 Spur, slopes E.; desc. 30 ft. over NE. slope.
- 51.70 Branch, 1 lk. wide, course SE.; asc. 210 ft. over SE.
 slope.
- 62.40 Spur, slopes NE.; desc. 65 ft. over NW. slope.
- 64.30 Ravine, course NE.; asc. 40 ft. over SE. slope.
- 69.20 Spur, slopes NE.; desc. 310 ft. over N. slope.
- 82.10 Branch, 2 lks. wide, course E.; asc. 75 ft. over SE.
 slope.
- 85.08 Intersect the 7th Standard Parallel South, 4.47 chs.,
 West from the standard cor. of secs. 34 and 35,
 heretofore described.
- At point of intersection,
 Set a diorite stone, 16 x 10 x 6 ins., 11 ins. in the
 ground, for closing cor. of secs. 2 and 3, mkd. C.C.C.
 on S; with 2 grooves on E. and 4 grooves on W. face;
 from which

Chains.

- A fir, 36
 mkd. T
 A madrona
 mkd. T
 Land, mou
 Soil, loo
 Timber, p
 Undergrow

 From the
 previou
 R. 8 W.
 N. $0^{\circ} 2'$
 Desc. 125
 and der
 2.70 Junction
 creek f
 Asc. 150
 14.00 Spur, slo
 17.00 Head of r
 21.00 Spur, slo
 bank of
 25.00 Trail, be
 36.12 Right bar
 Set an in
 the gr
 with b
 from w
 A pine,
 mkd.
 A pine,

Subdivision of T. 33 S., R. 8 W.

Chains.

A fir, 36 ins. diam., bears S. 18° E., 28 lks. dist.,

mkd. T 33 S R 8 W S 2 C C B T.

A madrona, 14 ins. diam., bears S. 40½° W., 90 lks. dist.,

mkd. T 33 S R 8 W S 3 C C B T.

Land, mountainous.

Soil, loose, coarse, rocky loam; 3rd rate.

Timber, pine, fir and madrona.

Undergrowth, live oak, madrona and manzanita.

From the cor. of secs. 33 and 34, on S. bdy. of Tp.,
previously described in field notes of T. 34 S.,
R. 8 W., this group.

N. 0° 2' W., bet. sec. 33 and 34.

Desc. 125 ft. over NW. slope, through heavy green timber
and dense undergrowth.

2.70 Junction of creeks; Ram Creek, 15 lks. wide, course NE.;
creek from SE., 8 lks. wide.

Asc. 150 ft. over SE. slope.

14.00 Spur, slopes E.; desc. 20 ft. over NE. slope.

17.00 Head of ravine, course E.; asc. 55 ft. over SE. slope.

21.00 Spur, slopes E.; desc. 405 ft. over NE. slope to right
bank of Rogue River.

25.00 Trail, bears NE. and SW.

36.12 Right bank of Rogue River.

Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in
the ground, for meander cor. of frac. secs. 33 and 34,
with brass cap mkd.

M C

S33	S34
T33S	R8W
1919	

from which

A pine, 6 ins. diam., bears S. 27° E., 103 lks. dist.,

mkd. T 33 S R 8 W S 34 M C B T.

A pine, 6 ins. diam., bears S. 42° W., 134 lks. dist.,

C.S. File No. 64/76-1

664

Subdivision of T. 33 S., R. 8 W.

Chains.

N. 89° 52' E., on random line bet. secs. 3 and 10.
 40.00 Set temp. $\frac{1}{4}$ sec. cor.
 80.18 Intersect N. and S. line, 5 lks. N. of the cor. of secs.
 2, 3, 10 and 11.
 Thence
 S. 89° 54' W., on a true line bet. secs. 3 and 10.
 Asc. 310 ft. over NE. slope, through heavy green timber
 and dense undergrowth.
 8.80 Spur, slopes S. 80° E.; asc. 685 ft. over SE. slope.
 36.60 Spur, slopes SE.; desc. 95 ft. over SW. slope.
 40.09 Set a diorite stone, 16 x 10 x 10 ins., 11 ins. in the
 ground, for $\frac{1}{4}$ sec. cor., mkd. $\frac{1}{4}$ on N. face; from which
 A pine, 24 ins. diam., bears N. 88 $\frac{1}{2}$ ° W., 146 lks. dist.,
 mkd. $\frac{1}{4}$ S 3 B T.
 A fir, 20 ins. diam., bears S. 45 $\frac{1}{2}$ ° E., 22 lks. dist.,
 mkd. $\frac{1}{4}$ S 10 B T.
 Desc. 5 ft. over SW. slope.
 42.00 Head of ravine, course S.; asc. 210 ft. over SE. slope.
 57.10 Spur, slopes S.
 Leave heavy green timber, bears N. and S.; continue
 through heavy standing dead timber.
 Desc. 525 ft. over SW. slope over cliffs and sliderock.
 72.90 Head of ravine, course S.; asc. 25 ft. over SE. slope.
 75.40 Spur, slopes S.; desc. 65 ft. over SW. slope.
 80.18 The cor. of secs. 3, 4, 9 and 10.
 Land, mountainous.
 Soil, loose, coarse, rocky loam; 3rd rate.
 Timber, fir, pine, live oak and madrona.
 Undergrowth, madrona, live oak, sweet acorn, buckhorn
 and manzanita.

 N. 0° 2' W., on a true line bet. secs. 3 and 4.
 Asc. 165 ft. over SE. slope, through heavy dead timber
 and dense undergrowth.

Chains.

6.00 Spur,
 7.10 Enter
 8.80 Ravine
 20.70 Ridge
 36.40 Ravine
 40.00 Spur,
 Set a
 for
 A pin
 mkd
 A pin
 mkd
 Desc.
 44.90 Ravine
 49.85 Spur,
 57.10 Ravine
 62.00 Spur,
 84.58 Inter
 N.
 34,
 At po
 Set a
 gro
 S.;
 A fir
 mkd
 A fir
 mkd
 Land,
 Soil,
 Timbe
 Under

Chains.

- 6.00 Spur, slopes SW.; desc. 100 ft. over NW. slope to ravine.
- 7.10 Enter heavy green timber, bears NE. and SW.
- 8.80 Ravine, course W.; asc. 110 ft. over SW. slope.
- 20.70 Ridge, with trail along top, bears NW. and SE.; desc. NE. slope.
- 36.40 Ravine, course NE.; 365 ft. below ridge; asc. 45 ft. to
- 40.00 Spur, slopes NE.

Set a limestone, 14 x 12 x 6 ins., 10 ins. in the ground,
for $\frac{1}{4}$ sec. cor., mkd. $\frac{1}{4}$ on W. face; from which
A pine, 10 ins. diam., bears N. 30° E., 23 lks. dist.,
mkd. $\frac{1}{4}$ S 3 B T.

A pine, 10 ins. diam., bears N. 20° W., 4 lks. dist.,
mkd. $\frac{1}{4}$ S 4 B T.

Desc. 85 ft. over NW. slope.

- 44.90 Ravine, course E.; asc. 60 ft. over SE. slope.
- 49.85 Spur, slopes E.; desc. 245 ft. over NE. slope.
- 57.10 Ravine, course NE.; asc. 60 ft. over SE. slope.
- 62.00 Spur, slopes E.; desc. 240 ft. over NE. slope.
- 84.58 Intersect the 7th Standard Parallel South, 9.63 chs.,
N. 89° 18' W., from the standard cor. of secs. 33 and
34, heretofore described.

At point of intersection,

Set a diorite stone, 16 x 8 x 6 ins., 11 ins. in the
ground, for closing cor. of secs. 3 and 4, mkd. C C on
S.; with 3 grooves on E. and W. faces; from which
A fir, 36 ins. diam., bears S. 13° E., 60 lks. dist.,
mkd. T 33 S R 8 W S 3 C C B T.

A fir, 48 ins. diam., bears S. 62° W., 62 lks. dist.,
mkd. T 33 S R 8 W S 4 C C B T.

Land, mountainous.

Soil, loose, coarse, rocky loam; 3rd rate.

Timber, pine, fir, madrona, live oak and chinquapin.

Undergrowth, madrona, buckhorn and chinquapin.

618

Subdivision of T. 33 S., R. 8 W.

Chains.

mkd. $\frac{1}{4}$ S 8 B T.
 Desc. 385 ft. over NE. slope.

46.30 Ravine, course NE.; asc. 35 ft. over SE. slope.

48.35 Spur, slopes E.; desc. 120 ft. over NE. slope.

51.55 West Fork of Whiskey Creek, 3 lks. wide, course SE.;
 asc. 300 ft. over SW. slope.

67.00 Spur, slopes SE.; asc. 400 ft. over SE. slope.

80.00 Set a granite stone, 15 x 12 x 10 ins., 10 ins. in the
 ground, for cor. of secs. 4, 5, 8 and 9, mkd. with 5
 notches on S. and 4 notches on E. edge; from which
 A madrona, 6 ins. diam., bears N. 43° E., 18 lks. dist.,
 mkd. T 33 S R 8 W S 4 B T.
 A pine, 24 ins. diam., bears S. 54° E., 138 lks. dist.,
 mkd. T 33 S R 8 W S 9 B T.
 A pine, 18 ins. diam., bears S. 79° W., 150 lks. dist.,
 mkd. T 33 S R 8 W S 8 B T.
 A pine, 24 ins. diam., bears N. 66° W., 104 lks. dist.,
 mkd. T 33 S R 8 W S 5 B T.

Land, mountainous.
 Soil, loose, coarse, rocky loam; 3rd rate.
 Timber, fir, pine, live oak and madrona.
 Undergrowth, sweet acorn, madrona, buckhorn, vine maple
 and chinquapin.

 S. 89° 49' E., on random line bet. secs. 4 and 9.

40.00 Set temp. $\frac{1}{4}$ sec. cor.

80.14 Intersect N. and S. line, 9 lks. S. of the cor. of secs.
 3, 4, 9 and 10.

Thence
 N. 89° 52' W., on a true line bet. secs. 4 and 9.
 Asc. 175 ft. over SE. slope, through heavy standing dead
 timber and dense undergrowth.

7.50 Spur, slopes SW.
 Enter heavy green timber, bears NE. and SW.
 Desc. 875 ft. over NW. slope.

Chains.

40.07 Set a c
 groun
 A fir,
 mkd.
 A fir,
 mkd.
 Desc. 2
 44.70 Branch,
 slope
 58.50 Spur, s
 63.20 Ravine,
 80.14 The cor
 Land, s
 Soil, s
 Timber,
 and s
 Undergro
 and s

 N. 0° s
 Asc. 3s
 and c
 21.00 Spur, s
 27.70 Spring
 S. s
 35.80 Spur, s
 40.00 Set a
 groun
 A fir,
 mkd.
 A fir,
 mkd.
 Desc. 2

Subdivision of T. 33 S., R. 8 W.

Chains.

40.07 Set a diorite stone, 18 x 10 x 10 ins., 12 ins. in the ground, for $\frac{1}{4}$ sec. cor., mkd. $\frac{1}{4}$ on N. face; from which
 A fir, 22 ins. diam., bears N. $15\frac{1}{2}^{\circ}$ W., 30 lks. dist.,
 mkd. $\frac{1}{4}$ S 4 B T.
 A fir, 22 ins. diam., bears S. 51° E., 24 lks. dist.,
 mkd. $\frac{1}{4}$ S 9 B T.
 Desc. 245 ft. over NW. slope.

44.70 Branch, 4 lks. wide, course SW.; asc. 370 ft. over SE. slope.

58.50 Spur, slopes S.; desc. 35 ft. over SW. slope.

63.20 Ravine, course S.; asc. 395 ft. over SE. slope.

80.14 The cor. of secs. 4, 5, 8 and 9.

Land, mountainous.

Soil, loose, coarse, rocky loam; 3rd rate.

Timber, fir, pine, live oak, madrona, tan oak, cedar and alder.

Undergrowth, madrona, live oak, chinquapin, buckhorn and manzanita.

 N. 0° $2'$ W., on a true line bet. secs. 4 and 5.

Asc. 325 ft. over SE. slope, through heavy green timber and dense undergrowth.

21.00 Spur, slopes E.; desc. 75 ft. over NE. slope.

27.70 Spring branch, 1 lk. wide, course E.; asc. 210 ft. over S. slope.

35.80 Spur, slopes E.; desc. 80 ft. over NE. slope.

40.00 Set a granite stone, 15 x 10 x 6 ins., 10 ins. in the ground, for $\frac{1}{4}$ sec. cor., mkd. $\frac{1}{4}$ on W. face; from which
 A fir, 14 ins. diam., bears N. 40° E., 29 lks. dist.,
 mkd. $\frac{1}{4}$ S 4 B T.
 A fir, 14 ins. diam., bears West, 10 lks. dist.,
 mkd. $\frac{1}{4}$ S 5 B T.
 Desc. 110 ft. over NE. slope.

Subdivision of T. 33 S., R. 8 W.

Chains.

- 43.65 Ravine, course E.; asc. 75 ft. over SE. slope.
- 46.65 Spur, slopes E.; desc. 20 ft. over NE. slope.
- 48.60 Spring branch, 1 lk. wide, course SE.; asc. 470 ft. over SW. slope.
- 64.55 Spur, slopes SE.; desc. 55 ft. over NE. slope.
- 67.55 Ravine, course SE.; asc. 120 ft. over SW. slope.
- 73.60 Ridge, bears E. and W.
Trail, bears E. and W.
Desc. 235 ft. over broken NW. slope.
- 83.94 Intersect the 7th Standard Parallel South, 13.93 chs., West from the standard cor. of secs. 32 and 33, heretofore described.
At point of intersection,
Set a porphyry stone, 16 x 10 x 8 ins., 11 ins. in the ground, for closing cor. of secs. 4 and 5, mkd. CC on S.; with 4 grooves on E. and 2 grooves on W. face; from which
A pine, 18 ins. diam., bears S. 24° E., 90-lks. dist., mkd. T 33 S R 8 W S 4 C C B T.
A fir, 16 ins. diam., bears S. 32° W., 64 lks. dist., mkd. T 33 S R 8 W S 5 C C B T.
Land, mountainous.
Soil, loose, coarse, rocky loam; 3rd rate.
Timber, pine, fir and madrona.
Undergrowth, buckhorn, sweet acorn and madrona.

- From the cor. of secs. 31 and 32, on S. bdy. of Tp., previously described in field notes of T. 34 S., R. 8 W., this group.
N. 0° 3' W., bet. secs. 31 and 32.
Asc. 475 ft. over SE. slope, through heavy green timber and dense undergrowth.
- 21.10 Spur, slopes E.; desc. 130 ft. over NE. slope.

Chains.

- 30.90 Ravine,
- 40.00 Spur,
- Set an
the
- from
- A madr
mkd.
- A madr
mkd.
- Desc.
- 54.95 Branch
slop
- 56.10 Spur,
- 64.95 Branch
slop
- 80.00 Set an
the
bras
- from
- A fir,
mkd.
- A pine
mkd.
- A pine
mkd.
- A pine
mkd.

632

Subdivision of T. 33 S., R. 8 W.

Chains.

- S. 89° 48' W., on a true line bet. secs. 5 and 8.
Asc. 10 ft. over SE. slope, through heavy green timber
and dense undergrowth.
- 2.00 Spur, slopes S.; desc. 410 ft. over SW. slope.
- 35.80 West Fork of Whiskey Creek, 4 lks. wide, course SE.
Asc. 155 ft. over NE. slope.
- 39.95 Set a diorite stone, 24 x 12 x 8 ins., 18 ins., in the
ground, for $\frac{1}{4}$ sec. cor., mkd. $\frac{1}{4}$ on N. face;
from which
A madrona, 16 ins. diam., bears N. 57° E., 35 lks. dist.,
mkd. $\frac{1}{4}$ S 5 B T.
A madrona, 18 ins. diam., bears S. 4 $\frac{1}{2}$ ° E., 57 lks. dist.,
mkd. $\frac{1}{4}$ S 8 B T.
Asc. 65 ft. over NE. slope.
- 41.75 Spur, slopes NE.; desc. 35 ft. over NW. slope.
- 43.65 Branch, 2 lks. wide, course NE.; asc. 1190 ft. over SE.
slope.
- 78.50 Spur ridge, bears N. and S.
Trail, bears N. and S.
Desc. 15 ft. over SW. slope.
- 79.90 The cor. of secs. 5, 6, 7 and 8.
Land, mountainous.
Soil, loose, coarse, rocky loam; 3rd rate.
Timber, fir, pine, live oak, madrona, tan oak,
chinquapin and cedar.
Undergrowth, chinquapin, sweet acorn, madrona, live oak,
snowbrush, buckhorn and manzanita.
- N. 89° 45' W., on random line bet. secs. 6 and 7.
- 40.00 Set temp. $\frac{1}{4}$ sec. cor.
- 81.94 Intersect W. bdy. of Tp., 5 lks. S. of the cor. of secs.
6 and 7, heretofore described.

Thence

Chains.

- S. 89° 43'
Desc. 475
and den
- 17.95 Kelsey Cr
Waterfall
- Asc. 600
- 41.94 Set a dio
ground,
A fir, 32
mkd. $\frac{1}{4}$
A fir, 18
mkd. $\frac{1}{4}$
Asc. 95 f
- 47.45 Spur, slo
- 65.85 Ravine, c
cor.
- 79.90 Trail, be
- 81.94 The cor.
Land, mou
Soil, loo
Timber, f
tan oak
Undergro
manzan
- N. 0° 3'
Asc. 10 f
and den
- 1.50 Spur, slo
spring
- 2.20 Trail, be
- 10.10 Spring b
SW. slo
- 27.30 Spur, slo
- 37.00 Ravine, c

Subdivision of T. 33 S., R. 8 W.

Chains.

40.00 Set a limestone, 14 x 12 x 10 ins., 10 ins. in the ground,
for $\frac{1}{4}$ sec. cor., mkd. $\frac{1}{4}$ on W. face; from which

A fir, 12 ins. diam., bears S. 50° E., 23 lks. dist.,
mkd. $\frac{1}{4}$ S 5 B T.

A fir, 14 ins. diam., bears S. 33° W., 26 lks. dist.,
mkd. $\frac{1}{4}$ S 6 B T.

Asc. 135 ft. over SW. slope.

54.80 Spur, slopes NW.; desc. 310 ft. over NE. slope.

63.50 Branch, 2 lks. wide, course NW.; thence over a broken
W. slope.

67.00 Spring branch, 1 lk. wide, course W.; asc. 370 ft. over
SW. slope.

83.84 Intersect the 7th Standard Parallel South 15.73 chs.
S. 89° 51' W. from the standard cor. of secs. 31 and
32, heretofore described.

At point of intersection,

Set a diorite stone, 15 x 8 x 6 ins., 10 ins. in the
ground, for closing cor. of secs. 5 and 6, mkd. C C on
S.; with 5 grooves on E. and 1 groove on W. face;
from which

A fir, 18 ins. diam., bears S. 30° E., 80 lks. dist.,
mkd. T 33 S R 8 W S 5 CC .B T.

A fir, 24 ins. diam., bears S. 48° W., 38 lks. dist.,
mkd. T 33 S R 8 W S 6 CC .B T.

Land, mountainous.

Soil, loose, coarse, rocky loam; 3rd rate.

Timber, pine, fir, madrona and chinquapin.

Undergrowth, laurel, buckhorn, live oak, chinquapin
and madrona.

Subdivision of T. 33 S., R. 8 W.

Chains.

- S. 89° 43' E., on a true line bet. secs. 6 and 7.
Desc. 475 ft. over NE. slope, through heavy green timber
and dense undergrowth.
- 17.95 Kelsey Creek, 5 lks. wide, course N. 30° W.
Waterfalls, 25 ft. high, upstream, 80 lks. dist.
Asc. 600 ft. over SW. slope.
- 41.94 Set a diorite stone, 14 x 10 x 6 ins., 10 ins. in the
ground, for $\frac{1}{4}$ sec. cor., mkd. $\frac{1}{4}$ on N. face; from which
A fir, 32 ins. diam., bears N. 50 $\frac{1}{2}$ ° E., 36 lks. dist.,
mkd. $\frac{1}{4}$ S 6 B T.
A fir, 18 ins. diam., bears S. 71 $\frac{1}{2}$ ° W., 54 lks. dist.,
mkd. $\frac{1}{4}$ S 7 B T.
Asc. 95 ft. over SW. slope.
- 47.45 Spur, slopes NW.; desc. 300 ft. over NE. slope.
- 65.85 Ravine, course NW.; asc. 505 ft. over SW. slope to sec.
cor.
- 79.90 Trail, bears NE. and SW.
- 81.94 The cor. of secs. 5, 6, 7 and 8.
Land, mountainous.
Soil, loose, coarse, rocky loam; 3rd rate.
Timber, fir, pine, live oak, madrona, chinquapin,
tan oak, cedar and alder.
Undergrowth, live oak, sweet acorn, madrona, buckhorn,
manzanita and snowbrush.
-
- N. 0° 3' W., on a true line bet. secs. 5 and 6.
Asc. 10 ft. over SW. slope, through heavy green timber
and dense undergrowth.
- 1.50 Spur, slopes NW.; desc. 230 ft. over NE. slope to
spring branch.
- 2.20 Trail, bears E. and W.
- 10.10 Spring branch, 1 lk. wide, course NW.; asc. 155 ft. over
SW. slope.
- 27.30 Spur, slopes W.; desc. 385 ft. over NE. slope.
- 37.00 Ravine, course NW.; asc. 10 ft. over SW. slope.