

1933 Lane Co. Surveyors  
Office renewal of the

44  $\frac{32}{5}$  T20-4  
T21-4

This copy obtained from  
the Lane Co. Surveyors  
Office website March 2012  
DCSO JC

FILED

Date: 3/13/2012 By: JC  
This survey consists of:  
Map: \_\_\_\_\_  
Narrative: \_\_\_\_\_  
Corner Rpt: CS 65/76-30

DOUGLAS COUNTY  
SURVEYOR

821

0000826

~~The Southwest corner of the Alex A King D L C No. 53 in T  
17 S R 3 W  
From a stone marked with a + set 108.7 ft. West of the  
S E corner of the A A King. Measure West 1005.4 ft. to a  
stone marked with a cross set in County Survey No. 1009 continue  
this line West by fore and back sights.  
3376.1 feet + 108.7 = 3484.8 or 52.80 chs. from the S.E.cor.  
of the said King D L C as described in County Survey no.1009  
At a point  $2\frac{1}{2}$  ft. South of this point I set a stake marked CS  
and marked as bearing trees  
A Balm 16 ins. diam. marked CS NT brs. S  $4\frac{1}{2}^{\circ}$  E 46.5 ft.  
" " 10 " " " " " " N  $15\frac{1}{2}^{\circ}$  W 24.6 ft.~~

~~May 16, 1933~~

~~Present Ed Bushnell Comm and Others  
G.H. Waggoner  
Deputy C S~~

Corner to secs 31 and 32 Tp 20 S R 4 W and secs 5 and 6 Tp 21  
S R 4 W

At this corner I find the post gone and the N E B T  
A fir 12 ins. bearing N  $7^{\circ}$  E 49 lks. A fir stub 30 inches high  
and in bad condition. The red fir 20 inches S  $43^{\circ}$  W 87 lks. down.  
Set a 3 x 3 x 4" fir post from which  
A fir 9 ins. diam. brs. N  $31\frac{1}{2}^{\circ}$  E 68 lks. marked T 20, S32, CSBT  
" " 12 " " " N  $69^{\circ}$  W 52 " " R 4W, S31, " "  
" " 10 " " " S  $59^{\circ}$  E 12 " " T 21, S 5, " "  
" " 9 " " " S  $36^{\circ}$  W 8 " " R 4 S 6 " "

Present Elmer Young, Leland Addison and Hubert Addison  
Aug. 8, 1933

Earl G. Muir Dep. C.S.

~~$\frac{1}{4}$  Sec. cor. on North line of section 31 Tp 20 SR4W  
I retraced the North line of section 31 and found the bearing  
to be N  $89^{\circ}$  W and the distance to be 80.77 chs. and the  $\frac{1}{4}$  sec.  
cor. to be entirely obliterated  
At a point N  $89^{\circ}$  W 40.20 chs. proportional distance from NE  
cor. of said section 31, I set an  $1\frac{1}{2}$  in. iron pipe with  
cap marked 30/31 for the  $\frac{1}{4}$  sec. cor. bet. secs. 30 and 31  
from which~~

~~An one inch iron pipe brs. with cap mka 31, S 20 lks.  
An oak 16 ins. diam. brs. N  $3^{\circ}$  40' W 3.40 chs. marked S 30  
C S B T~~

~~Present Elmer Young, Leland and Hubert Addison  
Aug. 8, 1933~~

Earl G. Muir  
Dep. C S

Recorded by G H Waggoner

C.S. File No 65/76-30