

FILED NOV 2 2000

TZGS R4W

S 21

10-25-00

RANDALL W SMITH

S 28

STEPHEN J FLAVES

FP 1947 DLSD BC/1P PROTRUDING

10" OUT OF GROUND

COUNTY SURVEYORS

SEC

(NOTE BC

1/4 S 28

ORIENTATED

S 21

OFFICE

SOUTH MARKED

CORRECTLY)

8" N4W 24" DIA 2 FT HIGH ROTTEN

OAK STUMP SHOWING EVIDENCE

OF A PREVIOUS AXE SEARCH NO

SCRIBING FOUND. BEARS

N 59°W 134 2/3 FT (REC N 66°W

134 0/3 FT) OBT

6" N4W 26" DIA W. OAK WITH A

PREVIOUSLY OPENED UNHEALED BLAZE,

SCRIBING VISIBLE "BT", BEARS

S 83 1/2°W, 128 1/2 FT (REC S 76°W,

128 1/2 FT) OBT

POSITION OF CORNER IN 1947

APPARENTLY SET BY DIST. INT. FROM

OBT'S AND OLD RAIL FENCE. POOR

BFG RELATIONSHIP BETWEEN OBT'S

G.S. File No.

66/18-1A

SEE SKETCH IN CS 39/90

15" NOW 17" DIA. W. OAK WITH  
A FULLY HEALED BLAZE, BEARS  
S 30 $\frac{1}{2}$ ° W, 30.9 FT (REC S 28° W,  
29.5 FT) 1947

16" NOW 21" DIA. W. OAK WITH  
A FULLY HEALED BLAZE, BEARS  
N 35° W, 24.0 FT (REC N 35° W,  
23.4 FT) 1947

NEW  
19" DIA. D. FIR DOUBLE BLAZED  
AND SCRIBED "YAS 21 CS BT"  
BEARS N 5° E, 38 FT

DEC. 17 $\frac{1}{2}$ ° E

EAST - WEST FENCE  
LINE IS 10 FT SOUTH  
OF BC/1P

POSITION OF CORNER  
PERPETUATED AS SET  
IN 1947 UNRESOLVABLE

BRG + DIST ERRORS IN ORIG NOTES

CS 66/18-1A

CS FILE FOLDER

CONTAINS

MORE

INFORMATION