

11-13-02

FILED NOV 26 2002

PI # 240600

T285 R6W Y4 ⁵⁵/₅₈

RANDALL W SMITH STEPHEN J FLAUSCH

FO 1958 DCSO BRASS CAP

IRON PIPE AT FENCE CORNER

FENCE LINE'S RUN N + E, PRIVATE

13" OUT OF GROUND

ORIG. NE BT NOW GONE

- 13" NOW 24" DIA 2 FT MICH

D. FIR STUMP WITH A HORNED

LOWER BLAZE, BEARS

S70°W, 26.4 FT (1958)

- 6" NOW 10" DIA. W. OAK WITH

A FULLY HORNED DOUBLE

BLAZE BEARS N27°W, 11.6 FT

CRIC. N29°W, 11.6 FT (1958)

NEW

- 12" DIA. P CEDAR / DOUBLE

BLAZED AND SCRIBED "Y458

CS BT" BEARS S51°W, 54.3 FT

- 16" DIA. B. OAK DOUBLE

BLAZED AND SCRIBED "1/455

CS BT" BEARS N54°E, 21.8 FT

- 18" DIA. MADRONA DOUBLE BLAZED

AND SCRIBED "Y458 CS BT"

BEARS S11 1/2°E, 47.5 FT

COMPASS DECL. 17 1/2' 00' 66/48-7A

C.S. File No

J.L. DARLING CORP.
TACOMA WASH. U.S.A.

"Rite in the Rain"
WEATHERPROOF

No. 302

615 $\frac{145}{9}$ R11 1420A

OFFSET TO CORNER
N50°E 35.0 FT

SEARCH MADE FOR
SE COR DLC 50 SEARCH
AREA NORTH OF $\frac{145}{9}$
ALONG FENCE LINE APPROX. 425'
OPEN NUMBERS ORK NOTHING
FOUND 11-14-02

NE COR DLC 50 N.F
11-14-02

66/48-7B

R111420A.asc

Approximate 1927 coordinate and geodetic
values determined using hand held trimble explorer
3 data collector/ not survey grade.

Point Name:

T28SR6W SQ5

GPS TIME: 11/14/02 08:11:05pm

N ~~556624.929~~ E ~~1217573.705~~

LAT. 43 09 23.103220627 + LONG. 123 25 58.790694770 -

~~APPROX. MSL HEIGHT. 799.033~~