

039030
12/4/02

FILED DEC 16 2002
DLC 39 | DLC 40

RANDALL W SMITH STEPHEN J FLAUS E

FD 1964 DC SO BRASS CAP / IRON
PIPE TOP FLUSH WITH GROUND
BENT 1 FT N'LY.

27" NOW NEARLY ROTTED TO GROUND
OAK, OLD AXE MARK FOUND.
BEARS S 65° W, 40.6 FT (OBT)

1969 POWER POLE NOW GONE
ORIG NW BT GONE

1964 DC SO BRASS CAP IRON PIPE
SW COR DLC 39 BEARS WEST
431.2 FT (ORIG. REC WEST 427.0 FT)

NEW

24" DIA. APPLE DOUBLE BLAZED
AND SCRIBED "SW DLC 40 CS BT"
BEARS N 71° E, 246.9 FT

23" DIA D. FIR DOUBLE BLAZED
AND SCRIBED "SW DLC 40 CS BT"
BEARS S 87 1/2° E, 222.5 FT

NE CORNER OF WOODEN BARN
BEARS S 16 1/2° W, 58.6 FT

SE CORNER OF METAL BARN
BEARS N 7 1/4° W, 138.3 FT.

(COMPASS DECL. 17 1/2° E)

CON BACKS. File No 66/48-167

J. L. CARLING CORP.
TACOMA WASH. U.S.A.

"Put in the Rain"
WEATHERPROOF

No. 302

R120421A.asc

Approximate 1927 coordinate and geodetic
values determined using hand held trimble explorer
3 data collector/ not survey grade.

Point Name:

T27SR4W SSE 39
GeoExplorer 3
4.850067

R120421A.cor 132 3.9
GPS TIME: 12/04/02 09:18:28pm
N 582681.8 E 1302511.9
LAT. 43 14 08.15 + LONG. 123 07 04.34 -
APPROX. MSL HEIGHT: 1002.326

R120421C.asc

Approximate 1927 coordinate and geodetic
values determined using hand held trimble explorer
3 data collector/ not survey grade.

Point Name:

T27SR4W SW 39
GeoExplorer 3
12.968360

R120421C.cor 129 3.3
GPS TIME: 12/04/02 09:56:15pm
N 582698.9 E 1302082.5
LAT. 43 14 08.19 + LONG. 123 07 10.15 -
APPROX. MSL HEIGHT: 996.308