

1-9-03

FILED JAN 13 2003

12-16-02

T265 R3W S.31 SW COR DLC 45
RANDALL W SMITH STEPHEN J FLAUS

PO 12" NOW 36" DIA 2 FT
HIGH HOLLOWED OUT B. OAK
STUMP OLD BLAZE WITH AXE
AND CIRCULAR SCRIBE
MARKS VISIBLE, 2 1/2" DIA.
BRASS CAP ON A 1 1/2" O.D BY
32" LONG IRON PIPE IS SET
FROM BLAZE S85°W, 12.5 FT
DOUGLAS CO. SURVEYORS OFFICE

T 265

R | DLC
3 | 45
W |

2002

NEW

8" DIA. I CEDAR DOUBLE BLAZED AND
SCRIBED "SW DLC 45CS BT" BEARS
S86 1/2°W, 43.7 FT

14" DIA. W. OAK DOUBLE BLAZED AND
SCRIBED "SW DLC 45CS BT" BEARS
S 26°E, 69.9 FT

27" DIA. W. OAK DOUBLE BLAZED AND
SCRIBED "SW DLC 45CS BT" BEARS
N 67°E, 87.5 FT

(ON BACK) C.S. FILE NO 66/48-24A

J. L. DARLING CORP.
TACOMA, WASH. U.S.A.

"Rite in the Rain"
WEATHERPROOF

No. 302

5/8" IRON ROD BEARS
N 87 1/4° E, 112.1 FT

SOUTH GATE POST BEARS
N 80° E, 15 FT

COMPASS DECL. 17 1/2° E

NOTE THIS IS A REWRITTEN
RENEWAL, CORNER RENEWED
12-12-02

1-9-03
1/4 530 T26S

 531 R3W NOT FOUND

66/48-24B

R121620A.asc

Approximate 1927 coordinate and geodetic
values determined using hand held trimble explorer
3 data collector/ not survey grade.

Point Name:

T26SR3W SW45
GeoExplorer 3
2.678465

R121620A.cor 235 3.6
GPS TIME: 12/16/02 08:53:09pm
N 593772.5 E 1307972.7
LAT. 43 15 59.33 + LONG. 123 05 55.25 -
APPROX. MSL HEIGHT: 987.513