

FILED JUL 10 2003

CC

6-12-03

TZZS RSW 536|531

Pi # 100100

RANDALL W SMITH STEPHEN J FLAUSC

FD 1943 BLM BRASS CAP IRON PIPE

PROTRUS 6" OUT OF GROUND.

- 3" [?] NOW 6" DIA 3 FT HIGH D. FIR STUMP WITH A WELL HEALED SINGLE BLAZE, WE OPEN AND FIND OLD BLAZE WITH ILLEGIBLE CIRCULAR SCRIBING AND A LINE 24" FROM CENTER (OBT) BEARS N54°E, 48.9 FT TO CENTER, 46.9 FT TO BLAZE. (REC N51°E, 46.9 FT)
- 20" NOW ROTTED D. FIR REMAINS NO BLAZES OR SCRIBING, FOUND NEAR RECORD N56½°W 156.4 FT 1943
- 7" NOW 19" DIA D. FIR WITH A FULLY HEALED DOUBLE BLAZE, BEARS N4°W, 26.0 FT (1965)
- 6" NOW 14" DIA. MADRONE WITH A FULLY HEALED BLAZE, BEARS N62°E, 22.5 FT (1965)
- NEW 14" DIA. MADRONE DOUBLE BLAZED AND SCRIBED "CC TZZS R6W 536 CS BT" BEARS N9°W, 10.7 FT

C.S. File No 66/58-12A

CORNER LIES 2 FT SOUTH
OF AN E-W FENCE LINE

GIS

R 061223A

OFFSET NORTH 100 FT
TO CORNER

66/58-12B

R061223A.asc

Approximate 1927 coordinate and geodetic
values determined using hand held trimble explorer
3 data collector/ not survey grade.

Point Name:

CC T22SR5W S31	T22SR6W S36	GeoExplorer 3
R061223A.cor	129 4.5	2.282022
GPS TIME:	06/12/03 11:35:07pm	
N 719646.6	E 1246065.6	
LAT. 43 36 22.11 +	LONG. 123 20 49.36 -	
APPROX. MSL HEIGHT:	615.059	

CS 66/58-12C