

FILED NOV 10 2021

JANUARY 31, 2017

T305R04WSW 1/4 S14, PLSS 500400

MONUMENT FOUND:

1889 NOTCHED STONE AND 1920 MARKED POST NOT FOUND. A ROUGH MOUND OF STONE FOUND AT THE MONUMENT LOC. MAY BE FROM 1920 RENEWAL. NEAR CENTER OF FOUND ROUGH MOUND OF STONE IS A 1" DIA. IRON ROD, SET FIRM AND LEANING SLIGHTY SSW. THIS I.R. MONUMENT IS OF UNKNOWN ORIGIN.

ACCESSORIES FOUND:

POSSIBLE EVIDENCE OF THE ONE O.B.T., THE LONE PINE 3" DIA. (NOTED IN 1894 GLO SURVEY AS A 36" (I.E. 3 FT.) PINE), NOW THE TOP END OF A HILLSIDE SLIP-OUT WITH NO TREE EVIDENCE REMAINING; BEARS S35°W, 26¹/₂ FT. DISTANT (AS PER RECORD).

POSSIBLE EVIDENCE OF TWO 1889 GLO RENEWAL B.T.S.

A W. OAK 3" DIA., NOW POSSIBLE ROOT DEPRESSION; BEARS N71³/₄°E, 18¹/₂ FT. DISTANT (AS PER RECORD).

C.S. FILE 67/49-17

(2)
T30S, R04W, PLSS 500400 (CONT'D)

A.B. OAK 3" DIA. NOW A POSSIBLE ROOT DEPRESSION; BEARS $N88\frac{1}{4}^{\circ}W$, 17 $\frac{1}{2}$ FT. DISTANT (AS PER RECORD).

THE ONE BEARING OBJECT FROM THE 1920 RENEWAL.

AN "X" MARKED ON A TRIANGULAR FACE OF ROCK ABOUT 4 FT. HIGH, NOW A 4" x 4" CARVED "X" APPROX. 3 FT. ABOVE GROUND IN A 4 FT. TALL TRIANGULAR FACE OF A ROCK OUTCROP.

NEW ACCESSORIES:

AN 8" GALVANIZED NAIL DRIVEN PLUMB IN BASE OF A 17" DIAM. B. OAK BEARS $N63\frac{3}{4}^{\circ}E$, 73 $\frac{1}{2}$ FT. DISTANT. THE CENTER OF THE ROOT CROWN OF THE 17" B. OAK BEARS $N64^{\circ}E$, 73 $\frac{1}{2}$ FT. DISTANT. (B. OAK IS SEVERELY SINGED BY RECENT FIRE AND IS NOT SUITABLE FOR SCRIBING)

AN 8" GALVANIZED NAIL DRIVEN PLUMB IN BASE OF A 16" DIA. B. OAK BEARS $S07\frac{1}{2}^{\circ}W$, 17 $\frac{1}{2}$ FT. DISTANT. THE C.R.C. OF THE 16" B. OAK BEARS $S07\frac{1}{2}^{\circ}W$, 18 $^{\circ}$ FT. DISTANT. (THIS TREE IS ALSO SINGED AND NOT SCRIBABLE)

CS 67699-17

T30S, R04W, PLSS 500400 (CONT'D)

- A 1 1/2" DCSO ALUMINUM CAP STAMPED "B01" ON 5/8" X 30" IRON ROD SET PLUMB AND PROTRUDING 4" ABOVE GROUND; BEARS WEST, 10° FT. DISTANT.

- THE FOUND 4" X 4" "X" IN A ROCK FACE IS DEEPENED TO IMPROVE ITS DURABILITY AND VISIBILITY.

DECLINATION 15° EAST

FOUND IRON ROD MONUMENT IS ON A VERY STEEP SOUTHEAST SLOPE. HILLSIDE IS OPEN ROCKY GRAZING LAND WITH SCATTERED OAK, PINE AND FIR.

- T STEPHEN JOHN FLAUSE
- † MIKE S. KOCH
- M Stephen John Flause

C267/49-17

(A)
T305, R04W, PLSS 500400 (CONT'D)




(NO SCALE)

1920 ACC,
"X" IN ROCK FACE



N111°E, 452'

N63°14'E, 735'



NEW ACC,
8" NAIL IN
BASE 17"
B. OAK

NEW ACC. ⊙
ALC/IR
WEST 100'

1" IRON ROD
COR. MON.



NEW ACC.
8" NAIL IN
BASE 16"
B. OAK

CS 67/49-17