

T30S ROW S30

 $\frac{1}{4} \frac{S30}{S31}$ CREW:

PARTY CHIEF: S. J. FLAUSE

TECH: JEFF LORSUNG

PL55: 140200

DATE: 1-10-2019

Filed Nov. 17, 2021

MONUMENT:

3 1/8" BC ON A 2" I.D. I.P. "T30S"

 $\frac{1}{4} \frac{S30 R}{S31 W}$ 

1968

PROJ:FOUND:

OLS 536

5" FROM ROUGH 18" DIAM  
MOUND OF STONE

23" DIA. D. FIR WITH FH/D/B BEARS

N25°E, 7<sup>±</sup> FT. DIST. (Rec N22°E)

18" DIA. D. FIR WITH FH/D/B BEARS

S48°W, 27<sup>±</sup> FT DISTNEW:

19" DIA. D. FIR SCRIBED "1/4 S31" "CS13T" ON

A DOUBLE BLAZE BEARS S58 1/2°E, 27<sup>±</sup> FT. DIST.18" DIA., 1 FT. TALL SAWN D. FIR STUMP WITH AN  
8 INCH SPIKE NAIL IN TOP CENTER.NAIL BEARS N32 1/2°W, 29<sup>±</sup> FT. DISTANT.

MON. NORTH EDGE OLD REPAVED, SOUTH EDGE NEWER CLEARCUT,



LOGGING ROAD

CUT LINE

18" x 1.5' STUMP

23" FIR

19" FIR

18" FIR

SKID  
RD

DEC 14<sup>3</sup>/<sub>4</sub>E

CS 67/50-8

Pa 2

