

Filed 11/18/2021

T275 R3W

PLSS 500 500

10/11
15/14

FD 2 1/2" ZP WITH 3 1/4"

BRASS CAP Proj. 5"
Above Ground

U.S. CADASTRAL SURVEY

T275 R3W

510/511
515/514

BUREAU OF LAND
MANAGEMENT

WITH DCSO 2 1/2 BRASS
CAP ALONG SIDE Proj.
8" LEANS S.W

BEARING TREES

30" FIR SWAG 568°E

12 FT (Healed BLAZE IN

FALLEN BARK

CS67/51-3

over

A Root hole N38°W 35¹/₂ FT
Uprooted SAWed; decayed
Fir ~~stap~~ stump Along side
SIZE indeterminate NO
MARKS visible

BEARING Trees by Irving
30" R. Cedar N66°E 28¹/₂ FT
Healed BLAZE

37" x 6' HIGH Red Cedar
Stump S58°W 19¹/₂ FT
Healed BLAZE

BEARING Tree by Bishop
& Roger's

32" R. Cedar N41¹/₂ W 77¹/₂ FT
(Rec N43W) Healed blaze

New REF

8" MAG Nail on Top Center
14" x 1' TALL D. Fir Stump
S17¹/₂°E 29¹/₂ FT

D. C. S. D.

S. F. AUSE

J. LORSUNG.

11-3-2020

CS67/51-3

TOWNSHIP 27 RANGE 03 POINT IDENTIFIER # 500500

PRIMARY CORNER DESCRIPTION Cor. Secs. 10, 11, 14, & 15

Alias _____	Description _____
Alias _____	Description _____
Alias _____	Description _____
Alias _____	Description _____

.... with brass cap (properly) mkd.
from which the remains of the original bearing trees

30" SNAG A fir, 32" dia., bears S.68°E., 12.5 ft., with a healed blaze *BARK OFF*

A root hole bears N.38°W., 35.6 ft., alongside of which is an uprooted, sawed, decayed fir stump, size indeterminate, with no marks visible.

and bearing trees mkd. by Irving, in 1957

30" AR cedar, 29" dia., bears N.66°E., 28.7 ft., with a healed blaze.

37" 6' TALL AR cedar, 32" dia., bears S.58°W., 19.1 ft., with a healed blaze.

and the remains of a bearing tree mkd. by Corbin
GONE A decayed fir snag, 23" dia., bears S.13°E., 51.5 ft. with a healed blaze.

and a bearing tree mkd. by Bishop and Rogers

32" AR cedar, 29" dia., bears N.43°W., 77.2 ft., with a healed blaze.

Corner is located on an E. slope.

EVID HEALED BLAZE IN FALLEN BARK

NEW REF

8" MAG NAIL IN TOP CNTR 14" DIA 1 FT TALL D. FIR STUMP SIT 1/2° E 29 1/2

CS 67/51-3