

GOVERNMENT CORNER RESTORATION FORM

FILED

TOWNSHIP 255 RANGE 3W SEC. 8

PLSS # 220540 Date: 4/24/2023 By: X  
This survey consists of:

DOUGLAS COUNTY OREGON

DATE 4-18-23

Map: \_\_\_\_\_

Narrative: \_\_\_\_\_

Corner Rpt: CS 67/56-5

Corner Designation

CW 1/16 SB

DOUGLAS COUNTY  
SURVEYOR

Monument(s) Found: (Condition and Source)

2 1/2" Alum Cap on  
5/8" I. Rod 4p 7"

\_\_\_ Condition report

\_\_\_ Not Found

Renewed

\_\_\_ Unrecorded

\_\_\_ Surveyed In

Previous Renewals

SET BY EDWARDS 2000  
M-136-33

MONUMENT DETAIL

Roseburg Resources  
Company  
W 1/16 SB  
C —●— C  
LS 2339  
2000

Accessories Found

BURNED - DEAD 7" Dogwood S 15° E 10.2 FT  
(Rec S 18° W 10.25 FT Alder) Unhealed BLAZE  
Burned FACE Scribe CW VISIBLE ADD  
3 1/2" MAG NAIL RIGHT SIDE CENTER

4" X 4 FT BURNED AWAY AND ROTTED FIRE  
Stub N 53° W 1.10 FT

Metal Post 1.6 FT South

C.S. File 67/56-5

New Accessories

BURNED - DEAD 22" CHINQUAPID N130E  
17.1 FT 3 1/2" MAG NAIL RIGHT SIDE CENTER  
NOT BLAZED OR SCRIBED

5/8" X 30" I. ROD WITH DCSD PLASTIC CAP  
S390W 9.6 FT UP 3"

5/8" X 30" I. ROD WITH DCSD PLASTIC CAP  
N180W 12.7 FT UP 3"

Sketch of Monument, Accessories, and General Area

Location & Comments

MONUMENT IS NEAR TOP  
OF ROUNDED RIDGE REMNANT  
BURNED FOREST EAST  
CLEARCUT TO WEST

COR IS APPROX  
115 FT NORTH  
AND 100' WEST OF  
GRAVEL ROAD

AREA BURNED  
9-2020

Comp. Decline. 14 1/2° E  
Agency DCSD  
Party Chief S. F. HAUSE  
Note keeper  
Witnesses J. LORSUNG

OGRS COORDINATE SYSTEM  
COTTAGE GROVE - CANYONVILLE  
ZONE

N 212059.766

E 230352.495

REGISTERED  
PROFESSIONAL  
LAND SURVEYOR

*Ronald A. Quimby*

OREGON  
JULY 14, 1978  
RONALD A. QUIMBY  
1654

EXPIRES: 12/31/2024

CS 67/56-5

214

RENEWED 4/18/23

220540

T25S, R03W, 220440

CW 1/16 S8

OCCRS CANYONVILLE

COTTAGE GROVE COORDS

212059.766 N

230352.495 E

FND. MONUMENT

A 2 1/2" DIAM. ALUMINUM CAP ON  
A 5/8" I.R. PROT. 7"

ALUM. CAP IS MARKED

"ROSEBURG RESOURCES COMPANY"

W 1/16 S8

C --- C

LS 2339

2000

ADD 3 1/2" MAGNAIL  
R.S.C.

FND. REFS

NOW

✓ DOG WOOD

S 15° E, 10 2'

BURNED  
DEAD

— 7" ALDER BEARS S 18° W, 10 2 1/2 FT.

UNHEALED BLZ, FACE BURNED, "CW" REMAINS

NOWA - 9" FIR BEARS N 53° W, 1.10 FT.

BURNED AWAY AND ROTTED

4" X 4 FT TALL FIR STUB

METAL LATH SOUTH 1 1/2 FT.

OVER

Photo in 2004

3/4  
5/12/23  
CS

# NEW REF.S

BURNED DEAD 22" CHINQUAPIN WITH  
3 1/2" MAG NAIL R.S.C.  
BEARS N 13° E, 17 1/2 FT. DISTANT

A 5/8" x 30" IRON ROD / DCSO PLASTIC CAP  
SET PROT. 3" BEARS S 39° W, 9 1/2 FT. DIST.

A 5/8" x 30" IRON ROD / DCSO PLASTIC CAP  
SET PROT. 3" BEARS N 18° W, 12 7/8 FT. DIST.

DECLINATION 14 1/2° E

MONUMENT IS NEAR TOP OF ROUNDED  
RIDGE; REMNANT BURNED FOREST EAST  
CLEARCUT TO WEST.

MONUMENT IS APPROX. 115 FT. NORTH  
AND APPROX. 100 FT. WEST FROM GRAVEL RD.

CS 67/56-5  
4/4