

GOVERNMENT CORNER RESTORATION FORM

FILED

TOWNSHIP 255 RANGE 3W SEC. 8

PLSS # 240520

Date: 4/26/2023 By: X
This survey consists of:

Map: _____

DOUGLAS COUNTY OREGON

DATE 4-18-23

Narrative: _____
Corner Rpt: CS 67/56-6

Corner Designation

DOUGLAS COUNTY
SURVEYOR

CS 1/16 SB

Monument(s) Found: (Condition and Source)

Condition report

2 1/2" Alum. Cap on

Not Found

5/8" Iron Rod 4p C"

Renewed

Unrecorded

Previous Renewals

Surveyed In

SET BY EDWARDS 2000

M-136-33

MONUMENT DETAIL

Roseburg Resources
Company

C
S 1/16 | LS
SB | 2339
C

2000

Accessories Found

20" ID Fir S58°E 17° FT (REC 17.38)

Fully Heated Double BLAZE ADD 3 1/2" MAG
NAIL RIGHT SIDE CENTER

10" Hemlock S28°W 3.54 FT TO ROOT
Hole BURNED BELOW GROUND PIECE OF
TRUNK LAYING LOOSE ON SURFACE

Metal Post N 1.5 FT

C.S. File 67/56-6
1/4

New Accessories

A BURNED - SAWN 26" X 4 FT RED CEDAR STUMP N48°E 10.8 FT 3 1/2" MAG NAIL SET TOP CENTER

BURNED DEAD 37" RED CEDAR N23°W 13.7 FT SET MAG NAIL RIGHT SIDE CENTER NOT BLAZED OR SCRIBED

Sketch of Monument, Accessories, and General Area

Location & Comments

OCRS Coordinate System
Cottage Grove - Canyonville
Zone

N 210792.156
E 231595.483

MON. 15 ON Moderate
N.E Slope 40'
EAST OF GRAVEL
ROAD

AREA BURNED
9/2020

Comp. Decline. 14 1/2° E
Agency DCSO
Party Chief S. F. HAUSE
Note keeper
Witnesses J. LORSUNG

REGISTERED
PROFESSIONAL
LAND SURVEYOR

Ronald A. Quimby

OREGON
JULY 14, 1978
RONALD A. QUIMBY
1654

EXPIRES: 12/31/2024

CS. 67/56-6 2/4

RENEWED 4/18/23

S20

T25S, R03W, 240420
CS 1/16 S8

OCCRS CANYUNVILLE
COTTAGE GROVE COORDS
210792.156 N
230595.483 E

FOUND MONUMENT

A 2 1/2" DIAM. ALUMINUM CAP ON
A 5/8" I.R., PROT 6"
ALUMINUM CAP IS MARKED
"ROSEBURG RESOURCES COMPANY"

C
S 1/16 | LS
S8 | 2339
C
2000

ADD 3 1/2"
MAGNAIL R.S.C.

FIND. REF. S

NOW D. V 17.0 FT
BURNED DEAD 20"-14" FIR BEARS S58°E 17.38 FT.

NOW FULLY HEALED DOUBLE BLZ,

TO ROOTHOLE
10" HEMLOCK BEARS S28°W 3.54 FT

NOW BURNED BELOW GROUND

PIECE OF TRUNK LAYING LOOSE
ON SURFACE

CS 67/56-6
314

METAL LATH N 1.5 FT OVER →

Return to the Rain.

NEW REFS

A BURNED AND SAWN

26" x 4 FT. TALL RED CEDAR STUMP
WITH A 3 1/2" MAG NAIL SET TOP CENTER
BEARS N 48° E, 10⁸ FT. DISTANT.

A BURNED DEAD

37" DIA. RED CEDAR
WITH A 3 1/2" MAG NAIL SET R.I.S.C.
BEARS N 23° W, 13⁷ FT. DISTANT

DECLINATION 14 1/2° E

MONUMENT IS ON MODERATE NE SLOPE
≈ 40 FT. EAST FROM GRAVEL ROAD

CS 67/56-6

4/4