

GOVERNMENT CORNER RESTORATION FORM

FILED

TOWNSHIP 25S RANGE 2W SEC. 18 PLSS 120440

Date: 6/19/2023 By: X
This survey consists of:

DOUGLAS COUNTY OREGON

DATE 5-25-23

Map: _____
Narrative: _____
Corner Rpt: CS67/56-24

Corner Designation

CW 1/16 S 18

DOUGLAS COUNTY
SURVEYOR

Monument(s) Found: (Condition and Source)

5/8" Iron Rod (2 1/2" Alum.
CAP gone)

- Condition report
- Not Found
- Renewed
- Unrecorded
- Surveyed In

Previous Renewals

Quimby 2014 M167-34 AEB

MONUMENT DETAIL

Accessories Found

BURNED 9" X 5 FT WHITE FIR SPAG 587°E
13.6 FT (RCC 13.8 FT PARTLY HEAVE BLAZE
FACE BURNED OFF ADD 3 1/2" MAG NAIL
RIGHT SIDE CENTER

New Accessories

32" X 3 FT SAWN BURNED CEDAR STUMP
N 8° W 9.3 FT 3 1/2" MAG NAIL TOP
Center

Sketch of Monument, Accessories, and General Area

Location & Comments

OCRS COORDINATE SYSTEM
COTTAGE GROVE - CANYONVILLE
ZONE

AREA BURNED
9/2020

N 204882.728
E 255799.320

Comp. Decline. 14 1/2° E
Agency DCSO
Party Chief S. F. HAUSE
Note keeper
Witnesses J. LOVSLUND

REGISTERED
PROFESSIONAL
LAND SURVEYOR

Ronald A. Quimby

OREGON
JULY 14, 1978
RONALD A. QUIMBY
1654

EXPIRES: 12/31/2024

CS 67/56-24
2/3

FOUND BEARING TREES:
 14" FIR DOWN BEARS S79°E 14.3 FT
 HEALED SCAR
 22" FIR STUMP BEARS S39°W 11.3 FT
 HEALED SCAR

NEW BEARING TREES:
 8" FIR BEARS N65°E 3.2 FT
 SCRIBED "N1/16 S17 BT"
 7" FIR BEARS S83°W 8.6 FT
 SCRIBED "N1/16 S18 BT"

(1) SET 5/8" IRON ROD WITH 2 1/2" ALUMINUM CAP MARKED:
 ROSEBURG RESOURCES COMPANY
 T25S R2W
 CE1/16 • S18
 2014
 RLS 1654

NEW BEARING TREES:
 16" DOUGLAS FIR BEARS S75°E 10.5 FT
 SCRIBED "CE 1/16 S18 BT"
 16" FIR BEARS S75°E 10.5 FT
 SCRIBED "CE 1/16 S18 BT"
 15" DOUGLAS FIR BEARS N35°W 16.3 FT
 SCRIBED "CE 1/16 S18 BT"

FOUND BEARING TREES:
 10" FIR BEARS N41°W 19.4 FT
 VISIBLE SCAR [NO RECORD]
 27" (8" TALL) HEMLOCK STUMP
 BEARS N77°E 13.7 FT VISIBLE SCAR
 24" FIR BEARS S7°W 15.6 FT
 VISIBLE SCAR [NO RECORD]
 23" DOUGLAS FIR BEARS S57°W 15.2 FT
 VISIBLE SCAR [NO RECORD]
 62" FIR BEARS S18 1/2°E 42.9 FT
 VISIBLE SCAR

(8) FOUND 1943 GLO BRASS CAP MARKED:
 1943 US GENERAL LAND OFFICE SURVEY
 PENALTY \$250 FOR REMOVAL
 1/4 S18
 1943

FOUND BEARING TREES PER DOUGLAS COUNTY SURVEYOR'S OFFICE RECORDS PLSS 140500

FOUND GLO BRASS CAP MARKED:
 US DEPT OF THE INTERIOR
 UNLAWFUL TO DISTURB
 T25SR2W
 S7/S8
 S18/S17
 1962

CADASTRAL SURVEY
 BUREAU OF LAND MANAGEMENT

FOUND BEARING TREES PER DOUGLAS COUNTY SURVEYOR'S OFFICE PLSS 200500 RENEWAL

(12) FOUND D.C.S.O. BRASS CAP ON IRON PIPE WITH STONE ALONGSIDE MARKED:
 DOUGLAS COUNTY SURVEYOR'S OFFICE
 T25S R2W
 1/4
 S18 | S17
 1989

FOUND BEARING TREES:
 16" DOUBLE TRUNKED CEDAR. EAST TRUNK BEARS NORTH 24.2 FT VISIBLE SCAR
 11" DOUGLAS FIR BEARS N72°W 23.6 FT VISIBLE SCAR
 12" DOUGLAS FIR BEARS S44°W 41.0 FT VISIBLE SCAR.
 62" DOUGLAS FIR BEARS S75°E 4.5 FT HEALED SCAR
 32" CEDAR STUMP (2 FT TALL)
 BEARS N71°W 35.0 FT

SET 5/8" IRON ROD WITH 2 1/2" ALUMINUM CAP MARKED:
 ROSEBURG RESOURCES COMPANY
 T25S R2W
 CN1/16 • S18
 2014
 RLS 1654

5/25/23
CAP GONE I.R. PROT 6"
 ROSEBURG RESOURCES COMPANY
 T25S R2W
 CN1/16 • S18
 2014
 RLS 1654

SET 5/8" IRON ROD WITH 2 1/2" ALUMINUM CAP MARKED:
 ROSEBURG RESOURCES COMPANY
 T25S R2W
 CN1/16 • S18
 2014
 RLS 1654

NEW BEARING TREES:
 2" FIR BEARS N18°E 9.0 FT
 SCRIBED "NW 1/16 S18 BT"
 1" FIR BEARS S31°W 3.1 FT.
 SCRIBED "NW 1/16 S18 BT"

FOUND BEARING TREES:
 16" DOUBLE TRUNKED CEDAR. EAST TRUNK BEARS NORTH 24.2 FT VISIBLE SCAR
 11" DOUGLAS FIR BEARS N72°W 23.6 FT VISIBLE SCAR
 12" DOUGLAS FIR BEARS S44°W 41.0 FT VISIBLE SCAR.
 62" DOUGLAS FIR BEARS S75°E 4.5 FT HEALED SCAR
 32" CEDAR STUMP (2 FT TALL)
 BEARS N71°W 35.0 FT

(13) FOUND 3 1/4" BRASS CAP ON IRON PIPE FLUSH WITH THE GROUND MARKED:
 US DEPT OF INTERIOR
 1/4 S18
 S19
 T25S R2W
 1962

NEW BEARING TREES:
 32" x 3 FT. SAWN BURNED CEDAR STUMP
 BEARS N81 1/2°E 30.6 FT
 9" MADRONE N2 1/2°E 17.5 FT VISIBLE SCAR
 17" HEMLOCK BEARS N89 1/2°W 25.7 FT VISIBLE SCAR
 14" HEMLOCK BEARS S13°W 1.8 FT VISIBLE SCAR

NEW REF.
 32" x 3 FT. SAWN BURNED CEDAR STUMP
 BEARS N81 1/2°E 30.6 FT
 9" x 5 FT TALL PHB FACE BURNED OFF

SET 5/8" IRON ROD WITH 2 1/2" ALUMINUM CAP MARKED:
 ROSEBURG RESOURCES COMPANY
 T25S R2W
 CN1/16 • S18
 2014
 RLS 1654


NEW BEARING TREES:
 2" FIR BEARS N16°E 21.0 FT
 SCRIBED "CN 1/16 S18 BT"
 2" FIR BEARS S37°E 28.5 FT.
 SCRIBED "CN 1/16 S18 BT"

BUREAU OF LAND MANAGEMENT
 FOUND BEARING TREES:
 35" (4 FT TALL) CEDAR STUMP
 BEARS N81 1/2°E 30.6 FT
 9" MADRONE N2 1/2°E 17.5 FT VISIBLE SCAR
 17" HEMLOCK BEARS N89 1/2°W 25.7 FT VISIBLE SCAR
 14" HEMLOCK BEARS S13°W 1.8 FT VISIBLE SCAR

BURNED FALEM NEW BEARING TREES:
 OUT OF ROS. 25°24" WHITE FIR BEARS N81 1/2°E 30.6 FT
 BURNED SARGO 10" WHITE FIR BEARS S87°E 13.6 FT.
 9" x 5 FT TALL PHB FACE BURNED OFF

BURNED FALEM NEW BEARING TREES:
 OUT OF ROS. 25°24" WHITE FIR BEARS N81 1/2°E 30.6 FT
 BURNED SARGO 10" WHITE FIR BEARS S87°E 13.6 FT.
 9" x 5 FT TALL PHB FACE BURNED OFF

BURNED FALEM NEW BEARING TREES:
 OUT OF ROS. 25°24" WHITE FIR BEARS N81 1/2°E 30.6 FT
 BURNED SARGO 10" WHITE FIR BEARS S87°E 13.6 FT.
 9" x 5 FT TALL PHB FACE BURNED OFF



Ronald A. Gurnsey

CS 47/56-24

3/3

RECORD OF SURVEY