

GOVERNMENT CORNER RESTORATION FORM

FILED

TOWNSHIP 25S RANGE 2W SEC. 7

PLSS # 200500

Date: 2/4/26 By: KC
This survey consists of:

Map: _____

DOUGLAS COUNTY OREGON

DATE 1-27-26

Narrative: _____

Corner Rpt: CS 67162-05

Corner Designation

SEC COR 7/8
18/17

DOUGLAS COUNTY
SURVEYOR

Monument(s) Found: (Condition and Source)

3/4" 1962 BLM BRASS
CAP Husfords 1/2" I.P
ON SOUTH SIDE

___ Condition report

___ Not Found

Renewed

___ Unrecorded

___ Surveyed In

Previous Renewals

Husford 1957 CS 42/308-1

Mc Chesney 1959 CS 53/112-10

BLM Resurvey 1962 Vol 32 pg 13240-1

BAUGHMAN 1976 M 56-35

CHRISTENSEN 1999 CS 65/23-12

BLM Resurvey 2010-2011 Vol 57 pg 22795-96

Quimby 2014 M 167-34 A&B

MONUMENT DETAIL

T 25S R 2W

27/58

518 517

1962

Accessories Found

Decayed Hemlock stump N18°E 19.1 FT SIZE
INdeterminate under 34" Log

Very Rotted burned 36" x 3 FT FIR STUMP
S 51°W 54.1 FT No Visible MARKS

Burned-Dead 57" D. FIR N64°W 37.8 FT (RC 39.4)

No MARKS Visible Add 3 1/2" MAG Nail Right Side
CENTER

SAWN Decayed 48" CEDAR STUMP N4°E 58.7 FT

Rec Not Checked due To BRUSH

Very Rotted Burned 50" FIR STUMP S54°E
54.1 FT

SAWN Burnt 14" x 1 1/2 FT FIR STUMP N57 1/2°E

14.2 FT Healed BLAZE ADD 3 1/2" MAG Nail Top Center

Burned + Dead 13" FIR S77 3/4°W 12.0 FT Healed

Single BLAZE ADD 3 1/2" MAG Nail

RIGHT Side Center

over

Burnt dead 14" D. FIR 559°E
 38.6 FT (Rec 559³/₄° E 38.9 FT)
 Fully Healed single BLAZE
 Add 3 1/2" MAG Nail
 RIGHT side Center

New Accessories

Burnt SAWN 19" X 1 1/2 FT Hemlock Stump
 N75°E 16.5 FT 3 1/2" MAG Nail Top
 Center

Sketch of Monument, Accessories, and General Area

Location & Comments

MON ON MK FLAT GROUND
 Burned Forest NW & SE
 GUND. REST CLEARCUT

MON 450' North
 OF GRAVEL ROAD

Trimble 600 XT LOCATION

43° 40252164 N
 122° 97263702 W

Comp. Decline. 14 1/4° E
 Agency DCSO
 Party Chief S. F. BAISE
 Note keeper
 Witnesses J. LORSUNOY

REGISTERED
 PROFESSIONAL
 LAND SURVEYOR

Ronald A. Quimby

OREGON
 JULY 14, 1978
 RONALD A. QUIMBY
 1654

EXPIRES: 12/31/2026

CS 67162-05 pg 1/3

TOWNSHIP 25 RANGE 02 POINT IDENTIFIER # 200500

PRIMARY CORNER DESCRIPTION Cor. Secs. 7, 8, 17 & 18

Alias	Description
Alias	Description TRIMBLE GEO XT POSITION
Alias	Description
Alias	Description 43.40252164°N
	122.97263702°W

8" D.Fir, S.71°E., 35.4 ft. to ctr. blazed & scribed "T25S R2W S17 BT"
 9" D.Fir S.80°W., 12.3 ft. to ctr. Blazed & scribed "T25S R2W S18 BT"

DECLINATION 14'14"E

RENEWED 01/27/26

BLM Dependent Resurvey by A Bert Skeesick, Cadastral Surveyor Under Group No. 2317, Surveyed June 2010/June 2011 - DCSO records Vol. 57 Page(s) 22795-6

The cor. of secs. 7, 8, 17, & 18, perpetuated by Christensen, in 1999, monumented with an iron post, 2 1/2" dia., firmly set, flush with the ground, with brass cap (properly) mkd. from which the remains of original bearing trees

NOW UNDER 34" LOG

VERY ROTTED AND BURNED A 36" X 3 FT

BURNED DEAD 57" AD

VERY ROTTED BURNED

REST OF DISTANT REFS NOT CHECKD DUE TO BRUSH

BURNED SAWN STUMP GONE

BURNED DEAD 13"

BURNED DEAD 14" AD

A decayed hemlock stump, size indeterminate, bears N.18°E., 19.1 ft., with fragmentary scribe marks visible on blazed fragment lying alongside.

A sawed fir stump, 48" dia., bears S.51°W., 54.1 ft., with scribe marks 2W-8 BT visible on open double blaze.

A sawed, decayed cedar stump, 48" dia., bears N.4°E., 58.7 ft., with scribe marks S8 253 visible on a partially healed blaze.

A fir stump, 60" dia., bears S.54°E., 54.1 ft., with no marks visible.

A decayed hemlock stump, size indeterminate, bears S.30 3/4°W., 109.6 ft., with no marks visible. (Record, S.32 1/2°W.)

and bearing trees mkd. by Brooks

A decayed hemlock snag, 15" dia., bears N.28°E., 134.9 ft., with no marks visible. (Record, 137.3 ft.)

A hemlock snag, 24" dia., bears S.77 1/2°E., 113.5 ft with no mks visible on a partially healed blaze. (Rec S.76 1/2°E.)

and the remains of bearing trees mkd. by Christensen

A fir, 11" dia., bears N.57 1/2°E., 14.2 ft., with a healed blaze

A roothole bears S.76 3/4°E., 35.9 ft., alongside of which is a fir trunk, 9" dia., with a healed blaze.

A fir, 12" dia., bears S.77 3/4°W., 12.0 ft., with a healed blaze.

and a new bearing tree

A fir, 12" dia., bears S.59 1/4°E., 38.9 ft., mkd. T25S R2W S17 BT.

NAD 1983 (CORS 96)

Latitude: 43°24'09.08"N. Longitude: 122°58'21.40"W.

Fd as per rec. by R. Quimby, 2/2014 - M167-34 A&B

NEW REF.

BURNED SAWN 19" X 1 1/2" HEMLOCK STUMP 3 1/2" MAG NAIL TOP CNTR. N75°E, 16 1/2 FT.

MONUMENT ON M/L FLAT GROUND, BURNED FOREST IN NW AND SE QUARANTS OTHER 2 CLEARCUT. MONUMENT IS APPROX 450 FT. NORTH OF GRAVEL RD.

CS 67102-05 pg 3/3