

GOVERNMENT CORNER RESTORATION FORM

FILED

TOWNSHIP 24S RANGE BW SEC. 11

PLSS # 60500

Date: 4/8/20 By: lce
This survey consists of:

DOUGLAS COUNTY OREGON

DATE 3-26-20

Map: _____
Narrative: _____
Corner Rpt: CS 67/02-33

Corner Designation

sec Cor 11/12
14/13

DOUGLAS COUNTY
SURVEYOR

Monument(s) Found: (Condition and Source)

2 1/2" DCSO BRASS
CAP PROJ 14"

- Condition report
- Not Found
- Renewed
- Unrecorded
- Surveyed In

Previous Renewals

DCSO 1968 CS 54/72-27
BLM Resurvey 1971 Vol 37 pgs
15214-5
Geisler 1983 M 90-49

MONUMENT DETAIL

COUNTY SURVEYORS
OFFICE
T265 RBW
S11 | S12
S14 | S13
1968

Accessories Found

Fallen Rotted Mostly Good Chinquipin S54°W
39.6 FT
Rotting 48" X 3 FT FIR STUMP S60E 37.9 FT
BLAZE Not Visible
18" X 8 FT Broken Off Hemlock SNA9 S59°E
32.3 FT BLAZE Rotted out
Broken Rotted shell of 15" Chinquapin
S2°30' E 30.5 FT Fully Healed single
BLAZE Add 3 1/2" MAG NAIL RIGHT SIDE
Center

New Accessories

Found 2 unrecorded Weyerhaeuser BEARW
Trees

9" Hemlock No Blazing Has Spike Set
Low Facing Corner BEARS S 73° E 16.9 FT
Dist to Tip of Spike

12' x 6 1/2' FT SAWD D. FIR STUMP N 80° W 14.2
FT. Single BLAZE with Scribing T 511
Spike below BLAZE Dist. to Tip of
Spike

Sketch of Monument, Accessories, and General Area

Location & Comments

MON 1500 NEARLY Flat Ridge
Top N.E QUAD. young Fir
plantation S.E QUAD is very
old MIXED Reprod west
Half is Large ChenREUT

MON Approx 45 FT
South From
Roughed in DIRT
ROAD

Trimble GEOXT Position

43° 31614330 N
123° 60462963 N

Comp. Decline. 14' 14" E
Agency DCSD
Party Chief S. Elouse
Note keeper
Witnesses J. LORSUNG

CS 67162-23 pg 2/3

REGISTERED
PROFESSIONAL
LAND SURVEYOR

Ronald A. Quimby

OREGON
JULY 14, 1978
RONALD A. QUIMBY
1654

EXPIRES: 12/31/2026

TOWNSHIP 26 RANGE 08 POINT IDENTIFIER # 600500

PRIMARY CORNER DESCRIPTION Cor Secs 11, 12, 13, & 14

Alias _____	Description _____
Alias _____	Description _____
Alias _____	Description _____
Alias _____	Description <u>43.31614330°N</u>
	<u>123.60462963°W</u>

A fir, 47" dia., bears S.60°E., 56 lks. with healed blaze.
 A chinquapin, 27" dia., bears S.53°W., 60 lks., with fragmentary scribe marks visible on partially healed blaze, re-marked by the County surveyor, in 1968, with scribe marks T26S R8W S14 CS BT visible on open blaze. and bearing trees mkd. by Tracy, in 1968
 A hemlock, 18" dia., bears N.18°E., 42 lks., with scribe marks T26S R8W S12 CS BT visible on open blaze.
 A hemlock, 18" dia., bears S.59°E., 50 lks., with scribe marks T26S R8W S13 CS BT visible on open blaze.
 A fir, 5" dia., bears N.74½°W., 27 lks., with fragmentary scribe marks visible on pitched over blaze.

DECLINATION 14 1/4 °E **RENEWED 3/26/26**

Ronald Geisler, LS 1988 - For: Champion International
Sept/Dec 1983 - M90-49

Found - 1968 Douglas Co. brass cap on 1½" IP **AS DESCR'D IN '88 AC 1/3" BC PROT. 14"**
 27" split chinquapin bears S.54°W. ✓ 39.60 ft (rec S.60°W. 37.0 ft.) scribed T26S R8W S14 CS BT (orig.)
 15" rotten hemlock snag, 30 ft. tall, bears N.48°E., 8.5 ft. (Rec. N.52°E., 17.8 ft.) No scribing visible. (Orig)
 48" fir stump bears S.60°E. ✓ 37.9 ft. (Rec. 37.0 ft.) No scribing visible (original) **BLZ, NOT VISIBL**
 24" hemlock bears S.59°E. ✓ 32.3 ft. (Rec. S.58°E., 32.8 ft) Scribe marks visible on open blaze. **BLZ GONE ROTTED OUT**
 18" hemlock snag, 30 ft. tail bears N.18°E., 27.7 ft. (Rec. 27.0 ft.) Scribe marks visible on open blaze. (1968)
 New BTs - 15" chinquapin bears S.2°30'E. ✓ 38.2 ft. scribed T26S R8W S14 **ALL SCRIBG VISIBLE ON ROTTED BLZ.**
 16" hemlock bears N.3°30'E. ✓ 30.5 ft. scribed T26S R8W S12 BT. **FHSB. ADD 3 1/2" MAGNAIL R.S.C.**
 No BTs available in NW and SW quadrant.

ALSO FOUND 2 UNRECORDED WEYERHAESEUR BEARING TREES FROM 2018.

A 9" DIA. HEMLOCK WITH NO BLAZING BUT A SPIKE SET LOW AND FACING CORNER; BEARS S73°E, 16 1/2 FT. DISTANT. DISTANCE IS MEASURED TO TIP OF SPIKE NAIL.

A 12" DIAM. 6 1/2 FT TALL SAWN D. FIR STUMP SHOWING A SINGLE BLAZE AND THE SCRIBING "T S11" ON A SINGLE, WITH A SPIKE NAIL SET BELOW THE BLAZE (AS ABOVE); BEARS N80°W, 14 1/2 FT. DISTANT, DISTANCE MEASUREMENT AS ABOVE.

**MONUMENT IS ON NEARLY FLAT RIDGE TOP, NE QUADRANT IS YOUNG @ FIR PLANTATION SE QUADRANT IS VERY OLD REGROWTH MIXED FOREST, WEST HALF IS LARGE CLEARCUT
MON. IS APPROX. 45 FT. SOUTH FROM A ROUGHED IN DIRT RD.**

222
 83
 #93/B
 CS 67/67-83
 2017/11/27
 SS