
3
FB No 3
County Surveys
From
July 21 1887
To
1887

FB 3 Pg 1

Albuquerque 0001

N. Sta S. 43.41

C " " 9,00,00 "

6	5	4	3	2	1
7	8	9	10	11	12
18	17	16	15	14	13
19	20	21	22	23	24
30	29	28	27	26	25
31	32	33	34	35	36



Bauhaus

Survey made for
J. B. Nichols July 24
1887. Beginning at
Quarter post between
Sec 8 & 9, T 31 S & R
Thence Nor 20° E
20.50 R R.
24 00 Left bank Cow Creek
25 00 R R Xing " " "
44.50 Sec Cor
8. 9. 16 & 17
Thence East by
bearing Sec line 9 & 16
40 1/4 S post
Thence
20.00 to NW S Cor of
Edward Nichols
Homestead

Thence from N 1/4
Sec post Sec 8+9
T31 S, R 7 W
N 200 ch
Thence
S 200 ch
Thence
E 159.50 links to the
Sec 8+9
Set 5/8 10

Stat	+B.S.	-B.S.
1	0	20 1/2
2	20 1/2	27
2R 3	27	4 2 1/2
1	4 2 1/2	5-0 1/4
2	5-0 1/2	5-4 3/4
3	5-4 3/4	5-3 1/4
4	5-3 1/4	5-0 1/4
5	5-0 1/4	5-0
1	6-0	4 9 3/4
2	4 9 3/4	5-4
3	5-4	7 2 1/2
4	7 2 1/2	5-1 3/4

2 2 1/4
6 0
7 2 1/2

Back 20 ex

Leo P Maxwell



FB3Pg 0003

3

Survey Road for
William Hendon.
This 12 m 1887.
T 25 Sh. 6 2W
Ed Rachels & S M
Pennecott over Survey
as Chain Carriers
Beginning at the
S M corner of Cl
10 40 from which
Black Oak 14 m dist N 89° E 74
Thence East to S.E. Corner
as per Original field Notes
& establish corner with Rock
10 x 14 ins

11.25 1250
1125
125

5

Survey made for
Peter Beamer on the
18th day of October 1857
Beginning at the S.W.
of Alexander Dunmore
Donation Land Claim
No 48, T30 S.R, 4 W
from which
N. Oak 6 in dia B. 100 ls.
B " 12 " " N33°E. 64
ch, Thence West Var 19° E.
17.75 Set post - from which
Larch 5" in dia S 68½ E 60
Black Jack " " S 47½ W 78
Thence South
11.25 Set post - from which
B Oak 3 in dia S 80° W 4
Thence East
27.25 Set pos on Right bank
of Skagit Creek
B Oak 24 in dia N 64° W 50
Thence

11.25 - Ho S.E. Corner of
C. M. Bethurum DLC 83
Thence West -
10.10 Ho place of beginning

12.5-0 5.00
11.25- 1.25-
1.25- 3.75-

26.50) 100.00 (3.774
79.50
20.50.0
18.55.0
1.95.00
1.85.50
9.500
2.95.0 : 3.774
1.55.0 : 26.50
18.8700
226.94
75.58
1000.1400

42.50
3.774
4.776

45.50 29.00 6,00
45 16.50 57.86
80.50 45.50 63
5686

7

Survey Made
for the Bizeux
October 19th 1886
Beginning at the
N. W. Corner of
Soldiers Donation + 3-6-86
Claim 44
Thence East
Var 19° E.

29.00 to R Bank of South
Umpqua R.
Offset N. 5.00
Thence East 16.50 ch

45.50 Right bank of R.
offset N. 1.50 ch
Thence East 3.00 ch

80.50 offset S 6.50 Regained
true line on Ridge
line
Thence East 16.80 ch

30 Set post Corner
which
B.C. 16 ch dist S. 2 ng.

73.50
26.80

80.40
16.80
97.30

0005 8

Thence S mesher from the N. E. cor of the Diamond Chain and Land at 1-40. be 7 1/2 links S West- Thence mesher from the S. E. Cor of the Thermal and Lan at 1-40 be 19.29 W. 71. Chest.

9

Survey of a Road
of Public easment
Beginning at the residence
of Lydia Dawson
Beginning at a Spanish
9.00 North and
S 69° E. 2.00. Set post
from which
B Oak 24 inches dia bears S 74° W, 25
Thence as follows
Vara 19¼ E.
S 69° W, 4.50
S 80¼ " 5.00 cut R. 484 R. R.
Set post terminus
of Road from which
B Oak 36 inches dia bears S 33° E. 15
B Oak 24 " " " N 50° W 24

John Dawson
J. Russell
R. Stevenson

Witness

Ax

10

Field Notes

North between Sec 29 & 30
Var 18°30 E.

80.00 Set post cor to Sec 19. 20. 29 & 30
B Oak 4 ins dia S 20° E. 30 lks
Laurel 18 " " S 80° E. 60 "
" 15 " " N 65° W. 42 "
Maple 6 " " S 70° W. 40 "

S 89° 35' W on True line bet Sec 20 & 29
40.15 Set gr Sec post - from
B Oak 10 ins dia S 35° E. 10 lks
" " 10 " " N 50° E. 18 "
80.30 Sec Cor

N 89° 33' E. on True line bet Sec 19 & 30
15.00 R Bank of Cow Creek 100
18.00 Left " " " "
32.50 " " " " "
39.40 R " " " "
42.20 Set gr post - from which
Laurel 4 ins dia S 45° W. 60
" 4 " " S 60° E. 22
82.20 Sec Cor

Y1

Sith	Set Secs 19 & 20 - Var 18° E.
20.00	Left bank of S Umpqua
22.00	R " " "
40.00	Set quar post - from which
	N Oak 10 inches S 25° E. 40
	B " 12 " " S 25° W. 15 -

FB3 P3 0007 12

18

Corner of Sections
1. 6. 31 & 36, T 29 S R, 6 W,
8 cvs Set post from which
Var 18° 30' E Wh Oak & Wd dis S 63° W 53
" " 7 " " S 63° E 19
" " 7 " N 27° E. 30
" " 36 " N 35° E. 36

S Bdy of T 29, S R 7 W,
N 89° 40' W, on S Bdy of Sec 36
Var 18° 25° E
40 cvs Set Sec post from
Laurel 6 in dia N 35° W 25
Chinkapin 4 in S 65° W 12

FB3 Pg. 0008 14

Survey Made
for Dave Thomp-
son on the 1st
day of November
A.D. 1887.
Beginning at the
corner to Sec 1. 6. 31,
& 30, T 25 R 30 S.R
6 & 7, W.
N. Thence N. Var 18° E
20.00 Set post from which
Pine 20 inches S 26° W 84

Thence from
Township Cor. Var 21° E
S 89° 40 W. 40.00 Set 1/4 Sec
Pine 30 in. N. 25° E 25.4
" 20 " S 22° W. 35.3.

Field Book #3

Pages 8A - 9 Blank

17

Sun Deel for
Nov 3rd 1887

15° 06' 42" – 46"
7' 36"

at 10. 15° 11' 18" 60) 276
4' 36

9.05
241
1146
5.40
16.46

5.5.5.5.
11 46
4609
120
47.29

FB 3 B 0010 18

Survey Road for
W S Brette Nov 3-87
Beginning at the
S. E. Cor of the W
Burch Donation
Land Claim 46
Thence Nor 20° E
South 905 - Right Bank
of Cow Creek
Set stake on L.B.
in line
Base 1.00 E. Angl 22½
Certain 2.41.4
Dist over Cree
24 1 ch

58.55 - intersect 6 Ch
E of Cor
Thence Nly, N 20° E
25.00 Left Bank of
Cow creek
Set Post 1.20 E.
of tree on bank

19

Thence Meander
Cow Creek on left
bank 120½ from
Center of Stream

S 05° ½ E 9.0, 5-42 "
" 24° 30' " 5-43 "
" 36° ½ " 2-43 "
" 31° " 2-07 "
" 15° 25' " 3-98 "
" 13° ½ " 2-40 "
" 29° 45' " 5-62 "
" 19° ½ " 7.63
" 36° 45' " 6.00
" 43° 25' " 4.95
" 43° " 9.60 to flag on
Left Bank of
Cow Creek 120½ ft
of Center of Creek

Contains 76 25/100

FB3Rg 0011

20

21

Course from Sta 3,4.94+10
330 SR4 W — Var 18° E
Same Set post Sta 3,4.94+10 from
B Oak 10 ins dia S 10° E 25
" " 6 " " S 45° W 28
" " 15 " " N 85° W 15
" " 6 " " N 35° E. 19
S Day house S 45° E.

N 89° 45' W on True line Sta
Sta 84+10 Var 17° 45' E
3,00 Strm 12 lks wide S
33,90 Set Gr post from
B Oak 14 ins dia S 85° W 4 00
W " 6 " " N 82° W 77



35-
20
5-5-

FB3B 0012

22

Survey Made for
Isaac B. Yates. Nov 4th
1887.
Beginning at the S. E. Cor
of the Aaneta Thomas
Donation Land Cl. #48
Thence N. Var 19° E,
North 26.50

Thence from the N.E.
Corner of Cl #48
E.
19.55 Quarter Post Cor S 3 & 10
42.50 to N.E. Cor of Cl #48
Thence South
S. 20.44.

23

Survey made for
Joseph Dale Nov 3
1887. Beginning at
the S. E. Corner of the
Land Thomas Done
Tom's Land Cl 4 8.
T 30 S, R 4 W, Sec 10
Thence West Var 15° E
West 22.50 to W Cor to
the "L"
37.74 Set post
for S, W, Cor
from which
B Oak 22 in dia S 35° W 8
" " 10 " " N 12° W 5
Thence North
N. 15.0 Dog Creek 25 links
Cross W.
11.80 W Oak 12
26.50 Set post N. W. Cor
from which
B Oak 20 in dia S. 58° W 4/2
W Oak 6 " " S 81° E 5

24

Thence East—

E.

29.50 Dogs Creek C S 75° W

97.00 W Limrock House on Line.

37.74 Set Post for N.E. Corner

Thence W Oak, 6 ins dia S 65° E 2 ins 40

Thence South

South 26.50 to Place of

Beginning Containing

37.74 100 $\frac{01}{100}$ A

26.50

18870

22644

2548

100.01.100 1.75 00

Due from

Sheridan Raymond

And Caroline M Raymond

To

Brandt



Corner to Sec 15.16.21.& 22
Fir 36 mins S 75° E. 10 lks
" 24 " N 05° W. 56 "
Cedar 10 " " " S 80° E. 70
" 6 " " S 65° W. 71

North bet Sec 15 & 16 - Var 19½
North 27 5-0 Myrtle Creek 25 lks E & W.
40 vs Set gn Sec post & mds whn
Fir 30 ins dia bears N 46° E. 15~
" 12 " " " " S 73° W. 52
S 0.0 Set post & mds Sec 9.10/15.16
Laurel 18 ins dia bears S 25° E 45~
" 13 " " N 44° E. 56

FB3 Pg 0014

26

Pine 10 inches S 85° W 50

" 12 " " N 85° W 50

Cor to Sec 16. 17. 20 & 21

Pine 24 inches N 50° E. 31 lks

" 36 " " S 05° E. 19

Laurel 12 " S 75° W 38

" 18 " N 10° W 18

S 89° 54' W. on true line bet Sec 16 & 21

Var 20° E.

39 Links = 2 50 lks more & 3 lks

40.21 Set gn Sec Post

Pine 24 inches N 30° E. 33

Alder 6 " " S 35° W. 15

S 0.42 See Cor

North Bet Sec 16 & 17 Var 20° E.

40.00 Set gn Sec Post

Pine 30 inches N 36° E. 73.

Oak 10 " " N 15° W 150

S 0.00 Set Post Cor to Sec

S. 9. 16 & 17.

27

Laurel	6 in dia	N 35° E.	13
"	12 "	"	N 60° E. 88
Oak	12 "		S 88° E. 110
Pine	36 "		S 80° E. 96

Survey Made
Survey from Notes
Nov 11th 1889
Beginning at the
S.E. Cor of Sec 16, T.
29 S, R. 3 W.
Thence S. Var 2°
North 20.00 Set Post—
from which
Pine 12 in. S. 10° W. 5—
Pine " 10 in. S. 75° W. 13
Thence W.
West 10.00 Myrtle Creek 50 wide
Cross S. 75° W.
20.00 Set Post Mound—
from which
Pine 8 in. Dia. S. 24° W. 58
Pine 24 " " S. 72½ E. 39
Thence South
S. 40.00 Set Post—
from which
Pine 6 in. Dia. S. 7° W. 24
Pine 20 in. Dia. N. 85° W. 9

29

Thence West
W. 13.50 Beaver Creek
12 lks wide C S
20.00 Set post-Marked
from which
Tree 12 inches S 47½ W. 3 lks
" 10 " " N 73° W 4½
Thence South
South 4.00 Set-post-Marked
from which
Cedar 6 inches S 05° E. 19
Fir 5 " " N 80° E 8

S. 20.00 to the 1/4 Sec
post-Set 16 & 21
Thence E.
East 1.00 Mg & Tree Creek
50 lks wide C S 80° W
4.00 to the place of
beginning

FB 3 Pg. 0016

30

31

36
34
90

Survey of Brown
as shown for E Brown
Dec 14th 1887
Beginning at the N.W.
Cor Course S 36° E
& N 54° E 11 lines 20 L
apart. 20 Sixths 13 R -
360 feet
30 + 20 = 600 feet

31
20
620 lines

66 600 (9.09 66) 380 (5
594 330
600 500
462
38

909
575
4545
6363
4545
5226 5

Second
Land survey
Course N 82° W 24 + 20. gi
Short survey
Course S 0 & W 8 + 20 - 160

25
2
1 75
43
56

274

33

Quarter post
between Secs 5 & 8
T 30 S R 5 W.

4036 B Oak 12 inches S 20° W 42
W " 10 " " N 30° E 41

Corner to Secs 4, 5, 8 & 9
Bn Alder 15 inches N 20° E 50
B Oak 8 " " S 33° W 33
Bears 6th true Course

Cor to Secs 7, 8, 17 & 18
W Oak 24 inches N 25° E 31 lks
" " 24 " " N 35° W 76
" " 8 " " S 75° W 67
" 8 " " S 03° E 75

North bet 7 & 8
Var 17° 30' E
40.00 Set 1/4 S post
W Oak 10 inches N 23° E 45
B " 10 " " N 23° W 65

94

Survey Set Steel pins S:6.7 to S

Road trench down the State

thence

Az. 89°35' E. on line bet Sec 5 & S

40.36 Set Mag nail.

B Bath 12 inches S 20° W 42

W " 10 " " N 30° E 41

Bar 18.30" S

35—

Cor to Town 27 & 28
S. R. 4 & 5 W. — from which
W. Oak 24 in dia N 55½ E. 2.54
Elm 12 " " S. 70½ E. 85—
W. Oak 16 " " N 04½ W 4.80
" " 16 " " S 20° W 1.10

Var 18° 10'
North 40.00 Left ½ Sec
post from which
W Oak 18 in dia N 89° W 5.72
" " 10 " " S 05½ " 6.46



Beginning at a point 6.93 South &
2.93 W. from the N. E. Cor S 31

Town
293
1707

East on S. bdy of Sec 31 — Var 18° E. 36

41.35 Set 1/4 S post & Sprs which
W Oak 5 in dia S 35° W 24 lks
" " 6 " " N 65° E. 55 "

81.35 Set post cor to Secs 31 & 32
Ash 3 in dia N 32° W 16 lks
" 3 " " S 11° W 22
Dog wood 4 N 43° E. 26
Cedar 4 S 28° E 17

North bet Secs 31 & 32
Var 18° - 15° E

40.00 Set 1/4 S post
Laurel 12 in dia N 45° E. 6 lks
Pine 10 " " N 38° W 39 "
80.00 Set post cor to Secs. 29. 30. 31 & 32.
B. Oak 20 in dia S 35° E. 4.04
" " 16 " " N 33° E. 1.52
Maple 8 " " S 48° W 4.85
W Oak 7 N 08° W. 3.06

	2.00	2.93	2.06
	2.93	15.00	17.90
37	17.07	17.93	2.07
	13.00		
	2.07		

Survey Made for
N. S. Woodard & M. R.
Mills Commenced on
the 16th day of Feb 1888

Chainmen
R. C. Yates
Isaac Lenhart
Axemen
J. D. Woodard
Beginning at
S.E. Cor, 31 & 32
T27 S. R 4. west
Run 18½ Lks,
Thence
N. 4.00 Lks 1/4 S post
mark Cor by Old
Hickory tree
6.00
Thence from the
N.E. Cor of S 31. after
establishing the

South at 14 Dear chek 38
at 20.28 to post—
Set for bound ch from
the S.E. cor 31.. dirrect
the distance 14 Lks
Set post,
Thence
West 2.93. more or less to the
East line of

35

3, 9, 3 1/4

3 9 3 1/4

3 9 3 1/4

6 1

2

17.6 1/4

2 1/4

FB 38 0021

40

Survey for a Ditch for Mills and Morrison beginning at a point 17 feet 6¼ in. above the level of Dean Creek

Station	ft	in	
1	17	6 1/4	R
2	4		
3	4		
4	4		
5	4		
6	4		
7	4		
8	4		
9	4		
10	4		
11	4		
12	4		
13	4		
14	4		
15	4		
16	4		

76 7.1 74 10
2.104 13 4
174.2 61.6

41

17	4	2) 18 6 4
18	4	
19	4	
20	0	
21	2.10	2

3 5/8

1	7	8 1/2	
2	4	1 1/4	13) 34 (2
3	9	4 1/4	26
4	4	2 1/4	10 5/8
5	8	7 3/4	
6	4	2.14	37.8 1/4
7	8	7.3/4	
8	4	2 1/4	
9	8.	10 1/4	21 - 8 1/8
10	4	2 1/4	4 - 2 1/4
			43 - 10 5/8

FB 3 Pg 0022

Survey of Ditch 42

Commence at the upper end of Ditch and Stake grade Stakes at iron Rock adding half inch to the Rock for grade

Sta.		Grade	Cut in	Fill	Taken
1	1	1	7		
	2	3/4	13		
	3	3/4	5 1/2		
	0				
2	1	1/2	19 3/4		
	2	"	14 3/4		
	3	"	9 3/4		
	4	"	9		
	5	"	4		
	6	"			
	0				
3	1	"			
	2	"		3/12 1	
	3	"		60	
	4	"		2 1	
	5	"			
	6	"			
	15	6 1/4			

43

Slat	Grade	Cut	Bill	Room
3	7	1/2		
	8	"		
	9	"		
	10	"		
	0			
4	1	"		
	2	"		
	3	"		
	4	"		
	5	"		
	6	"		
	7	"		
	0			
5	1	"	4 1/4	
	2	"	9 3/4	
	3	"	8 1/2	
	4	"	9 3/4	
	5	"	11 1/2	Room
	6	"	14 3/4	"
	7	"	30 1/2	"
	8	"	34 3/4	"
34		1/2		

0023

54

Sta	Feet	Cut	Fill	Flume
5	9	1/2	8	38 3/4 -
	10	"		12 3/4 - "
	11	"		
	0			
6	1	"	3 3/4	
	2	"	1 1/4	
	3	"	10 1/2	
	4	"	8 1/2	
	5	"	5 3/4	
	6	"	15	
	7	"	3 3/4	
	8	"	6 3/4	
	9	"	3 3/4	
	10	"	7	
	11	"		
	0			
7	1	"		
	2	"	5	
	3	"	3 3/4	
	4	"		
	5	"		2 3/4
	3-72	7 1/2		

45

Sta	Grade	Cut	Fill	Bloom	
7	6 1/2				
	0				
8	1 "	3/4			
	2 "	1 1/4			
	3 "				
	4 "	3			
	5 "	4 1/4			
	6 "	1 1/4			
	7 "				61
	0				
9	1 "				
	2 "				
	3 "				
	4 "				
	5 "				
	6 "				
	0				
10	1 "	2 3/4			
	2 "	2 1/4			
	3 "	1 3			
	20	36			71

46

Stat	Feet	Cut	Fill	Remarks
	0			
11	1	1½	18½	
	2	"	14½	
	3	"	43¾	
	4	"		
	5	"		
	6	"		
	7	"		
	8	"		
	9	"		
	10	"		
	11	"		
	12	"		
	13	"		
	14	"		
	0			
12	1	"		
	2	"	6	
	3	"		
	4	"	19¼	

88 45

88

47

Stat	Brach	Cent	Fill	Inbom
12	5 1/2	9 1/4		
	6 "			
	0			
13	1 "			
	2 "			
	3 "	10		
	4 "	10 1/4		
	5 "			
	6 "			
	0			
14	1 "			
	2 "			
	3 "			
	4 "			
	5 "		14 3/4	
	6 "		12 3/4	
	7 "			
	8 "			
	9 "			
	10 "			
	106			106
	5-4			

FB 3 Pg. 0025 48

Sta	Sawed	Cut	Drill	Fr. Loom
	0			
13	1	1/2	8	
	2	"	9 3/4	
	3	"	1	
	4	"		
	5	"		
	6	"		
	7	"		
	8	"		
	9	"		
	10	"		
	11	"		
	0			
14	1	"		
	2	"		
	3	"		
	4	"		
	5	"		
	6	"		
	7	"		
	124	62		2/124 62

45

Sta	Stake	Grade	Cut	Fill	Floor
	0				
17	1	172			
	2	"			
	3	"			
	4	"			
	5	"			
	6	"			
	7	"			
	8	"			
	9	"			
	10	"			
	11	"			
	12	"			
	13	"			
	14	"			
	15	"			
	16	"			
	17	"			
	18	"			
	19	"			
	20	"			

Start	Stroke	Broad Cut	File	Loom	50
17	21	1/2		—	
	22	"		—	
	23	"		—	
18	0				
	1	"		—	
	2	"		—	
	3	"		—	
	4	"		—	
	5	"		—	
	6	"		—	
	7	"		—	
	8	"		—	
19	0				
	1	"	2 3/4	—	
	2	"		—	
	3	"		—	
	4	"		—	
20	0				
	1	"		—	
	2	"		—	
	3	"		—	
	4	"		—	

57

Stat	Sta	Grade	Cut	Fill	Flume	
21	0					
	1	172			—	
	2	"			—	
	3	"			—	
	4	"			—	
	5	"			—	44
22	0					
	1	"			—	
	2	"			—	
	3	"			—	
	4	"			—	
23	0					
	1	"		13	—	
	2	"		14'74	—	
	3	"		22	—	
	4	"			—	
	5	"			—	
	6	"			—	
	7	"			—	
	8	"			—	

FB 3B 0027

Stat	Station	Grade	Cut	Fill	Interm	
23	9	1/2			—	
	10	"			—	
	11	"			—	59
24	0					
	1	"			—	
	2	"			—	
	3	"			—	
	4	"			—	
	5	"			—	
	6	"			—	
	7	"			—	
	8	"			—	
	9	"			—	
25	0					
	1	"			—	
	2	"			—	
	3	"			—	
	4	"			—	
	5	"			—	
	6	"			—	

5-3

Stat	Statue	Brand Cut	Bible	Folsom	74
25	7	1/2		—	
	8	"		—	
	9	"		—	
	10	"		—	
	11	"		—	
	12	"		0	
	13	"		0	
	14	"		0	
26	0				
	1	"			
	2	"			
	3	"			
	4	"			
	5	"			
	6	"			
27	0				
	1	"			
	2	"			
	3	"			
	4	"			

Stat	Stake	Scale	Cist	Drill	Loom
27	5	1/2			
	6	"			
	7	"			
	8	"			
	9	"			
28	0				
	1	"			
	2	"			
	3	"			—
	4	"			—
	5	"			—
	6	"		3 3/4	—
	7	"		11 1/4	—
	8	"			—
	9	"			—
	10	"			—
	11	"			—
29	0				—
	1	"			—
	2	"			—

55

Sept	Stathe	Brook	Cent	Bill	2 doors	110
29	3	1/2			—	
	4	"			—	
	5	"			—	
	6	"			—	
	7	"				
	8	"				
	9	"				
	10	"				
	11	"				
	12	"				
	13	"				
	14	"				
	15	"				
	16	"				
	17	"				
	18	"				
	19	"				
30	0					
	1	"				
	2	"				
	3	"			—	130

5.6

Stat	Station	Grade Cut	Grade Fill	Flow
30	4	1/2		—
	5	"		—
	6	"		—
	7	"		—
31	0			
	1	"	16	—
	2	"	13	—
	3	"	15	—
	4	"	15	—
32	0			
	1	"	15	—
	2	"	15	—
	3	"	12 1/2	
	4	"		
	5	"		
	6	"		
	7	"		
33	0			
	1	"		
	2	"		
	3	"		

57

Stat	Steps	Grade Cut	Fill	Between		148
33	4	11				
34	0					
	2	"	2 1/4			
	3	"	15			
	4	"				
	5	"				
	6	"				
	7	"				
	8	"				
	9	"				
	10	"				
	11	"				
	12	"				
	13	"				
35	0					
Wooly	1	"				
3 M.	2	"				
P.O	3	"				
	4	"				
	5	"				
	6	"				

FB3Bj 0030

6-8

Stat.	Plus	Grade Cut	Fill	Adjustment
35	7	22		
36	0			
	1	"		
	2	"		
	3	"		
	4	"		
	5	"		
	6	"		
37	0			
	1	"		
	2	"		
	3	"		
	4	"		
	5	"		
38	0			
	1	"		
	2	"		
	3	"		
	4	"		
	5	"		

59 Datum		
39	0	
	1	1/2
	2	" Flume 2 weirs
	3	"
	4	"
	5	"
	6	"
	7	"
	8	"
	9	"
	10	"
	11	"
	12	"
	13	"
	14	"
	15	"
	16	"
	17	
	18	"
	19	"
	20	"
	21	"

FB3 Pg 0031

60

39	22 1/2	
40	0	
	1 "	
	2 "	
	3 "	
	4 "	
	5 "	
	6 "	
	7 "	
	8 "	
	9 "	
	10 "	
	11 "	
	12 "	
41	0	
	1 "	
	2 "	
	3 "	
	4 "	
	5 "	

223 R

Field Book #3

Pages 31A - 32 Blank

63

Pressmen

1	45 3/4		
2	44 1/4		
3	45 3/4		
4	48.		
5	45 3/4		
6	48 1/4		
7	45 3/4		
8	50		
9	45 3/4		
10	48 1/4		
11	45 3/4		
12	44 1/4		
13	45 3/4		
14	40 3/4		
15	45 3/4		
16	36 3/4		
17	45 3/4	on time	
18	36	to Cuck	15 rods
19	35	in Water	1 "
	845 1/4	9-10	
	70 5/4		

12) 772 (64 - 4 1/4
72
52
48
4

12) 768 - 1
72
1

FB 3 Pg .0033
64

65

4 00
2 09
3 7.9 0

Corner to Secs 21. 22. 27
& 28. T 29 S. R. 5 W.
Var 19° E.
Bear 9 inches S 45° W 1.56
" " 12 " " N 33° W 2.80
" " 14 S 89° E 15.00
" " 24 N 04° E 15.00

Elev. on Thl. S. 4.18 Ch. 2.05

Location on the line
of the Lee Wright Donation
Claim 2.84 Ch 24.00
by 1.42 Ch
West line of Wright
Claim is 54.60

1/4 S Post Set. Sec 21
& 28. T 29. S. R. 5 W.
S 89° 30' W 40.18 Set 1/4 S Post from which
Bear 20 inches S 20 W. 50
" " 18 " " N 55° E. 37
43 00 Rocks

FB 3 Pg 0034
66

Survey made for
Sy Bement & Sons
Subdivision Feb. 22
1888,
Beginning at the
Cor to Sec 21, 22, 27
& 28 T 29. S R, 5 W.
Var 19° E.
Thence
West 20.00 Set post
from which
B. Oak 10 links S 76° W 35
B Oak 8 " N 06° E. 41
Thence
North 20.00 Set post
from which
B. Oak 15 links S 64° W. 37
" Oak 12 " N 35½° E 54
Thence
East 20.00 Set post from
B Oak 9 links N 61° E. 33.
P Pine 36 " S 49° W 87

Thence
South 20.07 to the place
of Beginning

FB 3 Pg 0035

68

Survey made for
John Hall & H Addams
Dec 23rd 1888
Beginning at the 1/4 S.
post between Sec 21 & 28
T 29 S.R. 5 W.
Thence on Var 17° 45' E.
Eas 1.42. to the N.W. cor
of Wright Donation
Claim
" 4.50 offset to known
Bluff & River
Thence
South 84.50

69

$$\begin{array}{r} 547 \\ 350 \\ \hline 897 \end{array}$$

9,18

$$\begin{array}{r} 512 \\ 845 \\ \hline 1357 \end{array}$$

FB 3 Pg 36

0036

2 50=42 N 09° 30' W

Survey Made for
P Mayhall & M Brown
Feb 24 1888
Beginning at the S
E Cor of the Fourth
Reduced Donation
Claim Thence
South 3,18 angling across
Canyon Creek
to Post on Left
Bank
Thence
East 4.97 to N.E. Cor
of Toll Gate Lot
Thence
N 09° 30' W. 8,65
Thence
N 20° W 8.97. to Right
Bank of Creek
Thence
South 13,37. to place of
Beginning Con 4 40/100

71

Stone 41½ L 23 L
41½ ~~L~~
14½ L
48 "
34 4
45 14
23
42 14

342 feet dam 12 Cut

N 49° E 438

Feb 23-24-25-26-27-28

Survey made
for Maxwell &
Glover
Beginning at
the S.W. Cor of
Glover Lot
Thence as follows
Nor 15° E
East 364 lks to S. bank
of Ark
Thence
S 49° W. 4.38 Chs to Stake
Thence
N 89° 30' W 8.50
Thence
N 20° W 8.89
Thence
N 84° 30' E. 8.28 Chs to the S.W.
Cor of Glover
Lot
Thence
S 05° E. 14.22 Chs to place of beginning
Containing 2 65/100

Field Book #3

Pages 37A - 38 Blank

Dressed over 43 feet Logs
@ 1.50 per Bbd
Well box board
J H Moody

FB3 Pg 0039

Field Book #3

Pages 40 - 46 Blank

89

Index

✓	J B Nichols	page 1 & 2
	P Mapwell	" 1, 2
	N Hudson	3
	P Weaver	5. 6
	J Brown & Weaver	7 & 8
	Lyman Dacomb - Road	9
	David Thompson	14
	W S Britt	18. 19
	Enoch Gate	22. 23. 24
	John Weaver	28. 29
	Eas Weaver Brown Archer	31
	Woodward & Millar	37, 38
	" " Dixon	40
	Dimmit & Gabbert	66. 67
	Hall & Adams	68
	Mapwell & Brown	70
	" Sloan	72

Pg 3 Pg 0047

90