Please Note:

2 Field Books
are labled #4

Field Book #4


4
FB. No4:

6	5	4	3	2	1
7	8	9	10	11	12
18	17	16	15	14	13
19	20	21	22	23	24
30	29	28	27	26	25
31	32	33	34	35	36



Lat at Campomilli 42° 45'
Var 18° 01' E.
Lone 123° W



FB 4 Pg 0001

	Yoncalla	Page
1891		
Nov 30	County Rock in Camas	1
1892 Jan 14	S R Lewis	2
" 18	Simeon Bollenbaugh	4
" 29	D S R Burch	5
1891 Dec 1	W H Tompson	6
" 7	Co Road Lake Prairie	7
" 18	Adams & Ledgerwood	13
1892 Jan 5	S & Will Moore	16
	Will Moore	18
7	S C Moore	20
30	D S R Burch	25
Feb 1	Co Road from Oakland Mer	27
" 3	F M Cook	31
4	Co Road Post Pos farm	33
" 15	J C Tully	38
	Race Track Fair ground	41
Mar 16	County Fair grounds	49
" 21	" " "	53
" 22	Ben Asa	54
23	" "	56
24	Al Tompson	57
April 4	Dan Bollenbaugh	59
" 5	Devin & Elliff	62
6	Cascade Rayroad	64
" 29	Peck & A Glover	66
May 11	Boon & De Mont	71

FB 4 Pg 0002

Survey made for
S.R. Adams Jan 14 to 1892
M.S. Bristol and C.M. Bristol
Chainmen and S.R. Quinby
Beginning at the S.E. cor
of G.L. Elliot's donation claim
and S.W. Cor of J.M. Brunch
D.C. cl No 46 T 30 S R 2 W
Sec 24. Set post no mon
Original B.T. Set iron pipe 3 ft long
Set limestone stone Mound
Recorded Iron Pipe new B.T.
3 feet
Bank 16 links to S 24° E 7.80
Angle at C 45 & C 46 C.S. B.T.
3 links — Ang 20°
North 36.20 ch to Set Cor of C
No 43. from which
the original B.T. Bears
N. 67° W. 1.59 ch
3 links
West 22.1 ch to Right bank Coon Creek
S 47° 45' W 14.19
S 24° 00' " 21.25
S 33° 15' " 8.27 Indian Stone 6 links
East 25.79 ch to point of beginning
H Wood Bound

4 000
5 78
3 422

3

N N bet Sec 32 & 33 T 30 S R 12 5 1/2

64.30 B Oak 20

80,00 Set post Cor to Sec 28. 25, 32 & 33
B Oak 12 in mound S 89½ E. 11 lks
" " 13 " " " N 20° " 30 "
W " 30 " " N 55° W. 34 "
" " 12 " " S 55° " 75

S 89 30 W. on true line bet Sec 28 & 33
Var 18° 30' E

40,29 Set ¼ S post from which
W Oak 18 in mound S 25° E. 94 lks
B " 4 " " S 89° E. 30
50.00 Stream 8 lks wide
80 54 to Sec Cor

North bet Sec 28 & 29

40,00 Set ¼ sec post from which
B Oak 14 in mound S 10° W. 57 lks
" " 14 " " " S 3° E. 14 "
52,30 B Oak 12 in mound

FB 4 Pg 0003

Survey made for
Smith Baldwin
Jan 18 & 19 1892
D Baldwin & JC Bald
Chairmen
Beginning at Cor. No 1
28.29.32.33 T 30 S R 5 W
Var 14° E
N 85½ E 20.10 ch Set Post Marked
C.S. from which
Mag 24 links N 5-30 W 84
Elm 10 " " N 44½ E 29
Plum
North 40.00 ch to Post & Bank 12 Ins
Corner Marked CS on S & Side
from which
Bear 10 links S 55° W 96
" 10 " S 34° E 24

H 6.00

6

1

L L Wolcott S M Miles Ch. Co Comrs
Survey of a proposed County
Road Commencing at the
N.E. Corner of J. Murtaugh
Donation Claim and terminat-
ing at the N.W. Corner of said
Claim. Met with the Comrs at
Murtaugh on the 30th day of
June 1891. and took to our
assistance S. M. Thompson &
W. H. Thompson, ch + y B Murtaugh
Set post 4 feet long & mkd
Bearing 24 m ground Marked
R. from M Oak 8 in brs
S 63 3/4 E. 80 lks a dis
P Pine 16 in dia N 89° W 3.20 lks
Var 20° E

West 24 wood Ditch C S M
49.50 " School House N 2.50
46.75 Middle fork Coquille R
80.50 ch. Intersect County Road
from N.P. Day to Cosby
wagon road at Simpsons
place Set post from
which
Thompsons dau N 75° W 21 lks
Ash 8 " " S 84° W 25

Surveyed

385
52
435

FB 4 Pg 0005

Survey made for M. H. Tompson
December 1st 1891.
Beginning at N.E. corner of Alexander Reed Donation Cl No 39. T 25 S. R. 9 W. Sec 24. Stump & witness tree Still standing.
N Oak 18 inches S 10° W. 1.70 lks
Set iron post 3½ feet long & mark 3 grooves 18 in in the ground. Marked C 39. C.S. from which

Bar 19½ E.
East 4.35 to East bdy of Sec 24
Set post in C Reed from which
N Oak 8 inches S 6° E 13½
North 3.50 ch set post in C.R. on E bdy of Sec 24 - from which
N Oak 10 in dia bears S 88¾ W 1.87 ch

7

Survey of a proposed
County road Beginning at N E
cor of Sec 10 T. 19 S.R. 12 W.
terminating in the S. W. quarter
of Sec 27. T 19 S.R. 12 W.
Met at the house of J Elliot
Wilson. on the 7th day of Dec
1891. at 8 o.m. and after
being sworn by me to discharge
their duties as viewers. Each
to our assistance S S Anderson
& S B Corbin and J C
Isbell Axmans
and then proceeded view
Survey & Locate said road
as called for by the petition
Beginning at N.E. cor of Sec 10
T. 19 S.R. 12 west Set post
4 feet long 24 in in the ground
4 inches square Marked R. S
for Starting point of said
proposed road-from which
Pine Stub 20 in dia bears N 59° E. 62
" " 24 " " S 65° W 69
Thence West 19½ L

0006

50.00
7236
7686
1450

South 30.00 on SE 6 Line

S 81 W 4.02
S 16 3/4 " 6.00
" 21 1/2 " 5.35-
S 4 1/4 " 12.00
5-767

S 14° W 1468
S 8° E. 4.00
" 3 3/4 " 364

Sour Set 1 M. from
Pin & in ass. 6" N 5.2° E 12
Iron Bolt 24 " S 61° W 1.00

S 3 1/4° E 7.00
" 28° W 9.75-
" 3° " E. 7.50
" 5 1/2 " 10.00
" 10° " 2.00
" 1° W 5.00
" 8° " 3.50
" 22° " 8.00
5-075

5000
6575
1425
1025
400

S 18 1/2 " 15.00
" 19° " 2.75-
" 4° E 7.50
" 5 1/2 " 2.00

9

1 78.00

S 47° W 2.00

80.00 Set 2 MP from

B Pine & mid b S 11° W 1.45

no other line near

S 47° W 2.50

S 33½ " 7.5

S 82° " 1.50

" 82° " 1.50

" 85 " 4.69

" 11¼ " 5.50

S 8° W 6.50 last one

" 8 " 5.75

" 32° E 2.50

" 17° " 3.00

" 27° W 3.00

" 18½ " 3.00

" 53½ " 2.18

" 13° " 4.00 4637

" 1½ E 11.00

57 37

" 31½ W 3.00

" 15½ E 3.00

" 15 " 3.56

67 23

FB 4 Pg 0007

40 10

67 23 5033

66.90

S 28° W. 3.00
" 32° " 2.35
" 27 " 2.75
" 27½ " 2.50
" 33° " 2.07

8 0.00 Set 3 MP Iron
Iron 10 in clay for pos
B Pine in dec B S 15° E. 29
" " 8 " " S 64° W. 19

S 44½° W 4.50
" 47½ " 6.64
N 27° " 1.68
S 72° " 4.25
" 32° " 2.50
" 12½ " 1.50
" 3° E. 1.30
" 1° " 3.00
" 3° W 2.50
" 5½ E. 2.50
" 21° " 2.00
" 16° " 2.40 1.50 Slough
" 33½ W. 2.00
" 11° " 11.00 Iron 16 in
" 3½° E. 5.50
" 5° W 6.00

59 47

53.47
6.00
59 47

11.

8000
7987
13

5-9.47

S 5° W. 8.50
S 45° E. 3.30
" 33½ " 4.10
" 19° " 4.53 19.87
8000 Set 4 M.P. set

Part from creek
Ash 12 inches N 26° E. 5-9 lk
B Pine 8 " " S 81° W. 50 "

S 14½ E. 5.00
" 18½ " 2.50
" 21½ " 2.00
" 19½ " 10.00
" 21¾ " 12.00
" 24° " 3.00
" 42½ " 7.50 to Anderson boat-
4200 landing. and out-
let of Sem Brit Lak
Set post from creek
B Pine 10 in dia N 30° E 86
Ash 4 " " S 32° W 1.13

Owners 3 days
Chainmen 3 "

Axe 14 days @ $5-6.00
Pole Axe 9 " 3.6.00

12

Started on the Survey of the last described road on the 2nd day of December 1891 arrived at Elliott Wilsons the point of Survey in order on Saturday 5th and on Monday 7th 2 of the Viewers met me at Wilsons and it being very Stormy day impossible to continue the Survey so more favorable day and it was a continued Storm until Saturday 10th when which day the 3 Viewers met at Wilsons we then proceeded to view and Survey said road which took 2 days and on the 12th went to Florence took dinner at Law over at Florence took the Stage line of Barrets went to Barrets Tavern which cost Money 1.4th

13

1250
13
1263

22
12
44
2213
1771

Survey made for H
Adams & McLedgewood
Dec 18th 1891
Beginning at a S. M. cor.
of John Hall on L Meghi-
Donation Claim T 29 S.
R 5 W. Soc.

I run as follows
Dec 13° E.

Bank 3.50 to R Bank of Rim S 30 ft
3.73
S 20° E. 2.20
" 5° " 3.00
" 5° W 2.60
" 21½ " 6.20
" 36° " 3.30 to B Oak Tree 8 inches
21 & 6 in diameter as witness
corner to tree on ~~at~~ edge of
water B Oak marked on
N & E. Sides C.S. from which
B Oak 6 in dia bears S 41½ W 47.
Chok Cherry 3 ins dia N 17½ W 26 ft

S 76½ E 12.32 ft to County Road

10.50
3.08
7.42

223
125-0
9.80 14

Set M Oak pos' mar bac
C.S. from which
M Oak 16 inches S. S40°W 1.03
Thence
N 6½° E 7.42
" 6½° " 3.08
" 14½° W 9.00
" 14½° " 4.06 Set post for N.E. cor
West 6.72 to place of Beginning
Contains 19.69 a

Remainder 20.02

Thence from a point
60 feet East of N & Co
Set post marked C.S.
S. 14 3/4° E 12.50 ch set post on S Bank
of small creek. Mar C.S.
Thence
S 6° W 9.80 ch Set post Mark C.S.
Thence
East 9.00 ch Set post in fold C.S.
Thence
N 6° E. 9.80 ch Set post in fold C.S.
Thence
N 14 3/4° W. 12.50 ch Set pos on N bank
of

15

From
West 9.00 ch on North bdy of
Poplar of bearing
Con 20.02 a
$10.00

Henry A Adams & Jas A
Adams & William Ledgerwood
$75 — per acre

42.00
-3.00
75.00

37.00
3.00
42.00

1/6

Survey made for W. S. Moon
Jan 5th 1892. Sam Moon &
William S Moon the Sole Owners
Beginning at the N.W.
Corner of J Beans Donat
Claim & No. 38. T 29 S R
5 W. Sec 7. Set W Oak
Post 3½ feet Long 4 in
Square 24 in in the ground
& Marked C 38. C.S. orig'
Cor Set for Same
Bearings Made Mine
B T to wit:
W Oak 18 inches Dia S 40¾ E,
50 lks Marked C 38. C.S. B T
Thence Day 19° E
South 15.25 ch Creek 10 lks W.S W
30.00 " R.R. Dept House N. 50 to cut
37.00 . Right bank of S Fork R
Offset Sta 2.00 Thence
S. 2.50 & offset Sta 3.00
Thence
S 2.50 & offset Sta 3.50
Thence
S 3.00. offset E 2.00
Thence

17

10 5-0 . 1,15
4 5-0
15 0 0

45 00 .

S 71½ ch measured South
45-71½ between. of land to Angle
" on Right bank of River
Set post 10,50 ch East
of S M Cor from which
B Oak 3 in dia N 67½ W 200
The S. M. Corner is on the Left
bank of River
Thence

East 15.00 ch R R Track.
" 35.00 ch intersect East bdy
of Ch 38. Set Cedar post
3½ feet long 4 in Square
24 in in the ground
Marked on West side C 38
on N side C 38. from
N Oak 6 in dia bears N 0¾ E. 115

5 00
1.00
6.00
1.00
H 7.00

16.00
11.60
7.12
1.00
.66
6.76
2.31
4764
5
238-20

0011
1/8

Seesaw to ascertain center
the R.R.T. and Switch to
Beginning as described in
Deed as abstract from M.
C. Richles & Wife to C & C R R
Corn at a point - 16.00 ch
South and 11.60 ch west of
the S E. cor of S. B. Hadley
D. C. No 37. which point
on the west side of R R
Tract a point - where I set
post Right-angle to said
track S 35° W. 1.00 ch from
which point - I run off
the land on strip as called
for by the above described
Deed as abstract to wit:
S 46° E. 4.70 feet or 7.12 ch set post
S 35° W. 86 links to center
of R.R.T. Thence
N 58° 45' W 5.78 feet or 8.76 ch set post
Thence N 79° 40 E. 2.31 ch to
place of beginning.
I find that the piece of
land described above was
retained from the Switch
which on the other side

of the Main tract and
the Section as more fully
is on the land of W. S. Moore
and not on land belonging
to the R. R. Co—

This the 6th day of Jan 1892
$3.00

1/4 S post bet Sec 2 & 11 T 29 S R.
6 W.

S 89° 37' W on tree line bet Sec 2 & 11—
15;50 R bank of Stumpfoot Run
18,60 Left " " " "
40,24 Set post pointed
Book 10 inches bear S 12° W. 31 lks
" " 10 " " " N. 67° W. 26 "

FB + 0012

20

20 00
16 75
36 75

Survey made for S.C.
Moore Jan 7th 1892
S.E. Aiken & Asher Moore
Chainmen Laramie Wyoming

Beginning at 1/4 S post bet
Sec 24 & 19 T 25 N R 6 W
Set post as per C B I Bearing
Var 19° E.

S 89° 37' W 20,00 ch Set Post Mon
C.S. from which
Mark 12 links S 7 1/2 E. 127 lks
B " 24 " " " S 25 1/2 W. 40 "
Thence
South 27.50 ch cross N R.
40 00 ch Set post marked C S
from which
Mark 10 links S N 46 1/2 E. 14 "
B " 12 " " " N 81° W 16
N 89° 37' E. 36.75 ch intersect Meander
of C of N 042 Set post
Marked C.S. from which
Mark 10 links N 44 1/2 W. 48
" 10 " " " N 36° E 5.8
North 13 00 ch to Left bank of River

109.75

21.

60.00
2.50
562.50

FB 4 pg 0013

4200 37.
37
41.63

22

(23) 3650 4000 4450 50
4000 4500 4500 34
4500 4450 3950 16
3416
34

Thence West

West 55.00 ch Crik Bottoms wide CSM.
207 s., Green Wood each
25 lbs every C.S.
34.10 ch Set post for N.W. Cor.
Green Wood
B Oak 20 in dia bears S 55° E 26 lks
Thence

South 44.60 ch Set post from where
B Oak 10 in dia bears N 35° E 41.4
Thence

East 3.84. the meanders of Clear Creek
BT has been cut down Made
new bearing tree to wit
W Oak 40 in dia bears S 15° W 54 lks
34.10 ch to the place of beginning

$\frac{42.32}{16.18}$ $\frac{3850}{360}$ $\frac{4000}{16}$ $\frac{30}{384}$ $\frac{384}{6034}$ $\frac{34}{12.4}$ (24)

Survey for right of way for the Layout Mill Meadow Ry to the South Corn
Beginning at a point on the present road on N boundary of Mr Meadley land 16.18 ch East of NE Corner
Thence as follows
S31° E. 2.00 ch to Gate
" 21° " 7.00
" 19½° " 5.69
" 11° " 13.50
" 6° " 8.00 to Gate on county road leading to Oakland

25

Survey made for
D S 12 Beach Jan 30 - 1892
Beginning at a N 22 cor.
of Lot formerly Set by
J B Dodge & E S Stetson
Thence as follows
N 66° E 3.50 ch to a point 1.00 West
of Center of Calafora Creek
Thence
N 12° W 10.00
" 10 E 4.14 ch 1.00 West of Cent
of Creek
Set Witness corner
N Beech 30 links & N 68° W 96 Lks
Thence
S 88½° W 10.85 on Center of Creek R
N 77½ W 9.80 Set post on Right
bank of Creek from
which Made Witness
Corner 1.00 from
Center of Creek
N Cash 20 links & S 71° W 36 Lks
Thence
S 39½ E 8.42 ch 2.50 from Center of Ck
" 24° " 3.20 2.50 "
" 45° " 9.83 1.00 ch

S. 85° E. 3.73 ch / 100 from east of this
N 1.32 to place of beginn

Thence from N. E. cor
on Road
N 41° E. 3-00
N 54° E. 9.41
N 30° E. 2.56 to S E cor of claim

Survey made for a
four foot County road
Commencing at the Westerly
end of Cedar Street in Sloans
addition to the Town of
Oakland Douglas County Nebr
Feb 1st 1892.
Chas A Wilbur Jesse Thurston
and Henry Stacy Viewers
met at the Town of Oakland
Feb 1st 1892 and after being
Sworn by me to discharge
their respective duties as
Viewers. Such to our assistance
D. E. Dawson M. R. Hanna.
Chainmen & Robert Hutson Ax
Beginning at the Westerly end
of Cedar Street of Sloans addition
to the Town of Oakland Nebr
Set a post 3½ feet long 4 in square
24 in in ground Marked R. on
westerly Side with a Rock 18×10
×8 in 16 in in ground along side
of post from which ¼ Section
between Secs 4 & 5. T 25 S R 5 E
bears

79.81 S 71 E 62
1.5 19
8000 645 28

thence Var 20° E.

S 65 20' W 4.79 ch
S 62 35 " 5.36
" 48 00 " 1.60
" 85½ " 6.45
8000 Set 1 M.P. Scribed

B Birch 12 inches N 30° E 26 lks
" " 14 " " S 72½ " 47

N 70° W 11.68
" 75¼ " 10.50
S 87½ " 6.37
N 64¾ " 5.78
N 22¾ " 2.50
" 6° E. 3.61
" 9½ " 2.00
" 55° W 1.38
S 66½ " 1.77
" 61½ " 5.38
" 59½ " 14.24
" 61° " 4.50
69.71 6971
" 61° W 2.00

" 58° " 4.22
" 60° " 2.63
7806

66 335-(5.07
330
5.00
462

8 ans
7 8.56
1.44

4.43
3.89
7 62

(25)

78.56
S 5°0½ W. 1 44

80.00 Set 2 M.P. from
M Oak 20 in dia & S 04° W. 41
1 N 84 " 46

S 5°0½ W 2,42

S 75° W. 3.37 to R Oak 20 in dia
S 68¾ " 7,62. 443 Rees Mlns
" 72° " 2.12
" 65½ " 8.82
" 63° " 7.74 to w Oak
" 61½ " 8.36 to W "
" 61½ " 34 5.52

80,00 Set 3 M P from
B. Oak 24 in dia & S 2° E 5.2
W " 12 " " " S 71° E 1.28

S 61½ W 2.36. to M Oak 20 in
" 61 " 20.96
" 61½ " 12.19 to The County Road leading
35.51 to Roseburg 335 feet on 50 ch *
B Oak 8 in dia bears N 43° W 1.65
W " 6 " " " S 27 " 1.21

* South of center of S end of Bridge
over Calapooia creek
one day Surveying

FB 4 Pg 0017

30

4 & 1/2 Cattle

St 1 7 & 3/4 ch 3 Li 1/4

31

Survey made for
J. M. Wood Sept 3d 1892
Beginning at the S.W. cor
of Cl No 46. T 26 S, R. 7 W.
Sec 24. - Iron notch
O.B.T. Stake standing No 45°E 49 lks
Bears 30 in dia & Mrks B.T.
B. M. Alderson & W. H. Murdock Chainmen
Thence on S.B. of C 46
N 20° E
East 34.00 ch to Left bank
Impassable River. Set
witness cor the original
cor has been washed
by the river. Found
Bears 16 in dia & Mrks B.T.

N 20° E
N 1½° E Thence down Sandwich
Station. Cross River
4 chs each Set post the
O.B.T. Son. Made new
B.T. Mrks
Laurel 8 in dia S 45° E. 102
" 10 " " " S 42½ W 84

FB 4 Pg 0018

32

Then I run East on
S Boundary
East 4 over ch the original BT
Standing but Badly
decayed Mark, Stump Missing
Made new B.T. No wit -
B Oak 30 links Bears S. 35° W 200

Survey of a Surface Co
Road beginning at a point in
County road leading from Parker
to Cooking Glass at a point 8 ch
west of the quarter post between
Sec 24 & 25 T 26 S R 7 W.
Job Dennings J J McCoy and
L. W. Minner Viewers that at
the house of S. J. Murdoch
on the 4th day of Feb 1892
and after being Sworn by
me to discharge their respective
duties. Took to our assistance
W H Murdoch & W P Heydon
Chainmen & S J Murdoch Axeman
Set post Marked R in center
County Road leading from
Parker to Cole Valley at a
point from which 1/4 S Cor
between Sec 24 & 25 Bears South
15.50 ch and 8 ch East Set post
from which
Noak 12 inches Dia N 35½ E 15 lks
" 20 " " " S 36½ E 80 "
Var 20° E.

8 0 00
6 1 5.1
1 8.4?

15 14 8.1761.51 0019
34

Set Post from which
Mbah 12 inches S 35½ E 15
" " 20 " " S 36½ E 8.80
4 Trees as follows - Oak 20" E,
S 79¾ E 7.70 Enter the Land of Addison

8 60
S 87¼ E 3 21 Begin S 60 lks
from N 200 ch

S 68° E 2 2 10
" 62° " 1.33 to B Oak 12 in
" 67½ " 6.26 30 lks into pond of corn
" 77½° " 3.45 to Mbah 16 in
" 78½ " 5.00
" 74½ " 2.48 Rim bottom Line of bluff
" 72¼ " 2.18 1849
" 51° " 1.49 ch Set 1 M.P. from which
9.000

B Oak 20 in dia S 15° W 85 lks
N " 12 " " S 70° " 82 "

S 57° E 2.70
" 46½ " 3.94
" 36° " 3.54
" 33° " 2.58
" 21° " 1.86
" 23½ " 2.18
1680

35—

		8 00	
		7 230	
		7.70	
	10 00	5.00	
	16.80	2 70	
S 25½ E	8. 8.00		
" 48° "	7.50 to Junction of Willow		
	Pond Farm Barn Annex		
	bears S 33° E 2,00		
S 61 3/4 E	7.75 feet of hill		
" 42° "	6.50 " " "		
" 34° "	6.25		
" 29° "	3.50		
" 30½ "	3.00		
" 22½ "	3.00	7230 Dust for mosh	
S 27 "	5.00		
" 6° "	1.00		
" 9° "	1.70		
	8,000 Set 2 MP from which		
	N 60° E 24 in elm	S 57½ E 94	
	E " 20 "	N 65° W 42	
S 11° E	1.30 ch hit a Rock		
" 1½ W	1.25		
" ½° "	2.50		
" 12° "	3.60		
" 21¼ "	2.50		
" 8° "	2.00		
" 1½ "	2.65		
	15.50		

0020

4930 8000
410 4740
4740 3260
2550
710
390
320

15.50
S 1½° E 2.00
" 3½° " 2.30
" 6° " 3.50 ✓
" 2½° E 2.00
" 2° " 1.60
" 2 3½° " 3.20
" 7½° E 2.70 horiz. reading 7.60 ft. Rec'd
function of S & N track
S 75° E electrical

" 5° " 3.00
" 33½ " 4.50 — 49.30
" 43½° " 4.10 14.50 horiz. reading
" 26 3½ 25.50
" 42 3½ 3.90
S 55½° E 3.20

Sono Set 3 M P
11 oak saplings 8 @ 25¢ 12"
" " 8 " " " 5 @ 9" 11 4

S 82½° E 9.80
S 5° 8½ " 5.80

150 each

S 26° E 3.20

Sono Set 3 M P
Maple saplings 8 @ S 6° E 7.2
" " 8 " " " S 45½° E 1.96

37

S 0.40 W
6345
16.55

S 19° W 6.25 Shelbrough House
" 27° " 7.75
" 26½ " 21.65
" 19° " 4.95
" 8° " 10.50 5.00 Lone Shelbrough
" 12½° " 4.00
" 21°½ " 5.00
" 33½° 8.00

S 23° W 5.25
" 2 4° " 3.95
" 21½ " 11.75
" 26° " 2.30 to S.E. cor of Mary Meng
Sore W 16.55 ch

8.00 Set M P

B Oak 30 in dia S 5° E 5.25

S 0.40 W 11.77 in Fenced Corner Road
to French Settlement
Set Post for Witness
of Iron which
W Oak 6 in dia S 64° E. 24
N 80½ W 2.31
" "

0021

24
20
480

38

Survey made for
D O Todd Feb 15th 1892
Beginning at 1/4 Sec on
on line bet Sec 19 & 24
on R line bet T 31 S R 7
& 8 W, Thence Nor 20.00
West 20.00 ch Set Post from
Laurel 12 inches bears N 24½ E 50
Ins 16 " " " N 48° W 21
Thence
N 20.00 ch Set Post on Right
bank of Coco Creek
R Ins. 12 inches bears S 67° E 71 lks
Maple 10 " " N 46½° E 22 lks
Being the 1/4 of the N E 1/4 of S 24. T 31 S R 8 W. Sec 24

5.00
1.00
4.80
10.80

Book 65 inches N 58° W 40
" " 15 " " S 72½ E. 66

39

Survey made for A. E. Nichols & Miller Raymond
Beginning at 1/4 S cor of
Sec 8 & 9. T 31 S. R 7 W.
Thence East 20.00 ch
North 20.00 ch Set post from
Laurel 14 in dia b S 56° E. 28 lks
" 16 " " " N 56 W 38 "
Thence
East 20.00 ch Set post from dia
Laurel 14 in dia b S 26½ E 14 "
B.O. 10 " " " S 87. W. 53 "
Thence
South 20.00 ch Set post from dia
B Oak 20 in dia b S 9° W. 25.66 "
" " 10 " " " N 68½ E. 22 "

36
16
52

40

from corner of East end

1 36 C
2 36
3 36
4 36

120
84
36

---

from N E corner

0

52 m to center of E end

39
12) 9 16 8
96
5

4 8
5 5
103
17
120
77
43

84
27
5

file
64
19
41 — 19
114
15
93
18
77

on Jan 30

41

29
12
00

5-5 to ch mch.
1 2
4 3

Survey for a road
for the Douglas county
Fare grazing association.
Said Track is to become
public upon expiration of ninety
days.
Beginning at the N. E. cor.
of the West Southeast Tangent
Set Station 0 for a
12 in cut for center of
Track thence a curve
of 20° on the East end of
a 9° degree curve turning right.
Station runs 53 ft and 2 in
with cross section 30 feet
from center each way for
the middle and cut & fill of
track give the cuts and
fills by rations at each
station

0023 (42)

	46		26		5-5		12		58	
	8		1 8						7 5	
	11		and 20'		49		16		1 4	
					26				1 4	
					75-				1 2 8	
	inside		Cent		outside				Stake	
0	C	11	C	17	C	49				
1	"	12		16		75-				
2		14		19	"	1.28				
3		16		25-		110				
4		22		27		95-				
5-		34		37		40				
6		49		58		56-				
7		59		61		75-				
8-		61		63		73-				
		50		53		63				
10		41		33-		44				
11		26	F	41	F	4				
12		12	C	9	"	75-				
13	F	10	F	2		104				
14		45	"	55		85-				
15-		62		75-		83				
16		53		69		86				
17		49		69		80				
18		18		31		73				
19		2		2		4				
20		0		0		0				

own Grade 41

This point is 41 in line at an Elec Standing point

Thence on the Southerly Tangent Setting the outer Stake on 50 feet and 6 inches to Curve

1° 10'

(43)

No	in side	center	outside	slope
1	C 5	C 2	E 2	
2	" 1	F 3	" 6	
3	E 1	F 8	11	
4	" 1	7	17	57 18 39
5	" 9	17	23	
6	" 12	23	36	57 13 24
7	20	43	53	
8	31	62	78	
9	35	69	83	
10	41	76	88	
11	40	69	93	39 33 14
12	41	57	95	
13	97	75	100	
14	62	99	95	
15	47	70		House
16	36	79	79	
17	68	82	101	
18	68	83	98	
19	80	93	103	
20	69	74	95	
21	63	69	89	
22	79	83	103	
23	83	107	114	
24	82	118	125	

82
14
96 3 trees 5 in

101
18
83

and centers the cuts a
fell and S. slope.

0024

| | | |

(46) 14/30

			Fruscle			Cerebr			Sac Tear
7	44		F 30	25-	C 14	26-			50
8	28-		14	28-	43	19-			76
9	18-		42	16-	71	15-			95
10	15-		60	11-	87	12-			114
11	10+		75	11+	98	14+			126
12	74		65	9+	87	8+			112
13	3+		58	7+	78	9+			104
14	9+		35	2+	71	6-			95
15	1-		46	1+	69	11+			101
16	2+		47	1-	68	1+			90
17	0		45	10+	69	10+			89
18	25+		45	38+	59	50+			79
19	23+	C	16	21+	C 21	20+	C		25
20	7-	F	7		0	9-	C		9

123
105
18

72
33
105

76 Rare Ang. 28'

13/160
1

0025

37 / 14 / 23 / 18 / 41 — 70 / 68 / 2 — 20 — 33 / 24 / 9 — 2 — 22 — 27 / 8 (47) / 13

Shows the South Side of Tangent — and Shows Stick Setting Center Station at 50 feet Back in Setting Cross-Section Station with Witness Stakes, Showing Cut and Fills to Road Station Between These two Points.

No	inside		Center		outside	
1	13	F 13 8-	F 5	8 9	C	9
2	12-	" 1 12+	C 4	7 "		16
3	12	C 11 1-	" 3	1 "		15-
4	2-	" 9 1+	" 4	2 "		13
5	2-	" 7 2-	" 2	4 "		11
6	1	" 6 4+	F 2	7 "		4
7	9	F 3 4+		6 11 "		15-
8	10	C 1 25+	C 1 9	61 "		76
9	23-	" 3 2 50+	6 9	78+ "		154
10	25+	5 9 50+	11 9	47+ "		201
11	40+	9 9 41+	16 0	49+ "		250
12	3+	9 4 5-	15 5	7+ "		257
13	70-	2 4 41-	11 4	30- "		227
14	33	F 9 40-	7 4	27- "		200
15	6+	" 13 6-	6 8	12+ "		212
16	8-	7 70-	F 2	86- "		126
17	8-	C 1 6+	" 8	105- "		21
18	7	" 8 11+	C 3	1+		22

(48)

19	14	C	22	12		15	C	87	C	40	
20	13		35	11		26		17		57	
21	10		45	15		41		14		71	
22	12		57	13		54		19		90	
23	8		49	11		65		7		97	
24	10		59	6		71		2		99	
25	0		59	5		76		4		103	
26	14		60	5		71		2		101	
27	7		53	5		66		6		95	
28	2		51	8		63		9		86	
29	16		35	15		48		13		73	
30	2		33	1		47		14		59	
31	10		23	18		29		10		49	
32	11		11	15		17		0		49	

17 5-5-

am 1.5-

C am

28 70 29 64
12 5.5 15 1.5
16 14 45

295-0
17.72
2)1177.
588.5

9000
7630
1370

13 5.0
91
14.41

5.6 5.2
1441
4211
1600
25.26600
4211
673.7600

49.12
4211
2)901.
450
4361

1475
737½
737½
2950

0026

Survey made for the
Douglas County Dam Grand
Construction March 16th 1892
Set post for Starting point
from which
Mark 12 in elm bears S. 76° 30' E 2.36
and State beginning corner of
the Dam Claim 40. bears
Thomas Stephens S 6.5-2 W 1.48
Course of line N & W
Three — West 20° S.
South 17.99 to
Three
S 78° 56' 45-12
Three
North 29.50 Pin 42 S 62° W 60 to
Three
West 42.11 to place of beginning

T 27 S R 5 W Sec 21

4211
2365
21055
25266
12633
8422
99.59.815

1779
178
16.01

50

1974 0.5376

0027
57

27.50
16.00
11.50



5-2 Rondout Lat 41° 10-24

675
675
91
1441

Declination for March – 52

M. 21	N.	0° 05' 52" – dep	5-9"
T 22		0 29' 34 – "	5-9
W 23		0 53' 14 – "	5-9
T 24		1° 16' 53" "	5-9
F 25		1° 40' 30" "	5-8
S. 26		2° 4' 4" "	5-8

N 0 05' 52"
9 50
0° 15' 42

1154
9'53
3462
5770
10386
11.99762

1174
30
11.54) 10386 (9.53.
6140
5770
3700
3462
238

27.50

44.75

FB 4 Pg 0028

5-8

Survey of the fore ground
Beginning at a point 14.4 ch
West of the N.E. corner of
the Donation Land Claim of
Thomas Stephens Cl No 42
T 23, S R 5 W. in Sec 20
March 21 1892.
Thence
South 27.50 ch Set Spot from which
a Oak 6 in dia bears N 47° W 39 lks
Thence
N 75 70 W 43.30 ch
Thence
North 16.00.
Thence
East 42.00 to place of beginning
Con 91. 35/100 chs

Copy of field notes

Cor to Secs 15:16. 21 & 22. T 2 S R 6 W.
W Oak 14 in dia bears S 3.5° W 43 lks
S " 14 " " " S 46½ W 130 "
East 12 " " " N 64½ E 147 "
N 83¾ W on true line bet Secs 15 & 22
Var 18° 25' E
39.62 Set ¼ Sec Post - from which
W Oak 28 in dia bears S 81½ E 40 lks
S " 26 " " " N 11½ W 220 "

N 89° E.

S 10° E. 7.35 ch

439

1174

(54)

Survey made for Ben Azee March 22 - 1892

Beginning at a point 27.85 ch East of the S.W. Corner of Sec 22, T 28 S. R 6 W. Thence as follows

Var 19½° E.

S 06° E 11.74 ch Stake

Thence

S 89 44' W. 9.53⅓ ch

Thence

N 06° W. 11.74 ch to center of Road

Road Set Post

20 lks S 06° E of true Corner in road

Thence

N 89° 44' E 9.53⅓ ch to place of Beginning

Con 11.19 Acres

2 - 3
2 3
2 3
2

3-5-

Corner to Sec 28. 29. 32 & 33
T 28 S R 6 W. Var 18° 25' E
Y Oak 15 in dia bears N 75¾ E. 338 lks
" " 12 " " " " S 85½ E. 272 "
Made trench No other trees near

N 89° 33' W. on true line bet Sec 28 & 33
40.16 Set ¼ S post - from which
A W Oak 20 in dia bears N 60° E. 38 lks
" " 18 " " " S 35° E. 31

North between Sec 28 & 29
Var 18° 30' E
23.50 Trail N E.
30.50 Brewster Spring
40.00 Set ¼ S post - from which
W Oak 14 in dia bears S 32° W. 155 lks
Y " 18 " " " N 42° E. 42 "
Y Balsam Flower bears N 54° E
4600 Enter Tempsgrew Valley

Survey made for Ben
Ogee March 23rd 1892
Beginning at corner to Sec
28. 29. 32 + 33 T. 28 S. R 6 W
Thence - Nor 19½ E
North 4.00 ch Set post - from which
N Oak 24 in dia bears S 66° E 1.25
Then 81 3/4 ch line East



Resurvey of Lot 43° 33'
Needle var 19° 30'
Mar 27 - 1892

FB 4 Pg 0030

3-4

Survey made for
All Thompkins March
24 th 1852
Beginning Cor to Sec
11. 12. 13 & 14 T 30 S. R. 7
Mes - Thence
West 4.00 ch to a 5/8 in iron bar
Cor marked 1/4 S C S. from
Which an Elm bears S 5° W. 5 lks
" A " " " " North 7 lks
The original Bar Corner
Not to be found

S 89° W 79.50

1/4 S Cor to 28 & 29. T 30 S R. 7 W
B Oak 14 in dia. S 10° W 57 lks
" " 14 " " S 03° E. 140 "
Nr 5 2.30 B Oak 12 in dia
Var 18° 30' E.

Cor to Secs 27. 28. 33 & 34
B Oak 12 in dia S 60° E. 70 lks
" " 8 " " " N 74° E. 39 "
" 12 " " " N 9° W 35 "
" 15 " " " S 35° W 117 "
Var 18° 30' E

5-8

North bet Sec 27 & 28

Base 19.00 B Oak 10 in dia
29.00 Chas. cor
40.00 Set 1/4 S cor -
Saved 15 in dia S 50° E 24 lks.
" 12 " " S 70° W 22 "

S 89½ W on true line bet 28 & 33
Var 18½ E
40.28 Set 1/4 S cor - from which
W Oak 18 in dia S 25° E, 94 lks
B " 4 " " N 89° E. 30 "

S 89° 45' W on true line bet Sec 21 & 28
40.30 Set 1/4 S cor - from which
B Oak 6 in dia S N 2° E 30 lks
W " 5 " " " S 60° E. 75 "

55

Survey Made for
Dan Bollenbeck April 1893
For the purpose of establishing
the South boundary line
of Wm Colvig Donation Land
Cl No 50. T. 30. S. 5 W.
after sending for the orig-
inal field Notes of the Sec
5 of Cl No 50 I made exam-
ation on the ground for the
S.E. corner and finding that
the Witness Tree if there had
ever been any had been cut
down and could not be iden-
tified I also measured from
the 1/4 S cor between Secs 27 & 28
S. 78 rds the distance called for
but that measurement did
not help anything.
I then went to find the S W
Corner and find that the
Witness Tree had been cut down
and could not be identified
I then went to the 1/4 S cor
on line between Secs 28 & 33
found one of the Original B T

and meandered easterly from
this course 33.37 ch and West
1.72 ch and establish the
S.W. corner of Cl No 50
Thence South 41.41 ch
Intersect West boy. line of Cl
No 51. Set post marked C 50
C.S. from which
N Oak 8 in dia bears N 34° W. 26 lks
Pine S.E. Cor of Cl No 50

Set post marked 1/4 S C S
between Sec 28 & 29 T 30 S
R 5 W. - from which
Fir 8 in dia bears S 51° W. 66
" 8 " " " S 68½ E. 55
The original B.T. Cut
Agent D Bollenbaugh &
S. B. present

Thence
S 89 44 W 40.00 ch Set post marked
C S from which
Fir 10 in dia bears S 56° E 26
W Oak 8 in " S 10 W. 10

61

North bet Sec
21 & 28 T 32 S. R. 6
W.

4000 Set 1/4 S - from which
A B Oak 8 ins dia S 67° W 66
W Oak 9 " " S 62° E, 125-

5000 Set post cor to Sec 21, 22, 27
& 28 - from which
B Oak 11 ins dia bears S 17° E, 1.25
Laurel 10 " " " S 32° E 99
B Oak 10 " " N 61° W 121
" " 12 " " S 35° W 102
Var 18° 45' E

N 85° 54' W on true line between
21 & 28 Set 1/4 S B.T. from
which Pine 3 ins dia bears S 38° W 25 300
Laurel 5 " " " N 15 W 35

62

Survey and fees
Dec 4/24 $ Ellis Agent 5-
1824 A Ramey C D
Stroda Chainmen -
Beginning at 1/4 Cor BT
Standing Set Orig pat
Thence N Cor 18 W E.

N 89° W
2.00 ch Set pat from
N Oak 6 in dia N 10° W 20
Pine 10 " " S 70° E 27
4.00 ch Set pat from which
Cedar 6 in dia S 6½ W 52
Pine 10 in dia N 28½ E 2.18
Thence W Cor 19° E
North 40.00 Set Intersect 60 lks
East of Original Cor blaze
and Cross Roads
Cor not reclaimed
Laurel 7 in dia N 31° W 55
Pine 3 " " S 40° W 30 lks
The pine noting and nearly
gone made new BT
No wit
R Tree 8 in dia S 73° W 24 lks

FB 4 Pg 0033

63

S 89° 54' E.

40.60 in brass at corner of Sec

21, 22, 27 & 28

Thence from the 1/4

Cor. bet Sec 27 & 28

S 89° 54' E. 20.00 ch Set post

Cor to Sec 4 & 5 T 33 S R 6 W

Brine Maples in mound S 38° W. 19 lks

R Fir 7 in mound S 15° E 36 "

Bar 19 "

Bar 18½ "

64

29 lks 831 / 15 / 806

1000 / 150 / 22 / 1177

Survey made for Anderson Ramey
April 6th 1892.
Beginning at a point 1169 ft South
1/4 S Cor to Sec 4 T 33 S R 6 W
N 88 1/4 W
South 806 ch to a point 100 ft W. of
Center of R.R track the
100 feet to be for the right-
of way - Set post
Marked C.S.
Thence
N 53 1/2 W. 11.77 to Station No 3
" 73 30' " 2.65 " " " 4
" S 5 1/2 " 2.90 5
S 80 3/4 W. 5.00 6
South 1.10 7
East 20.00 ch to place of begn
Containing 5.15/100 acres

FB 4 Pg 0034

65—

	B	F
1	120	36
2	138	0
3	80	57
	45	99
	383	192
	192	
13	191 (15	
	13	
	71	
	60	
	11	

11
12
2 2
11 6
136

E 7 28
2 4°

Survey made for
S. M. Beckett and S. S. Lee
April 29th 1892
Beginning at a point
from which the S. E. Cor
of Joseph Roberts Donation
Claim bears N. 86° 40' W.
Measured Bare S 2° 40' W. 5.49 ch.
Angle No the SE Cor of Roberts
CL 10° 20'
Thence as follows near R.S.
East 12.34 to place of beginning
Thence
S 18° E 8.00 Set Post Ang 30 48
from which
B Oak 3 in dia bears N 64° W 10 lks
Thence
W 11.50 ch Set Post from which
W Oak 5 in dia bears N 23° E 53 lks
Thence
N 42½° W 2.22 ch
Thence
N 35° W 2.00
Thence
N 8° W 1.47 ch
Thence

1234
378
861

328
43
373

67

N 48° E 4.30 Ch Set Post from wh
Edge 6 inches bears S 40° W 4 lks
Thence
East 8.61 Ch to place of begin
Containing 8.39/100 ac

Meas on S. Bdy of Sec 33 T 27 S. R. 5 W.
Var 17° 5' E

13.65 Leave timber enter prairie
31.00 Top of Bald Ridge
39.08 To Stanevas or Sec Post
40.00 Set 1/4 S Post - from which
8 Oaks 10 inches N 37° W 1.52 lks
" 16 " " " N 15 1/4° E 2.94 "
Var 17° 0' E

Stanevas

Meas on N bdy of S 4 T 28 S R 5 W
Var 17° 55' E

14.00 Ch enter prairie
31.75 " Top of Bald Ridge - Var 14° 25' E.
40.00 " Set 1/4 S Post from which
Pine 30 inches S 34 1/4° W 4.37 lks
Meas branch no other trees
Var 18° 35' E

31.08 To Stanevas or Sec Cor
John Flemings house S 30 1/2° W
32.00 Prairie Oak Sprouts enter prair

68 4 VD 3986 T 28 S R 3 W

S 88 3/4 W on true line bet Sec 4 & 9
Var 17° 30' E

5.00 Top of cent
12.25 Stream 5 lks wide C S.
39.86 Set 1/4 S on from which
W Oak 30 inches S 15° W 100 lks
S " 14 " " " S 86 1/2 W 193 "

S 7 1/2 W on true line bet Sec 3 & 4
3.75 Stream 2 lks wide C E.
21.50 enter Oak openings
37.10 Set gp Sec Cor from which
S Oak 14 inches S 74° W 37 lks
W " 10 " " " S 45° E 23 "
Var 17° 25' E.

45.50 Tops of cent
77.10 Set Post Cor for Sec 3. 4. 9 & 10
S Oak 24 inches S 24° E 35 lks
" " 10 " " S 4° " 74 "
" " 15 " " S 43 1/2 W 75 "
" " 10 " " S 76 1/2° W 98 "

on West boundary of the town
Sec is 78.73 ch
Offset 77 10
half 21 65
82
dist required to center 37.92 ch

69

S 4' W on true line bet Sec 4 & 5 - Var 17° 45'

38.75 ch Set gr Stone Cor from which
Gr Oak 24 in dia bears N 35° W 35½ lks
W " 12 " " " S 67° E 136 "

78.75 Stone Cor of 4. 5. 8 & 9.
Gr Oak 15 in dia N 25° W 25 lks
" " 18 " " N 70° E 75 "
Laurel 15 " " S 24½ E 131 "
" 14 " " S 10° W 116 "

Corner to Sec 3 & 4 on S line
Gr Oak 12 in dia bears S 42° E 41 lks
" 12 " " " S 14° W 68 "

80.00 Cor to Sec 4 & 5 on S line
Iron 16 in dia S 82½° W 54 lks
" 14 " " S 47½ E 70 "

Cor to Sec 33 & 34
Ash 14 in dia N 76½ E 300 lks
W Oak 24 " " " N 5¼ W 462 "
West on S bdy of Sec 33 Var 19° 20
3108 To Stone Cor on John Delamess
house bears N 30½ W
32.00 Leave Oak 0 paces E
40.00 Set Gr Stone Cor - from which

70

W Oak 11 inches S 7½ E. 8.61 ft
" " 12 " " S 31° W 10.60 "
Dec 18° 10' E

71.14 To Blazed Sec cor
80.00 Set post cor to Secs 32 & 33 - from
W Oak 16 inches S 61° W 14.00 ft
" " 14 " " S 83½ W 5.18
No trees in Sec 33 -



Dec 18° 4' 27" Def 37'

FB 1 Pg 0037

Survey Made for
6 Boom & Piling Definition
May 11th 1892
Beginning at quarter
post on South boundary
line of Sec 4. T 28 S R 5 E
See Bussell. & 6 Boom as
Chainman - Thence
Set post as per original
B. L. to wit
Pine 30 inches L S 34½ W 4,37 ch
Thence - Pine 18 10 L
S 3½ W 38.75 ch to Rail fence
Set post - Fence notched
W Oak 6 inches L N 45° E 34 lks
" " 5 " " N 48° W 33 "

3/15-5"
7 1/2

36
2
7.20
5.00
12.20
1.00
13.20

List of County Warrants owned by W. H. Briggs

6505.	John E Love	Sep 12 - 1900	$	3 70
6824	B H Hale	Nov 12 "	"	3 00
7011	W. H. Briggs	" 17 "	"	16 40
7129	W H Briggs	Jan 10. 1901.		103 00

FB + B 0039

John Ramsey Meeker
Redlodge Montana
Sunset Mine

Lewis Schaffer
Comestock
er

60

15.00 1000 B.66
9000 4
10000 16.64

Amounts paid on the
Mortgage to D A Lewis.
Note dated July 18 AD 1882
amount $82.15 43/100 interest 10 per
cent.
first payment made

1	Nov 14 1887	$	65.00
2	Feb 15 1888	$	31.85
3	Oct 3 1887	$	87.43
4	June 1 1889	$	13.00
5	Sep 21 1889	$	3.00

Balance due on note June 16th
1892, $ 53.64

Browne $ 43.11
Covington " 46.60

Lewis 175 Inv
Paid cost & Clerk $ 3.00
" " Sheriff 4.00

left on deposit with
Clerk 46.55

FB + P 30040

Booth & Co manufacturers San Francisco Cal
Hunting & Hopkins Hardware Com.

Account paid by D. A. Lucas on house bill of Boots & Corbett March 17th 1898
122 meals & beds $40.00

For Gearbox	$ 6,00
Box 2 Hefting Engine	10,00
" Cross with Valve and Tyed 4 Bolt Studs	12,00
" Three gear Box Studs	16,00

Balance Drum on
Nut to Machine
Dog in

$ 56,84

FB 1 P 9 0041

L N T 28 S R 5 W

S Boy of T 27 S R 5 W

1/4 S Cor Sec 33 & 4.

---

8 Bearing

2 2 " Pipes

4 " Stars

1 3 " "

$$
\begin{array}{r}
2^{h}\,5^{m}\,3^{s}\,4\,8^{''} \qquad 5\cdot 8 \\
\underline{9\cdot 4\,8} \qquad\qquad 6 \\
2^{h}\,5\cdot 9^{m}\,3\,6^{s}\,6\,0 \;\big)\; 3\,4\,8 \\
\underline{\phantom{2^{h}\,5\cdot 9^{m}\,3\,6^{s}\,6\,0)\;}\; 3\,4\,8} \\
5\,4\,8
\end{array}
$$

FB 4 Pg 0042

Aaron Sackett

$ 4000

Delegates to the Convention

Convention

S. Slover
D Hughs
M.S. Briggs
D D Lewis
H J Nelson
J S Pickett

FB 4 PG 0043

Lenen Note
$3618-59

up to 31 Aug 91
miss to Mar 31-91
$176.24
1st

3619 59
176 04
3784 63

3819 73
71 50
3748 23
3650
98 23

3819 73
3618 59
201 14

14

9.75
12
19.50
975
585) 11700 (20
1170
000

48.9
12
9 6
48 9
585
20
11700

14.4
12
28
144
172
56
117.

172
96
12) 76 (6
72
4) 4 (1
4) 12 3

20) 76 (3
60
2) 16 (8
16
0

32
65
97
3095
22,00
287.55
5
14375
550
1987

309.55
9
1547.95

200
150
350

0044

S.E. Cor of Block 11 Bowlsby's 1st Add to Sec 4 T 25 S R 5 W. N. 54°55' W. 148 ch along Street runs S 13°20' W. & S 76°40' E 50 feet marks Sole on 50 feet by 100 feet except Lot on 3 of Block 11 which is 25 feet by 100 feet. Thence S 13°20' W. 200 feet Thence N 76°40' W. 350 feet Thence S 13°20' W. 25 feet to Center of Westerly end of Cedar Street the beginning point of Road from the County of Contra Costa to Savory Mills

---

Va Sta bon R. Lat N 12 & 13. Block 6 more or less N 71½ & 796 W. " 24 " " " " N 3½° W. 85.5

I. R. Battle's Survey for
W. R. Johnston Florence Cr

Survey of A. D. Lewis
Feby 18-1853. for #21743
at 1/2 mile
Lewis Assn. #16323 Salem
due Feb 21-1872
Paym[illegible]
Nov 14 1853 $ 5.00
Feb 18 1853 1,85
Jan 1 1854 15.00
Sept 21 1854 5.00

[illegible]
Balance due Jan 1. 1855
Balance due $12.[illegible]