Field Book #7

G. E. Roberts
Co Surveyor

Book # 201

FB No 7

Cor.

North on 35 and 36.

58 chs 7 links

N 25° E. 21 links

to an ash

B.O. 15 links N 76° E 93

" 14 N 38 W 214

Alder 6 links N 5° E 54

" 8 links S 50 W 147

May. 8 03 FB 7 Pg 0001

Survey for Frank Rose T R
began at quar. Post ~ bet 35 and 36 28 ~ 6
thence S. 89° 20 W. run. 20 E.
26 ft Right bank of River
400 left " " "
77.90 chs. to opposite quar. post
58.4 set quar quar post from which a
Tak oak 26. N 29° W 126 lks
then South 40.00 chs set post
Buried a brick

NE. cor of Rose's Homestead
B.O. 28" S. 45° E. 166 lks.
W.O. 12" S 72½ W. 52.3 "

NW cor Same W.O. 10" S. 10° W. 481 "

2

May. 14-03

Survey for Mrs Rachel Cook by J. Pitkin
Chainmen Chas. Standard
" E. S. Lowe

Begin at quarter corner 20 chs South
from N.E. cor of Sec. 12
Then S 89° 15' E 40 chs red post
from which a fir 12" brs N 44½ W 63
Cedar 6 " S 78¼ E 15
North 20 chs red post from which a
fir 6 brs N 40° W 135

FB7 Pg 0002

North

Beg at S. line of L.C. Mary Meadows land through Meadows land

N 4 E.	5.00
N 30 E.	8.15
N 5 E.	8.20
N 23½ E.	3.00
N 3 W.	4.60
N 25½ W.	8.35
Through J. W. Knowlin's land	
N 20 W.	6.00
North	3.80
Through J. H. Lewis land	
N 6 E.	4.30
N 22 W.	3.68
N 35 W.	3.35
N 16½ W.	1.50
Through Eliza Lewis land	
N 6 E.	7.30
N 9 E.	12.35
N 12 E.	11.60

(See T 22 S R 8 W)

to S. line of L. Mc Gruney L.C.
then E outline 3.66 to S.E. cor. of Chas
Peters land and Wm Hedrick
thence N. to the Dane
[illegible] along E. line of
Mc Gruney L.C. to Wm Hooker
and W.A. Pixley 17.15

Road South T22S R6W

Begin a S. line of D. C. (Ensley)?

S. 15½ W.	2	15
S. 29½ W.	3.	55
S 23¼ W.	2.	92
S 16½ W.	4.	00
S 45 W.	6.	52
S 54¾ W.	7.	40
S 48½ W.	3.	00
S 35½ W. center of Sec 12 from W. 75 links	4.	60
S 65¾ W.	3.	40
S 25 W.	3.	10
N 85½ W.	1.	80
N 73½ W.	3.	20
S 87 W.	2.	77
N 75¼ W.	3.	25
N 81 W.	2.	16
S 61½ W.	2.	60
S 29 W.	2.	80
S 10¼ W.	2	30
S 9½ W.	1	65
S 31 W.	1	10
S 41 W.	1	30
S 60 W.	1	60
S 61½ W.	4.	05
S 63 W.	1.	65
S 77 W.	1.	65
S 56 W.	3.	65
	44	09

(Southwest 1/4 - T22S R6W)?

260 1120

S. 50 W.	2 10
N 54½ W.	3 00
S 50 W.	2. 00
S 53 W.	2. 00
S 55 W.	2. 50
S 49½ W	3. 40
S 12 W	3. 00
S 28½ W.	1. 95
S 49¾ W.	2. 15 to a

point on Creek. Thence S 60 E 9.30 to
W line of Sec 12 3 chs. N. of SW cor.

(Sec 36 T2NS R6W)?

Thence North on same line to the Chas A. Headrick and W.A Pasley	29.79
Thence North on same line to the John Headrick and W.A Pasley	17.50
Thence Through W.A Pasley	
N 4.2 E.	3.85
S 95 W.	4.35
S 72 W.	2.20
N 27 1/2 E.	2.70
N 18 E.	2.00
N 24 W.	3.00
N 26 E.	1.50
N 23 E.	2.65
to end of road at a pt 4.00 chs South of N.W. cor of Sec 31-T 21- 6W.	
(Sec. 36)?	

8 Lenard Perkins to Wayne Co Ry

May 15-05

N.	12¼	W.	210 ft
N	21 ¾	W.	165
N	22	E.	225
N	32	E.	190
N	20½	W.	1155
N	55	W.	650
N	75	W.	240
N	35	W.	325
N	22	E.	240
N	50	E.	350
N	17	W.	210.
N	24	W.	192
N	11½	W.	300
N	17½	W.	480
N	25	W.	305
N	26	W.	320
N	86½	W.	570
			5932

Cross Ties Sunday

Survey made May. 20-03

FB 7 Pg 0005

For Mathias Olsen in Sec 32-6

var 20½° Beg. at quar post bet. Secs 27 and 28
ran West 5.93 chs set post from which a
fir 10" brs S. 78½° E 27 lks
Then South 7.76 chs set post from which a
pine 14" brs S 28° W. 78 lks
Then West 40.00 chs. set post from which a
White fir 12" brs N 53° E. 39 lks.
Then North 7.76 chs set post from which a
pine 16" brs S 80½° E 54 lks.
Then East 5.93 chs set post from which a
Cedar 14" brs N. 15° W. 9 lks.
Then North 40.00 chs to quar post bet.
Secs. 21 and 28 set same.
Then return to N.W. cor of Lot 9 in Sec 28
ran West 14.07 chs. set post from which a
fir 24" brs N. 56½° E 9 lks

Chainmen
Thos. Mattison
John J. Leetal

FB 7 Pg 0006

10. Limbs for Pacific Annex
Glendale May 19 0.3

B.M. 14.25 Beg. at West end of Blk on U.S.G.S. B.M. height of I 1428.40

0	2.68	25 f/ plates	3.40 Elevation
	2.23		1425.72
1	2.50		1426.17
2	2.71		1425.70
3	2.59		1425.67
4	3.01		1425.81 ✓
5	3.94		1425.39
6	4.01		1424.46
7	5.69		1424.89
8	7.11		1422.71
9	8.11		1421.29 ✓
10	9.30		1420.29 ✓
11	10.08		1419.10 ✓
12	10.10		1418.92 ✓
13	10.70		1418.30 ✓
14	10.97		1418.03 ✓
15	10.82		1418.43 ✓
16	10.29		1418.59 ✓
17	T.39		1418.11 ✓
18	8.07		1419.01 ✓
19	7.30		1420.33 ✓
T.P.			X
20	5.01		1422.24 ✓
21	3.55		1424.08 ✓

H. of I.

22	2.52	1427.63		1425	11
23	1.51			1426	12
24	1.49	Summit of Knoll		1426	14
25	2.10			1425	53
26	2.44			1425	19
27	3.86			1423	77
28	5.44			1422	19
29	7.16			1420	47
30	8.76			1418	87
31	9.23			1418	40
32	9.40			1418	23
33	8.75			1418	98
34	8.43			1419	20
35	8.22			1419	41
36	8.79			1418	84
37	8.30			1419	33
38	8.09			1419	54
T	11.82	1431.36			X
39	11.21			1420	15
40	9.76			1421	60
41	6.68			1422	68
42	3.24			1428	12
43	.89			1430	47
T	6.87	1437.34			X
44	4.92			1432	42
45	3.04			1434	30

12

		H.P.I.	Lag.	
46	2.01	1437.34	1435	33
47	1.12		1436	22
48	1.11		1436	23
49	1.45		1435	89
50	2.71		1434	62
51	5.25		1432	09
52	7.10		1430	24
T.	3.91	1434.15		X
53	5.20		1428	95
54	5.16		1429	99
55	5.12		1429	03
56	4.03		1430	12
57	3.87		1430	25
58	4.13		1430	02

FB 7 Pg 0007

T. R. For Twp Holton May 26, 03 13
24-3
Var. 20¼ Chainmen E. H. Cooper and G. W. Hinkle
Began at N.E. cor. of Sec. 29 and ran West
78.00 chs. intersect 4.50 chs S. of cor.
Set quar. post accordingly :
fir 3 N 2½° E. 13
" 6 S 65 E. 5
Then S. from said quar. post 82 chs. intersect
83 chs. W. of post.
North on true line
41.00 Set a sand stone 4"x12"x16"
alder 8" N. 79 E. 78
61.50 set post. Cedar 12 S. 75 E 13
fir 18 N 77 W 27
Run N 88° W. 19.50 set post
W. fir 10 N 13 W. 33
Cedar 12 N 85 E. 15
Then from center of Sec. run W.
19.50 chs set post.
Yew 10 N 46 W 17
Hemlock 4 S 85 W. 25

14

Survey for J. S. Hunt
began May 25-03

Cor. 20/4 Beginning at gran. post for 12 and 13 25-4 T S R E
W. 20 chs set post
Maple 4 L. 35 E 25
S. 20. set post on right bank of creek
also B 8 L W. 5. fir 50 N 60 W 27
E. 60. set post
fir 26 N 28 W 15
N 21 inches 1.40 chs W. of Sec cor.

Beginning at quarter for 12 and 13 (25-4)
N. 60. marked a Chittem 4 for cor.
fir 8 trees d. 6 3 W. 10
W. 20. set post
Madrone 8 N 87 W 5
N .20 set post
fir 20. N 63 W. 15
× W. 19.00 chs Sec. cor.
2 1/2 W 0.6 S 6 E. 15 set corner
ash 7 S 21 W 17 pec
N 89 E 20.25 set post
W. fir 24 S 43 W. 26
" " " 60.50 set post
fir N. 76 E. 29
W. 20. set post
W. Oak 10. S. 11 W. 94
N 40.50 chs set post
fir 12. N 89 E. 25

W. 20. chs set post
B. Oak 14 N 9 E 10

N. 20 chs. set post
fir 24 S. 29 W 10

E. 20 chs set post
W. Oak 24 S. 5 1/2 W 37

N 40.00 chs and rail random E 20. chs
intervel at 5 ins cor, back and
reserve line

N. 20. chs set post
fir 26 S. 48 E 41

E. 40. chs. set post
fir 20 N. 17 E. 40

N 20. chs set post
fir 22 S. 15 E. 12

E 20. chs set post
fir 24 S 81 W 19

S 39. chs intruct 25 lks E. of gran cor
rust post and made mor within free
fir 48 N. 67 E 22

S. 40. set post
B. O 15 N. 74 W 24

E. 20. chs set post
cedar 22 N 12 1/2 E 22

S 20 chs set post
fir 17 S. 27 E. 14

E 21.50 Ip line set post
fir 20 N 68 E 17

Rel 1/4 Sec. 25/36

16

N 20 chs gmr cor. on E. side Sec 36
set post
Madrone 12 N 72 W 10
Cedar 4 S 8 59 E 31

E. 20.10 set post
fir 12 S 62½ W 240
Line beginning at S.E. cor Sec 2 T 25-4

N. 20 chs set post
fir 12 N 18 W. 6

E. 20. chs set post
Yew 11 S. 72 W 7

N. 60. chs set post
Marked w fir 15" fr cor
fir 14 N 3° W 13

E. 20. chs set post
Cedar 12 S. 1° E 20

N 60. set post
fir 24 N 52 W 14

W. 20. set post madrone 4"
cedar 12 S. 38 E. 29

N 60.. chs to N.E. cor of NW ¼ of SW ¼ of
Sec 31 T 24-3

See Cor 1/34/31 RL cor

? Hunt Sr. June 7 03

N.W. Cor.
fir 10 S. 10 E. 65
" 26 N 79 W. 113
S.W. Cor.
W.C. 8 N 67 W 99
" " 5 N 54 E 71

Re-location of
S.W. cor 7 Sec. 29-24-3
fir 24 N 12 E 24
" 26 N 60 W 50
" 20 S 74 W 59
Madrona 16 S 5 E 69

18

B Monr et al June 8-03

Var. 20½ E. SW. cor 13-25-4 W

Established by running from gran. posts N. and S.

Cedar 18 S 5° E 12 L

" 10 N. 5° W. 27

Set gran. quar. cor N. of above.

fir 24" S 75 W 23

fir 28" S. 66 E 42 L

Then runs East 20.00 chs

post in creek

alder 14 S 81 W. 24

fir 24 N 69 E. 48

Thn E. 20 chs set post

fir 24 S. 53 W. 29

Thn S. 20 chs W. set post

cedar 28 S. 86 W. 8. 4 W B X

W. fir 22 S 56 E. 36

Thn S. from gran post fir 18 and 24 40.00 chs. set post cedar 12 N. 10 W 7.

fir 25 East 27

Thn E 20 chs set post

Pine 12 " N. 50 W 23

fir 30 N. 5° W 34

Thn South 20 chs set post

cedar 16 N 88 E 16

Pine 14 S 4 W 10

FB 7 P3 0010

19

Thence W 40.00 chs
marked Mabelle 4" for cor
fr 32 N 60 W 35
Gar T 5 S 32 E 3 26
Thence S. 2° W. 19.00 chs to quartz cor
at foot.
Cedar 5-0 N 19 W 24
fir 22 S 31 E, 19

Chainmen
M.E. Morris
S.J. Clifton

20

van 19	Survey for G. M. Brown beginning at a pt 149½ N of S.W cor of Lot 6 Brown Estate Thence S 88¼ E 418 ft " South 1042½ ft " N 88¼ W 418 " " North 1042½ " to beg.	June 12-03 1.0 acre

21

Var 20 June 16th 03

Survey for H. J. Wilson

Began at a point 10.18 chs W. from N. E. Cor
& W 1/2 of L. B. Briggs 40.0 = 45 in 38-5
thence South 23. chs to Center of Co Road
" N 76° 30' W. along middle road 17.85
" S 44 - W " " " " 6.93
" S 46 - W " " " " 7.00
Thence S. 17 - W. 12.60 chs to S. W. cor of Claim

July 30 - 03 D. J. Rice

1st piece

Beginning at N.E. cor. of property owned by Briggs & Hoy & D. J. Rice, S.E. thence S. 77° W. 195' to W. line of equus thence N. 9° W. along R.R. right of way 130 ft. thence S. 63° E. 153 ft. thence N. 28 E. 40 ft. " S. 61½° E. 118 ft. to W. line of Mill St.

thence S. 28° W. along said line 58 ft.

thence N. 13 W. 64.

Aug 12 - 03 FB 7 pg 0012 23

Susan Ensley

N.W. cor. 2 cedar post 24"
from which a fir 14" S. 62° E 2 6 8

Beginning at above corner thence N. 97 lks, thence
S 89° E 42 rods, thence S. 86 chs. thence W 42 rods

R. L. Coon Aug 14 '03

Chainmen G B Laurence
C C Roberts

Aug 21 - 03
For W. P. Johnson
Chainmen J. G. Newton
J. E. Lipke

29-5
50 7

Beg. at N.E. cor. Canon D. C. 30.20 chs
Thence West along N. line of Claim
(Raw West to N.W. cor of Cl. 48.76 chs)
Set cedar post — B.C. 1.2 S. 85 E 108
thence South 4.70 chs to center of Canon
" along road N 54½ W 8.80

35.20 thence S. 4° 45' E. 11.50 chs. to flume

124

85.25 S. line of Claim
marked a fir tree 4-8" for cor.

Discription of 10 acre placer
for W. Johnson

Biginning at a point 2 chs West of
Quar cor. bet 20 and 21

25

Meander of Flume

S. 81½ E	5.25
S. 78½ E	27.42

Upper piece 10 acres

	N.E. cor	97
W. fir 14	N 35 W magnetic bearing	105 lks
" " 12	S. 33 W	
	S.E. cor.	
fir 36	North true bearing	8
" 36	N 68° W	16
Cor of Wet print →		
maple 12	S. 66 E	96
fir 16	S 35 W	53

26

Sept 5. 83

Description of tract for land
Berkeley

Beginning at a point 1445 ft West
& quarter corner between Sec 25 in
T 26 S R 6 W and Sec 30 T 26 S.
R 5 W.

Thence S. 58½ E 1135 ft.
" S 7 W 15.00 "
" West 975 " to E. line of alley
" N 7° W 2200 " along " " "
" N 59¾ E. 180 "
" S 58½ E. 365 " to beg.

Cont 53 60 acres

Victor Phipps Sept. 12-03
set post 19.40 Chs. S. of
1/4 sec cor on N side of Sec 4-29-6
B.O. 25 N. 35° E. 3.13

Jos H. Wallenberg Sept 12-03
Reset 1/4 sec cor set 3 and 4 29-6
B. oak 7" N. 9 W. 16.
" " S. 44 W. 12
Reset S.W. cor of Phips D.C. per field notes
" N.W. cor of Gilliland " " " " "
" N.E. cor " "
Fi 10 N. 10° W. 4
" 5 S 7° W. 3.

28

For Mrs Shaughnessy Sept 16-03

~~Legal Subdivision~~ Lot Eighteen (18)

Thence East on Looking Glass Road

Begin at a point 4.77 chs East

of the N.E cor of Sec 28-27-6

Thence East 117 links

" South 7° W. 10.17 to old C.P. road

" N. 60 W. 5.65 along " " "

" North 60 lks.

" N 39° E 4.50 along Looking Glass Road

" N 31¼° E. 3.73 " " " "

FB 7 Pg 0015

Blakely Ave. 10-03

29

Catch line

0	N 5 W.	125	
1	N 18¼ E	175	
2	N 88½ E	230	
3	N 38 E.	260	
4	N 49½ E.	240	
5	N 49 E.	300	
6	N 49½ E	500	tack 80' op pole bridge
7	N 53½ E	295	
8	N 54½ E	90	
9	N 65½ E	205	
10	N 67 E	406	
11	N 70 E	300	S.E. cor of W Cop. bears N 27 W 120'
12	N 89 E	185	tack 20' upper end of garden
13	S 83½ E	160	
14	S 71 E	200	
15	S 63½ E	100	
16	S 76¾ E	150	
17	S 67 E	135	
18	East	170	creek
19	"	160	
20	"	130	
21	N 84 E	220	
22	N 89 E	175	
23	S 75 E	300	
24	S 86½ E	255	
25	S 80 E	165	

30

26 S 76 E. 105
S 81½ E. 300
S 83 E 150
S 70 E 500

Thence N. 10° E. 6 N. 2 R.
" down left bank 6 R.W and L. Cor Land
" S 27° E 6 S.E. cor of same
" Westerly alon S. bdy of same
6 a pt opposite S. end of wagon bridge
thence Westerly along S. line of Co. Road
6 a pt N 10° W of the place of beg
thence S 5° E. 6 a pt S. 59 3/4 W 60 ft.
from place of beg. thence N 59 3/4° E 60 ft 6
beginning

FB 7 Pg 0016

31

Oakley Dec. 10 - 03

Levels from R.W. angle on dam down stream

B.S.	F.S.	
4.73	4.60	
6.73	5.00	
7.32	6.00	
5.10	6.52	under bridge
6.26	3.97	
3.16	4.00	
4.52	5.60	
5.58	6.35	
4.51	5.50	
3.39	5.36	
6.40	5.84	
4.90	5.18	
6.20	8.64	
4.09	19.65	

72.89 - 91.51

72.89

18.62

10.40
9.23
7.63

7186
6880
306

FB 1 Pg 0017

Jan 4. - 1904

FB 7 Pg 0018

Dan Fishers Sewer Survey

Beg at Man hole at foot of Main St

Thence	S. 47° E.	170 ft	
"	S 20¼° E.	131 "	last St. 11.6
	S 86¾ E.	70 "	to J. J. Bridges house

at Man hole 8.69

10.40
9.30
6.76
5.93
5.40
5.02
4.44
3.74
3.23
2.43
1.75
1.23
.90
.60
5.48
5.00
5.05
4.76
4.90
4.93
4.82
4.71
4.45
4.60
4.83
5.05

30

TP

5

36

4.80
4.52
4.54
3.92
3.30
T.P. 6.68
5.73 3 ft.
5.53
4.95
4.14
3.31
2.52 follow ditch 2 ft

tap from hole 5.30 from bottom
tap is 2.90 above Sta. 0

FB 7 Pg 00193

Blakeley Jan. 9 - 04

Dia of 100 ft tract along S. bank of R.

Beg at 1/4 Sec cor on W side of Sec 30
Thence N. 2350'
" N 65° E. 62' to low water
mark on left bank of R and at
N.E. cor of Rhind & Cos Land.
Set post S 29° E 100'
Thence along low water mark
N 82½° E. 525' L
N 82 E. 325 L
N 88½ E 128 L
S 81½ E. 227 L
S 86 E 258 L
S 85 E S 85¼ E 143 L
S 84 E 150 L
S 76 E. 342
S 67 E. 2150 to marked rock
Thence S. 10° W 100' to fir Tree 8" —
— in dia marked "B.S"
Cut 9 3/4 acres more or less

38

Survey for J. J Witt Jan 12 - 04.
Chainmen J. Oscar Singleton
Var. 20°40' E Albert Hazell
East Beg at S.W. cor. of 14 - 27 - 4
82.48 Sec. cor.
Qrt 1/4 Sec. cor.
fir. N 80° E. 123 lks
" 16 S ½° E. 133 "

1/4 1/4 Sec cor, E. of quar cor.
fir 17 N. 20 E 18
Cedar West 61

Quar. quar. cor W 1/4 sec.
B. O 24 S. 41 E. 141 lk

J. J. Witt. N.W. cor
Sand stone 6 X 12 X 20 marked +
B. O 22 N. 66 E. 86
fir 14 S 48 W. 40

Witts. N. E cor oak post
fir 40 N 11 E 185 no other tree near

Witts. S.E. cor
W. fir 18 S 42 W 14
" " 20 S 42 E 45

39

Wells S.W. cor
Cedar 6 M 15 W 76
" 10 S 35 W 76

7.92
44
3168
3168
12/348.48(29.04
24
108
108
4

86

60/94(1.5
60
340

60
44
264
264
27.0

40

W. M. Chapman

Beg at S. E. cor ¼ cl 39
16.75 ch left bank of Buckhorn Ck

Beg at a point 8.25 ch W of
S.E. cor ¼ cl 39
Thn North 24.23 chs to W.M
Chapmans S line
Thn E. 8.25 chs
" S. 24.23
" W. 8.25

9.99 a

Beg at Mon to N.W cor
thn N. 5.00 chs to center of
Co road
thn along Co road
N 63½ E. 9.19
S 8.92
W. 8.25

24.23
8.25
12115
7846
19384
19.8975
85
20.8397

8.50
8.25
1670

.50 00

5 00
3 92
2 | 1392
696
8.25
8480
1392
5568
5.7420

January 18 – 04

For Blakeley – N. side of River through Sutherlin
Beg. at a pt in East line of Co road 12' N 52 E from 10" iron
Northmost cement pier of wagon bridge
Thence

N 52 E.	6.35	Ft.	64'	to River
N 66 E.	6.50		104	" "
N 82 E.	5.57	across slough 80' back	52'	" "
N 89 E.	5.00		40	
N 82½ E.	6.23		108	✓
S 84½ E.	3.20		110	
S 70½ E.	3.50		95	
S 74 E.	4.23		40	✓
S 87 E.	4.40		38	✓
S 78½ E.	3.50		58	✓
S 64½ E.	8.00		120½	✓
S 64 E.	3.00		82	B.T. from S 5th E

6035

21.67
6038
8205.
73
24613-
57435-
398965-
907
409

8 | 1320 | 573
128
60
6

43560 | 398965 | 13½
43560
163365-
130680
2268.50

44 Van. of Town of Winchester 19 1/2

FB 7 Pg 0023

40

N. Day. Aug- 4 - 04

Var. 20°

Beg at N.E. cor. of N. Day Cl.
S. 0° 22' W. 6st 11.08 chs Intersect ½ Bee line
" 16.85 " Creek
" 32.30 intersect fence on S. side of road
" 44.00 S.E. cor. of Cl.
West " 4.14 " Set post
from which a
Bound S" N65° E. 37
B.O. 5" N62° W. 22
South 6.95 Marked B.O. 26" for cor.
West 20.20 Sec. Cor. for S.E. Cor. of 31.
South 20.00 Set temporary post
25.85 Cor. of fence from E. 20 chs.
34.00 to right bank of river

Begin at a pt. 3.96 chs West of
N.E. cor. of N. Day Cl.
at 3.00 chs cross road
" 9.00 " " "
" 23.00 enter bottom N.E. and S.W.
" 37.70 left bank of Calapooia R.

(4th Day) Aug 5 — 02

46 Meander of Calapooia Ck.

Begat pt. where Watson E. line intersects left bank of Ck.
N. 47 W. 4.00 chs.
N. 35 W. 4.65 " intersect line between Gowell and Clay 60 chs West of Ck. Thence West on said line to Creek 23.55
Thence S. 2° 30' E. 2.50
" S 9° W. 5.00
" S 33° W. 4.00
" S 78° W. 5.90 1/4 M. 1 Cor.
" N 79° W 1.50 4.00 chs S.
" N 58 W 3.50
" N 47 W. 3.90
" N 53½ W. 1.00
" N 78 W. 1.40
" N 59½ W. 4.15
" N 55½ W. 6.50
" N 87 W. 4.15
" S 40 W. 2.35
" S 15 W. 4.65 ford
" S 30 W. 1.70
" S. 10 W. .75
" S 46 W. 2.84
" N 57 W. 1.83

FB 7 Pg 2 & 3

N 35½ W.	2.20
N 42 W.	1.70
N 13 W.	13.70
N 27 W.	6.00
N 33 W.	7.50
N 69 W.	6.50
N 88½ W	5.00
S 50 W.	6.25
S 69 W.	1.75
S 77 W.	2.00
S 80 W.	2.00
N 78 W.	1.25
S 84½ W	2.50
S 80 W.	1.50 to river

N. Clay Aug 6

Beg at pt 3.96 chs W of N.E. cor of Clay Co.

West 16.50 chs. Iron oak bpsang. NGW and S 95

47.98 " intersect new board fence Bridge from N. 47° W

49.00 enter river bottom

76.00 right bank of river

Aug 7

Beg at 1/4 Sec. cor on S. side of 52 Thsp

North. at 14.30 fence on S. side of road

" 20.00 set sand stone 12 x 16 x 20

from which a B.O 9 S 25° W. 15

" " 10 N 34° W 48

(over)

4/8

Blakeley Jan 18 & 2

1	65½ E.	280	44
2	70 E.	310	85
3	69 E.	384	100
4	71 E.	350	50
5	5½ W.	368	10
6	24 W.	375	60

6 a pine tree 16" marked "C. S"

409

2167

18½

66 / 1400 (21
1320
80
66
14

22
6

12
22
24
24
8 / 264 (33
24
24

M. Day Aug 7

West 14.70 chs to E. line of M. Day Cl.
Set post
W.C. 24 N 85 W 94
W.C. 20 N 36 W 94

Blakely FB 7 Pg 0025

Jan 19

43.25
10.34
29.91

43.25
6.66
49.91

20.00
6.66
13.34

Beg at N. end of RR bridge

Thence	N 47° W.	645	2.58	
"	N 61° W.	250	1.00	
	N 66 W.	262	1.05	
	N 65 W.	193	.77	
	N 46½ W	~~243~~ 110	1593	
			130	.52

N. 59 W.	200 ft	.80	
N 52½ W.	261 L 4	1.05	1060
N 62½ W	462-8	1.85	
N 54½ W.	366-4	1.46	
N 50½ W.	637-6	2.55	

Beg at last monument above

Thence	N. 76° E	927'	3.70	along fence
"	S 34 E.	63	.25	" road
"	S 53½ E.	104	.42	" "
"	S 1° E.	147	.58	" RR, right of way
"	S 7½ E.	100	.40	" "
"	S 12 E.	100	.40	" "
"	S. 17½ E.	100	.40	" "
"	S. 21½ E.	100	.40	" "
"	S 28 E.	100	40	
"	S 33¼ E.	350	1.40	1438
"	S 36 E.	350	1.40	
"	S 44 E	91	T.36	Find & Iron monument

50

Jan 19 – 05

B S	F S
12.50	1.20
9.71	4.11
6.76	5.20
6.92	4.00
1.24	12.66
2.14	10.64
39 27	40 81
	39 27
	1.54

For Wm. Vinson Jan 27-04

FB 7 Pg 0026

Rent ¼ sec post tst

W for 12 N 28 E. 6

Pew 4 S 83 W 19

51

Survey for High School sewer
Feby. 2nd. 04

N. 20° E.	367'
N 7¾ W.	230'
N 27½ E	200
N 23½ W.	90
N. 38½ E.	345
	1232

		H. of I	Elevation	Cut.
22	6.48	65.34	58.86	3.85
23	11.02		54.32	2.70
T.P.	.35	54.67		
24	8.65		45.99	2.00
T.P	2.59	48.58		
25	8.50		40.08	2.10
45 20	12.14		36.44	

		H. of I.	Elevation	Cut
0	2.70	102.70	100.00	3.50
11 1				
2	5.55		97.15	4.35
3	10.84		91.86	1.86
T.P.	2.40	94.26		
4	5.00		89.26	1.46
5	5.20		89.06	3.46
6	8.03		86.23	3.00
7	11.31		82.95	1.95
T.P.	3.16	86.11		
8	3.60		82.51	2.80
9	6.17		79.94	1.40
10	6.39		79.72	2.57
11	8.28		77.83	2.00
12	9.82		76.29	1.70
T.P.	3.36	84.65		
30' 13	8.07		76.58	2.00
14	5.39		79.26	4.70
15	4.28		80.37	5.95
16	4.89		79.76	5.80
17	9.52		75.13	3.13
T.P.	.70	74.53		
18	3.66		70.87	1.45
40 19	5.00		69.53	2.00
20	9.84		64.69	1.70
T.P	.65	66.34		
21	4.49		60.85	2.45

July 24 – 31

2nd. Survey for high school sewer

		H. of I.	Elev.
0	2.53	102.53	100
1 50	3.92		98.61
2	5.82 on walk		96.71
3	8.75		93.78
4	10.69		91.84
5	12.65		89.88
T.P.	3.90	93.78	
6	3.39		90.39
7	3.58		90.20
8	3.46		90.32
9	5.73		88.05
10	7.02		86.76
11	7.85		85.93
12 50	10.67		83.11
13	10.79		82.99
14	11.40		82.38
T.P	6.20	88.58	
15	6.50		82.08
16	7.06		81.52
17	5.72		82.86
18	5.52		83.06
19	6.09 behind house		82.49
20	7.03		81.55
21	7.75		80.93

		H. of I.	Elev.
22	7.52	88.58	81.06
23	7.60		80.98
24	6.88 on walk		81.70
T.P.	2.18	83.88	
25	2.72		81.16
26	3.25		80.63
27	4.27		79.61
28	5.74		78.14
29	8.38		75.50
30	11.16		72.72
T.P.	.48	73.20	
31	2.90		70.30
32	4.76		68.44
33	6.40		66.80
34	9.23		63.99
35	11.30		61.90
T.P.	.15	61.90	
36	1.30		60.60
37	2.68		59.22
38	3.86		58.04
39	5.82		56.08
40	10.27		51.63
T.P.	.82	52.45	
41	5.40		47.05
42	8.60		43.85

		H. of I	Elv.
43	11.62	52.45	40.83
T.P.	2.07	42.90	
44	5. & 5" ridge Gatte		37.45
45	7.56		35.34
46	10.40		32.50
T.P.	3.40	35.90	
47	6.04		29.86
48 35'	8.50		27..40

Mar 1-04

A. B. Haines Jr.

S.W. cor Snyder Cl.
B.O 10 S 72¼ W 22½
W.O. S 11 61 W. 22
old corner oak 14 S. 80 E. 135

North on West line of Snyder Cl. 36.79 to cor.

Chainmen
A. B. Haines
C. D. Hillian

FB 7 Pg 0030

60

Length of bridge 461'

O.B & S. Co. Mar. 7-04

Survey to ascertain height of R.R above min flow

Beg at S. end of trestle 50' Stat.

0	6½		
1	15'	8	2' 2" from top of rail to bottom sill
2	19'	11	
3[18]	26'	10	to N. side of S. pier
4	29'	to water	35' 4 to bottom
5	middle of 1st concrete pier		
6			
7			
8	middle of 2nd concrete pier		
9			
10	N edge of water		5' from top of rail to bottom of chord
11	22' S. side of N timber pier		
12	25-4		
13	25-9		
14	22		
15	19' 10		
16	16		
17	15-6		
18	20-2	10 ft to center of S. pier of N bridge	
19	24-10		
20	25-4½		
21	24-5	15' N to center of N pier	
22	21-1	41-9 to N end of trestle	

Mar. 9. 04 FB 7 Pg 0031 61

For Douglas Marker and Oblique
west quar cor bet Secs 15 and 22
T 27-R 4
B.O. 24" N. 44 W. .72
fir 12" S. 30 W. .8

West quar. cor bet 22 and 27 - 27 - 2 E
fir 30 N 72½ W. 48
fir 8 S 42 E. 52 Record.

Run South (var. 20° 40') from
quar cor. bet 15 and 22 intersect
24 links E of cor.

62

1904

D.L.C. Guild and Ames Entered Mar 26

var 19.50

Corner 6.17 chs. W. of SW cor. 34

W.C.S. S. 1° E. .80

W.C.S. S 62° E .5

Thence var N. var. 19½ E 39.01 chs.

to point from which "iron pin"

bears S 11½° W. 76 lks.

Guild to Bunn

Beg 12.23 chs E of N.W. cor of D.L.C #40-30-6

Thence		N	S	E	W
	S - 63.22		63.22		
"	S 89° 44' E. 16.28		.07	16.28	
"	N 39.01	39.01			
"	N 30° 30' E. 16.66	14.42		8.33	
"	N 4° E. 1.72	1.71		0.12	
"	W - 2.00				2.00
"	N - 78½ W. 3.50	0.69			3.43
"	N 75° W 2.63	0.68			2.54
"	N - 6.89 to N-line of claim	6.89			
"	W. 16.28 to beg. Cont 112.a.				16.28
		63.40	63.29	24.73	25.25

FB 7 Pg 0032 63

Apl. 11th. Var. 19° E

North line East –
South line N 86° E
Middle " N 88 E

length of front 127½'
N.W. cor of face 27 ft. Eg cor.

2 | 127½
63¾

Beg at N W face cor and run
N. 256' N 2° E 250
W 175-62' N. 88 West 175-
N 2½ W. to S.E. cor N 4½ W Drain Ext.
Blk. 3

21

N. line S. 88 E.
S " N 88 E
Middle " East

3 7

64 (Vol 21)

S. B. Corr May 12 - 04

Cors SW cor

Ash 4 S 43 W

" 4 N 43 E

SE. Cor pine 12 S 40 E 9½

" 10 N 87 W 20

164 lks North off in running W 88.75

1 - 9'14 lks

2 - 18½ "

3 - 27 3/4

4 37

5 46'14

6 55 ½

7 64 3/4

8 74

Chennus
Lks. Winter
Forest gone

SW cor of Lot 3 Sec 27 - 23 - 5

pine 6 N 61 W 11

" 6 S 86 E 14

SE cor of Lot 3 Sec 27

pine 12 N 24 E 33

pine 7 N 25 W. 46

NE Cor Lot 2 - 27 - 23 - 5

Mound of rock B. C. 18

Bleakley June 13-64
FB 7 B 00033 65
Var 19½

Beg at pt 50' South of Blk 38
Thence N53°E 400'
" S37E 250'
" N53E 450'
" " " 450'
" " " 200'
" " " 350
" " " 300
" " " 207 at 85 Cross Ck.
" " " 200
R 55° 23' 166½ N86E.
L 1° 58' 194
L. 0 33' 179½
R. 31° 20' 169 S66E
L 22° 27' 202½ S88E
L 17° 6 151½ N76E
North 149
34' to water

66 Jan 14-04 O.B and J
Var 21°20

From S.W. cor. of ——

S.W. cor of power house bears N 10° E. 516'
199' to N.W. cor of house

S. side of power house bears N 51° E 61'
W " " " " " 96'

tank house 60' S
blacksmith Shop 45' S. and width W. width 15

tank house N.W. cor. opposite middle of pumphouse

From initial point of Town S.W. cor.
of Town site bears N 83½° W. 582'.

Levels from low water mark South along alidade 85' E. of end of shaft

		Hgt	Elevation
0	9.33	9.33	10
1 20	3.96		5.37
2 20	.88		8.45
B.S.	8.43	16.88	
3 20	5.92		10.96
4 20	3.51		13.37
5 20	1.86		15.02
B.S	9.40	24.42	
6 20	6.81		17.61
7 20	4.35		20.07
8 20	2.06		22.36
B.S.	6.50	28.86	
9 20	5.38		23.48
10 20	5.22		23.64
11 50	5.70		23.16
12 50	5.83		23.03
13 50	5.92		22.94
14 50	5.81		23.05
15 50			

68

Marvin June 15 - 04

Var 20 S 32 E

North from quar cor. bet. 14 and 15
20.00 chs set post
pine 40 N 60° E. 17
oak 28 S 61 W. 28

S 89° 43 E 20.24 chs.
set post
B.O. 18 N 28 W 3
Canal 7 S 13 W. 8

North 60.00 set post
fir 7 N 21° E 12
Madrone 18 11 W 46

S 89° 43 E 20.00 set post
B.O.8 west 20 lks
W.O.6 N 10 W. 9

South 60.00 chs set temporary post
a balm 12 bears S 11° W. 11.7 lks

Now begin at quar. cor. bet 14 and 15
run E 89° 43' E 40.00 chs to point
49 lks North and 18 lks East of
temporary post

~~N 75 W~~ W. L. Davis 69

0035

Var 21½E June 20-04

Set p-et 21.60 E. of quarter
on West side of Sec 30-21-5
and fr 10 N 61½ W 13 lks.
W. fr 9 N 12° E 10 " /

T 25 S R 6 W

Subdivision of N. Day Farm

Aug 8 - 04

J. Day's part:- Beginning at a point on North boundary of the N. Day Cl. 51.94 chs. West of the N.E. cor. thereof. Raised mound of stone thence N 27½° W. 3.52 to ¼ cor. on N. side of Sec 31. Thence to S.W cor. of old orchard as follows: N 76° W. 4.44
N 39° W. 6.85 3 chs. NE to Ck.
Thence West at 18.00 chs. leave flat land
" 21.50 " river marked B.6"

Jessie's part. That part lying between Trds and the North line of the N. Day Cl

---

Mollie.

Beginning at a point on the North line of the N. Day Cl. 51.94 chs West of the N.E. cor thereof. Thence East 16.00 chs; thence at cedar post South at 12.00 chs top of hill
" 24.00 " foot " "
" 30.00 cross creek course S. 30 W
" 31.33 new board fence C. S 4 E
" 45.63 fence C. S. 50 W.
Begin to ascend

at 50.75 intersect Sp. line 11.00 chs West of S.E. cor. of Sec. 31 made mound of stone. Thence West. Bridge bears N. 35° W.
course " S 20° W
" at 6.00 chs. foot of hill, cor of fence
" 8.29 " fence parallel to river
" 12.00 " river marked cherry tree,

92

Surveyed May 15 – 1905
(Var. 21½)

Chainmen W H McKee
R. O. Williams

Beg at N. E. cor of S 34 T 23-5
West at 40 chs intersect 33 lks
N of ¼ cor, return and correct
quar. quar. cor. Set post
fix 18" S 57½° E 7 lks

FB 7 Pg 0037 73

74

0 11.50

1 3.00

2

3

4

5

6

FB 7 Pg 0038 70

		BS	FS
0	11.50		
1	3.00	11.50	3.00
T.P	8.00	18.00	1.00
2	5.00	21 50	4.00
3	4.00	4 00	
4	3.00	17.50	
T.P.	6.00		
5	2.00		
6	4.00		
7	9.00		
T.P	2.00		
8	5.00		
9	7.00		
T.P	3.00		
10	6.00		
13	13.00		

BS	FS
10.00	1.00
6.00	5.00
4.00	7.00
20 00	13 00
13 00	
7.00	

N. J. Day place Nov. 2 1908

2.10 chs. N. of 1/4 cor. on S. side of 32 - S 26-6
set oak post 3½ square 3' long for. NE cor lot 1
and SE. cor lot 2 from which a
fir 10" diam bears N 15½ E. 12 lks.
Laurel 10" bears S. 89° W. 15 "
Ran North 18 chs. set sand stone 12 X 14 20 marked +
from which a B.O 10" bears S 26½ W. 16 lks
and a B.O 10 " N 33 W. 43 "

Nov 3.

Rest NE cor N. Day Corn stumps & tree
" SE. cor. Watson cl. 4.17 lks W. of Day cor.
Ran W. 75.71 from NE cor cl. 40 to run
set post marked C.S. cl 40. cl 53 from which
a B.O. 17 S. 6° E. — 97 lks
" W.O & N 49° W. — 55 "

NW Cor DLC 40 SW Cor 53

Rest

at pt 28 chs. E. of NW cor and 51.58 W. of NE
cor of cl. 40. set sand stone 5 X 6 X 14 marked "23
on S. L 40 on NW. and 25 on NE. faces 5" top

From above cor. ran N.
at 15.50 corn 20 lks W.
" 29.54 intersect bdy line 14.63 ch. S 89° W E
of 1/4 sec. Cor bet 30 and 31

FB 7 P 00039 77

Nov 4

Rust

Rust

Rust

Rust

18

Dec

N 89°41 W

Rau #4 from 1/4 cor. bet. 30 and 31
25.82 marked B.O. 10" Witness
B.O. 12 & 33 E. 10 lks
" " 8 N 27½ E 25 "

From pt. 15 chs. W. of 1/4 cor. same run
N 28¼ W. 39.75 to water
From same run N 33½ E 13.00 to water

From N.E. cor. Whistler lot run N 42 E
8.68 to water

Field Book #7

Pages 40 - 41B Blank

Beg at Hermans N.W. cor
thence S 28° W. 116
" to a pt 20' E of S.W cor.

thence to a pt 20' E of Bruels
S.W. cor.

Hermans part 75' on N side
and 79'-4 on S. side

117.44
31.00
22.25
59.45
230 14
2550
25564

FB 7 Pg 0042

J. M. Hyde
141 W. 7th
Eugene

1

8.65
23.55
57.52
60.38
150.07

63.10
34.48
40.54
138.12

S.E. cor. B.C. 30" N 48½ W 15

Cr.

Mrs. Sarah Hedgepeth	2.50	
Mrs Hassell	1.25	
Sd Abraham Est.	4.00	
C.H. Odom	3.50	
C.A. Odom	1.75	✓
T. Bledsoe pd	2.00	✓
F. Rogers pd	6.00	✓
J.M. Humphrey $6.00 pd 4.00 pd.	10.00	✓
Louis Decker pd	7.00	✓
Jim Bridges pd.	4.00	✓
Saintsing, Cannon & Sykes	10.00	
Douglas Waite pd	4.00	✓
Coff Real estate Co. Pd	5.00	✓
Mrs. H.A. McClaren pd.	10.00	✓
J.R. Day Pd	40.00	✓
A. McCulloch, Olalla	3.00	

FB 7 Pg 0043

Writ for O. B. and J. C.		(S)192.00
Dec. 03	21	5.00
"	22	5.00
Jan 04	6th	5.00
"	9 "	5.00
"	11 " Make description	2.50
✓	paid out for assistance	2.00
Jan	18	5 40
"	19	5 40
paid	Fair fare for 1 man	.60
Jan	20 making map	5.00
"	25	5.00
"	26 map	5 00
Feby	25 and 26 surveying and making description	10.00
Mar.	7 and 8. surveying for height of bridge above water & etc.	10 00
	83.85	

Gotan. for 1 57.29

1			2.64	
2			14.32	
3	3.0	24.1700	4.44	
4	"	24 n28E	3.06	
5		1320	5.71	
6	4		4.77	
7		104 80	4.27	
8	4.05	85	3.36	21
	5.4			
	28.44			
9		226	3.16	
10		1320. 20	2.64	
11		33 15	2.57	
		160		
12		13	2.35	
13			2.16	
14		29.54		
		25.00	2.00	
15		75.7 25.43	1.88	
		50.47		

88.78
1.90

6	1,845	79870	7485
10	5	8875	
14	9.225	16625	
2	88.75		200
13	133	45	300
	71000	60	5
	800	35	1.50
	88	35.00	
	16885.00	71000	
		48.30	
		16.20	