Field Book #8

8

C. E. Roberts

Co. Surveyor

Book #203

FB No 8

Declinations (1908)

July 14	4 PM.	21° 41' 40" N
July 15	8 AM	21° 35' 28"
	9 " "	21° 35' 20"
	10 " "	21° 34' 19"
	11 " "	21° 33' 45"
	12 " "	21° 33' 28"
	1 PM	21° 33' 05"
	2 " "	21° 32' 45"
	3	21° 32' 30"
	4	21° 32' 21"
	5	21° 32' 27"
July 16	7 AM	21° 26' 49"
	8	21° 26' 00"
	9	21° 25' 18"
	10	21° 24' 45"
	11	21° 24' 18"
	12	21° 23' 53"
	1 P.M.	21° 23' 29"
	2	21° 23' 18"
	3	21° 22' 52"
	4	21° 22' 41"
	5	21° 22' 46"

FB 8 Pg

0044
0001
2

July 17	7 A.M.	21°	16'	55"
	8	21	16'	00
	9	21	15	22
	10	21	14	49
	11	21	14	20
	12	21	13	56
	1 P.M	21	13 -	34
	2	21	13 -	9
	3	21	12	52
	4	21	12	41
	5	21	12	44
July 18	7 A.M.	21°	6'	05"
	8	21	6	00
	9	21	5	22
	10	21	4	49
	11	21	4	20
	12	21	3	56
	1	21	3	34
	2	21	3	9
	3	21	2	52
	4	21	2	41
	5	21	2	30

July 19	7 a.m.	20°	56'	5"
	8	20	55	9
3	9	20	54	28
	10	20	53	53
	11	20	53	25
	12	20	52	58
	1 P.M.	20	52	31
	2	20	52	32
	3	20	52	13
	4	20	52	00
	5	20	52	26

July 20	7 A.M.	20°	45'	5"
	8	20	44	9
	9	20	43	28
	10	20	42	53
	11	20	42	25
	12	20	41	58
	1 P.M.	20	41	31
	2	20	41	32
	3	20	41	13
	4	20	41	
	5	20	41	26

July 21	7 PM	20°	33'	48.
	8	20	32	50
	9	20	32	7
	10	20	31	30
	11	20	31	00
	12	20	30	28
	1 P.M	20	30	00
	2	20	29	34
	3	20	29	13
	4	20	29	00
	5	20	29	00

July 22	7 PM	20	32	12
	8	20	21	14
	9	20	20	31
	10	20	20	00
	11	20	19	30
	12	20	19	00
	1 PM	20	18	30
	2	20	18	00
	3	20	17	37
	4	20	17	30
	5	20	17	30

05

July 23	7 A.M.	20°	10'	9"
5	8	20	9	10
	9	20	8	26
	10	20	7	47
	11	20	7	13
	12	20	6	43
	1 P.M.	20	6	12
	2	20	5	46
	3	20	5	24
	4	20	5	7
	5	20	5	6

July 24	7 A.M.	19°	58'	00"
	8	19	57	00
	9	19	56	00
	10	19	55	30
	11	19	55	00
	12	19	54	30
	1 P.M.	19	54	00
	2	19	53	30
	3	19	53	00
	4	19	52	50
	5	19	52	37

FB 8 Pg 10002

July 25	7 a.m.	19°	45	9"
	8	19	44	8
	9	19	43	14
	10	19	42	34
	11	19	41	58
	12	19	41	26
	1 P.M.	19	40	54
	2	19	40	26
	3	19	40	2
	4	19	39	44
	5	19	39	30
July 26	7 a.m.	19	32	
	8	19	31	
	9	19	30	
	10	19	29	34
	11	19	28	58
	12	19	28	26
	1 P.M.	19	27	54
	2	19	27	26
	3	19	27	1
	4	19	26	40

7

8.

53.50 Spring branch 3 lks wide C SW.

65.85 Klamath trail bears N 60° W mf S. 60° E.

69.0 Little River C. 91. 10 W.

74.00 Begin to ascend

80.00 Cor. to 12 and ± 13 Stone 15 X 8 X 6

Cedar 7 S. 38° W. 31 lks.

Fir 50 N 40° W 35 lks.

90.10 Angelo Cor. Destroy marks on West Tree

9.

T. R

at. camp. in S.W¼ of Sec 1 - 27 - 2

July 1st at 4 P. m. L. m. t.

Set off 43° 15' on Lat. arc and

21° 41' on N on dec. arc and

determine a meridian with the

Solar. set p.t. 5. chs. North.

9.30 A.M. July 15 - 80.

at cor. to 1 and 12 on Range Line

which is a stone 5 X 6 X 8

above the ground N E. bearing

tree gone, others agree with

notes

South

9.24 C.C. for Sec to East

14.00 begin to descend slope to S.W

29.47 Settlers Trail E. and W

40.00 Set basalt stone 18 X 12 X 12

for 16 N 60 W 25 lks

" 20 S. 68 W 28 "

49.35 Angels ¼ cor.

July 16 - 9.30 a.m. from cor. to Sec 24
12 on Range line retrace
west.

16.50 B.J. Shimabargers cabin
bears S 73° W

37.52 Spring branch 2 lks E. S. W.

39.40 Klamath trail N 30 W

40.10 intersect 7 lks N of 1/4 cor.

" " Shimabargers cabin bears S. 15° E.

44.00 Rt. bank of Little R. 12.5 lks N.W.

51.75 Lft. branch 2 lks. E. North

80.00 old cor. bears N. 31° W 145 lks. (21) (110)

July 17 - 7-30 a.m. continue retrace
West on S bdy of Sec. 2

0.10 Spring branch 4 lks. E. N.

40.93 intersect 147 lks S. of old 1/4 cor.

80.00 old cor bears N 31° W. 119 lks.

July 18 - 8 A.M.

From Cor. to Secs 12 and 13 on R. line - West.

through heavy timber and dense undergrowth

5.70 trail N. and S.

12.33 Settlers trail N. and S.

19.50 Spng. branch 1 lk. C. North West.

28.86 Fish ck. C North 20 lks wide

40.00 1/4 cor Stone 12 x 5 x 6

fir 28 N54W 34.

fir 36 d. 79. W 58

Stone 12 x 7 x 5 - hemlock 6 d. 75 E. 55 lks

W. fir 8 N28E 71 "

hemlock 24 d 35W 37 "

W fir 7 N 23W 41

80.00 Sec cor to 11-12-13-14

North bet 11-12 - descend through h. t. and d. v.

2.48 Sp. branch 2 lks wide, C N.E.

7.90 " " 4 " " C N.E.

9.40 Wm Moores cabin bears N 86° W. 118 ft

80.71 intersect 24 lks E. of old cor

(over)

FB 8 R 0006

94

July 20 10 a. m

West bet 11 and 14 through d. t & h. w.

30.60 Sp. branch 3 lks. C. N

33.50 trail N E. and S W.

35.00 Sp. t. 2 lks. C. N.

40.00 Gran. cor. Stone 14 x 6 x 6

W. fir 22" S. 23 E. 26 lks.

W fir 15" N 30 E. 56

66.00 begin to ascend hill N and S

73.00 Top of hill " " "

80.00 Cor to 10-11-14-15

North on random bet. 10 - 11 8 cat T and L. w

3.00 Cliff - Offset East 150 lks.

North 600 "

West 150 "

25.00 enter heavy T

38 50 Sp B. 2 lk. C W.

13

Rest cor. to 1-2-12-13 as follows:-

a basalt stone 18 X 14 X 16

fir 10 S. 39 W 54

" 12 S. 79 E 46

hemlock 12 N 21 E 48

old N W. tree still standing

South 0° ' on true line bet 11-12

3.25 Sp. branch 4 lks S.W. C N 10° E.

40.00 gran. cor stone 15 X 11 X 6

fir 34 S 77 W. 54

cedar 20 N 64 E. 42

15

N on random bet 10 and 11 (Cont'd)

40.00 1/4 Cor Temporary

80.85 Foot of hill intersect 47 1/2 E.

7 Cor to 2-3-10-11

Set stone 12 x 9 x 6

fir 36" N 19 E 8.3 lks

Cedar 15 N 59 W. 75

fir 20 S 50 E. 94

old maple S 45 W. 70

S. 0° 19' E Construc line bet 10-11

40.06 1/4 Cor. pine 10" N. 28 E. 9 Stone 12 x 8 x 8 Also.

fir 8" S 74 W 13 "

80.75 Sec Cor. 10-11-14-15 Stone 14 x 8 x 5

live oak 8 N 59 W 19

Laurel 6 N 15 E 33

fir 12 S 21 W 50

fir 6 S. 40 E 53

16

July 21 10. a.m.

West bet. 10-15 - decnd through boat T. 9 & 10 N

5.00 foot of hill

10.75 Sp. branch. 2 lks C. N

37.50 top of ridge N. and S. Enter boat T. 9 & 10 N

40.00 1/4 cor; Stone 12 x 8 x 6

Cedar 8 N 54 W 42

Fir 12 S 27 E 12

80.00 Cor to Secs 9-10-15-16 Stone 14 x 9 x 8

Fir 36 S 52½ W 126

" 30 N 88 W 45

S. pine 56 N 33 E 129

Hemlock 10 S. 82 E 118

N. on random bet. Secs 9 and 10 decnd. boat T. 9 & 10 N

23.15 Sp. 6. 2 lks. C. N. W.

59.00 enter clearing Fences

71.00 Cattle. R 125 C. S. W.

otr

17

79.70 chs intersect 106 lks E of red cor.

Set. C.C. for 9-10 Stone 14x12x6

Fir 30 S. 80½ E. 48 } G. Gustafsons cabin trans S. 20° E. from C.C.

" 30 S. 68 W. 120 }

Reset Cor to 3-4 -

Basalt stone 16x10x6

Fir 16 N 31 E. 48

" 30 N 51½ W. 141

South on true line bet 9-10

Stone 13x7x4

40.00 1/4 Cor. Cedar 7 S. 33 W 2.

Cedar 16 N 56 E. 41

Aug. 5 West bet 9-16 Found Scat. T and d. w.

22.28 trail N.W. and S.E.

40.00 1/4 Cor. stone 12x10x7

Laurel 6 N. 20 E. 9

Ash 12 6.12 W 21

65.00 old cabin bears S. 40 lks.

66.00 Wolf Ck. 20 lks. C N. 20° W

69.00 begin to ascend

79.36
64
80.00

FB 8 Pg 0008
18

80.00 Cor. to 8-9-16-17
Stone 15 x 7 x 6
Fir 40 N 81 E 69
" 36 8.56 W 15
Laurel 14 S 31 E 47
fir 40 N 19 W 69

North on random bet. 8 and 9
Scat. timber and dense undergrowth
5. chs Top of rocky point
descend through scat. T. and d. tl.
25.00 Little R. c S.W. 200 lks across
27.50 Wagon road c. SW
66.50 Sp. branch 3 lks. wide c. E.
79.25 Sp branch 2 " " c. S. 10° W.
79.36 intersect 105 lks E. of old cor
Stone 17 x 12 x 4 c.c.
Alder 14 S.60 E 26
Maple S 0 23 W 70

79.36
64

S. 0° 2' E. on true line bet 8 and 9

40.00 1/4 Cor Stone 12 x 8 x 7

Fir 18 N 21° E. 30

" 16 N 22½ W. 85

Monday Aug. 7 - 8am.

West bet. 8 and 17

Round steep rocky bluff Sect 8 & 17

5.00 top of ridge, Round through Sect 8 & 17

8.60 John Gardners house bears N 44 W

Greenmans Sr. " " N 46° 20' W

" Jr. N 50 W

40.00 1/4 Cor. Marked Stone in place 24 x 15 x 12.

Fir 14 N 19½ E 99 J Gard N 20° E Greenman Sr 9° 30' W " Jr N 24° 35' W

Fir 24 S. 35½ W 79

67.50 Creek 10 lks. wide; C. North

80.00 Cor to 7-8-17-18 Stone 14 x 10 x 7

Fir 30 N. 47½ E. 50

" 18 N. 14 W. 122

" 22 S. 30 W 34

" 18 S. 47 E. 43

N° - W on random bet 7 and 8
descend through br. T. and dense undergrowth
19.10 chs. Little River 100 lks. wide E. West
21.40 " Wagon Road E. West
24.50 foot of ascent sand ST. and d. w.
31.50 top of ridge E. and W
~~trail~~ ~~E. and W.~~

~~80.70 John Gardiners house bears S. 43° E.~~

80.00 intersect the W of old
set ∧ E cor. - decayed
post. witness marks attended
marked + on bd rock 4' x 2' x 2' above ground

7 in	48	S. 65 E	137
"	30	S. 23½ W	154
"	8	N 31 W	107
"	16	N 84° E.	141

Southerly on true line bet 7 - 8
40.00 1/4 Cor Stone 14 x 10 x 10

5 in	20	N 20 W	67
"	24	N 88 E	96

21

Aug. 8-05 1 p.m.

West bt 7-18-1 n.t.d.w.

40.00 1/4 cor. Stone 14 x 8 x 6

fir 15 & 31 B. 42

fir 12 N 20 E. 25

41.25 2p. branch 5 lks. wide E. North

52.50 " " " 4 " " " 1"

77.60 intersect 12 lks S. of cor.

Retrace E. bet secs. 5 and 8
at 39.70 chs fall 26 lks. N. of the 1/4 cor
and at 79.10 fall 59 lks. N. of Sec cor

Retrace N 89°51' W. bet 6 and 7
at 39.10 intersect 1/4 cor
at 77.55 fall 44 lks N. of Sec cor.

Bt. 9 and 10

Sept 2 – 07

Rain at 6.50

South 0° 2 E at 38.90 fall 9 lks W of 1/4 cor

" " " from 1/4 cor at 41.90 intersect ad cor

Reset 1/4 cor bet 9 and 10 40 chs. from bt

W. fir 10" S. 73 1/4 W. 22 1/2 lks.

Madrone 10" S. 37 E 22 "

Sept. 3. Bet. 10 and 11

Reset 1/4 cor bet 10 and 11

fir 18" N 19° W 19 lks.

" 18 S 54 E. 12 lks.

Reset 1/4 cor bet 11 and 12

chinkapin S 6.27° W 22 lks.

fir 7 S 72° E 5 2 "

Sept 4

Reset 1/4 cor bet 8 and 9

fir 18 N 66° W 35 lks.

" 18 S 22° E. 37 "

FB 8 Pg 0011

24

Sept 4 - 07

Rect T4 cor bet 9 and 16

Live oak 14 S. 60° W. 9 lks.

Madrone 8 N. 57° W. 32 "

South River Road

Beg at upper end

alder 12. N47W 22

hemlock 16 S16E. 54

N79W 2.82

N77½W 4.26

N83½W 3.30

N76¾W

N37½W 6.96

N2¼W 4.92

N4½E 4.11

N20W 3.29

N8E 4.38

N9W. 4.99

N2W 1.52

North 2.50

N15W 3.32

N6½W 2.15

N. 67W 3.15

N43½W 8.13

N31W 3.74

63.54

64.84

89.10
63.84
26.26

1910
8264

N32W	295	
N11W	382	
N26W	426	
N11W	365	
N1W	442	marked for 12" I. N
N4W	109	1910
N10E	170	
N36W	157	
N4W	280	
N4¼W	184	at 1.50 cross SW line
N14¼W	471	lot 1 and 12-21-6
N4W	333	
N3¼W	392	
N26W	353	
N87W	272	
N22W	750	
N33W	434	
N83W	370	
N77W	313	

4368
172
4546

442
264
178

31
16
43

	546
N 55 W	323
N 35 W	154
N 36 W	220
N 72 W	109
N 55 W.	332
N 49 W	461
N 79 W	205
S 57 W	243
West	228
N 68 W	140.
N 22 W	190
S 68 W.	343
S 86 W	529
S 66½ W	290
N 88 W	445
N 85 W	254
S 69 W	229
S 53 W	416
N. 10 W.	238
	27.48

1148
343
1491
541
950 12

38
44
31
7

1148

32 M fir 30"

1864

FBB By 0013

44.47

~~2.48~~

N 68 W.	2.10	
S 74 W	1.20	
N 71 W	2.70	
N 89 W.	8.25	Cross-line
N 72 W	2.74	
N 40 W	3 24	
N 21½ W	4 0 8	
N 38 W.	4 0 8	
N 20½ W	3 7 6	
N 12 W	1 9 5	
N 42 W	5 5 7	Change to straight-line N 38 W 9.45
N 50 W	2.18	
N 18 W.	3.62	
N 33 W.	4.88	
N 6 E.	3.09	3 M. for 20"
N 21 W.	5.39	
N 41 W.	4.89	
N 60 W.	4.80	
N 42½ W.	1.92	cross Tp. line 3 Links W. of Cor 34

1865
3615
945
1159
1543
1543

1161
1161
1583

	49 59 19	
	12 85	
N 76W	405	
N 80 W	353	
N 66 W	248	
N 81 W.	760	
S 69 W.	250	
S 78 W.	244	
S 84 W	380	line ?
S 78 W	397	
N 85 W	438	
N 53½ W	16.72	line bet ~~35~~ 34 — 35
		↳ 5. chs N of River
North	2.30	
N 47 W	5.90	
N 70 W.	7.48	4 M. maple 10.
N 82 W	3.69	
N 67 W.	3.88	
N 85 W.	2.40	
N 74 W	2.77	
S 85 W	15.16	
S 24 W.	3.32	E. line of Thomas place

3 22 132

5445

31 22

S 86 W. 8.68

S 87 W. 4.88

S 47 W. 9.67

N 81 W. 1.82

S 25 W 3.00

S 57 W 3.45

S 36½ W 2.56

S 69 W 1.86

N 78 W 1.42

N 66 W 4.13

S 35 W 1.80

S 81 W 2.00

S 77 W 0.90

N 85 W 1.93

N 52 W 0.88 S.M. Hemlock 28

N 29 W. 1.78 cross sec. line

N 70 W 1.89

S 44 W 1.39

S 77 W 3.05

S 58 W. 5.88

1399

	68.49
	13.99
S 48 W	6.05
S. 35 W	2.70
S. 16 W	2.23
S. 44 W	3.26
S. 64½ W	5.34
S 61 W.	4.00
S 72 W	3.80
S. 87 W	2.98
S. 52 W.	1.80
S. 86 W	1.50
S. 77 W	4.50
S. 47 W	1.95
S. 28 W	5.77
S. 46 W	4.59
S. 88 W	1.47
N 60 W.	2.56
N 22½ W	2.65
N 70 W.	3.28
N 16 E	2.52
N 21 W	2.45
	11 30

1659.
6580
8239

253
259
46

~~[illegible]~~ Thos. Plow

FB 8 Pg 0015

	= 39	
N 10 W	1.60	6.11 fir 50
N 15½ E	1.38	
N 4 W.	6.98	
N 12 W.	1.1K	
N 27¾ W	6.53	Spkin 2.50 dia E. 7 ck.
N 42 W.	0.81	
N 22 W	5.70	
N 13 E.	4.77	
N 27 E.	3.37	
N 10½ W	2.58	
N 8½ E	5.33	
N 39 W.	7.60	
N 63¼ W.	5.98	
N 75½ W.	5.78	
N 81 W.	3.62	
S 78¾ W.	6.60	(687) at 5.0 cross. Ludw. Rt
S 50 W	10.36	
S 39 W.	8.68	at 3,557 M. fir 24
S 44¼ W	4.37	
S 51 W	5.50	
	95.0	

1030
246
34
7

46
2
1850
96
8

32 - 33

	7447	
	~~11.45~~ 2.96	
S 75½W	2.68	
N 87 W.	12.12	
N 57 W	3.86	
N 44½W	6.50	
N 70¾W	6.45	at 1.00 ch. intersect E. line of Ryan H. & elc. N. of river
N 40 W	2.32	
N 21½W	6.80	
N 36¼W	5.80	
N 27½W	6.55	
N 75 W	2.45	
N 61 W	3.45	
S 83 W	2.50	5.55 5.14 4.06 1.0
N 80½W	3.05	
S 77¾W	1.92	8449
~~6.45 W~~	5.40	SM fir 24"
S 28 W	3.53	
S 36 W	2.90	Sec. Cor. 6 chs. N. of river
S 32½W	4.00	to cedar blazing thro 8"

Chairmen

J. W. Traylor	3 days 1.50
E. E. Harris	3 " 1.50
O. R. Gunter	3 " 2.60
Arthur Wooley	2 days 1.50

V 20 45 Land

Begin at N W Cor of Lot 18

Thence S 82° 23' E 12.00 Chs. total dist 13 Chs

N	27	10 E	5.64 "
N	16	25 E	4.59
N	62	35 E	1.21 "
N	18	50 E	2.04 "
N	12	05 E	12.65
N	06	37 W	3.50
N	3	50 E	4.30
N	20	22 E	3.51
N	5	30 W	3.59
N	15	25 E	4.91
N	17	30 E	5.25

Reed S 27 10 W Chews and 84 Lks

" " 40 "

20 "

50 "

50

3 0 5 0

5 0

5 0

5 0 "

50

20

N 10° 50' E	6.31	50 lbs
N 16 25 E	3.31	50 "
N 13 05 E	4.03	40 "

west 1.10

minimum 2.38

3256

Field Book No.8

Pages 18A - 20 Blank



N	S	E	W
			10,50
19,86			
	3.35	10.604	
	15.47		.95
19,86	18.82	10,60	11.45

	15.47		95
			10,50
1896		99	
	3 60	1054	
1896	1909	1153	1145

	N	S	E	W
S 3° 30' W 15.50		15.47		95
West 1050				1050
N 2° 30 E 19.00	1898		83	
S 71 43E 11.18		3.51	10.62	
	1898	15.47	83	1145
	1547			~~952~~
	351			193
				1145
				83
				10.62

20000
18347
1.653



10.62
15.47
7434
4248
5310
1062
16.42914
.78850
1.86381
19.08145
.73482
18.34663

1900
90
1570

1900
1426
5426
1913
80
153040

1914
86
952
11484
12436
15312
165006

1062) 35104 (330
31860 264
32400
31860
5400
87
83
267
268
283

8 1914
86
11484
15312
1.64604

28.71
21143
87
134001
153144
166441

83
1900
737
83
1567

15.47

1062
351
1062
5310
31860
3727662
1.86381

.83
9.50
4150
747
7.88850

531
351
081
2655
1543
186381

1050
95
11450
83
10622

15.47
95
77350
13923
1.46963
.73482

from center of Road to N line of dam
= 873' ft

Thence West 617 ft SE cor of Bull.
" " 693' " SW " " "
" " 668½ " SW " " Whitpayle
" " 14,83 " NW " " "
" along road 14,67 " NE " " Bull
" S 30° 30' W " SE " " "
1038

= ~~10,50~~ 10,50 = 4,35
= 10,50
= ~~9,37~~ 10,13
= 22,47



Field Book No.8

Pages 23A - 35 Blank

67-2
90
157-2



Fullerton to Poquette

Beg at intersection of E. line A Rose D.L.C. 6

N 81/2W	2.35 chs.	155'-1"
South	5.29 "	349' 2"
E.	2.35	155'-1"
N.	5.00 to beg.	330 ft Hildebrand property



Field Book No.8

Pages 36A - 39 Blank

April 13-15-09

North Glendale →



Perdue Road grade line survey

apl. 19— 09

Begin at repair end. 100 ft? from creek crossing. @ fir 50' diam tree N45°E 9'-6" from sta 0+00 (Var 21°) turn from meridian

0+00	L 88° 47'
0+50	L 27° 47'
1+00	L 5° 39'
1+50	L 4° 15'
2+00	R 7° 00'
2+50	R 15° 28'
3+00	R 19° 31'
3+50	L 2° 56'
4+00	L 5° 13'
4+50	L 7° 19'
5+00	L 8° 41'
5+50	L 0° 36'
6+00	R 7° 9'
6+50	L 5° 12'
7+00	L 6° 32' ~~R 10° 55'~~ R 8° 37'
7+50	~~R 4° 54'~~

8+00	L 1° 14' ~~R 11° 11'~~				
8+50	L 21° 45' ~~L 31° 59'~~	~~crk~~			
~~8+65~~		~~bank~~			
9+00	R 4° 51				
9+50	L 5° 45				
From Stat 10.		Stat. 12		bears	S 41° 20' W.
"	"	12	"	13+80	S. 20° 45' W
"	"	13.80	"	15+50	S 28° W
"	"	15+50	"	17+50	" S 20½ W
"		17+50	"	18+50	S 32. W
"		18+50		21	S 17¼ W
"		21	"	23	" S 3° W.
"		23+65	"	24+50	South

Field Book No.8

Pages 42 - 45 Blank

Levels for Perches Road
April 19 — 09

	R.R.	H of I	Elev	cut	fill
0.00	9-1	109.1	100.		4.0
0+50	4-6		104.5		2.5
J.P.	8-0	112.5			0.5
1+00	3-2		109.3		0.5
J.P.	10-3	119.6			
1+50	1-6		118.0	5.4	
J.P.	8-8	126.8			
2+00	6-1		120.7	5.3	
2+50	1-6		125.2	7.0	
J.P.	5-2	130.4			
3+00	3-7		126.7	5.6	
3+50	5-2		125.2	4.4	
4+00	5-8		125.6	4.8	
4+50	7-3		123.1	4.	
J.-P.	1-7	124.8			
5+00	3-8		121.0	3.3	
5+50	6-0		118.8	2.6	
6+00	8-1		116.7	2.0	
J-P	3-5	120.2			

~~A~~ $\frac{12}{-7}$ $\frac{6}{-4.7}$ $\frac{7}{+1.1}$

$\frac{11}{-6.8}$ $\frac{6}{-4.4}$ $\frac{6}{+3}$ $\frac{10}{+6.2}$

$\frac{11}{\text{grade}}$ $\frac{6}{+1.7}$ $\frac{6}{+9.2}$ $\frac{10}{+11.3}$

$\frac{9}{\text{grade}}$ $\frac{6}{+1.0}$ $\frac{6}{+9.8}$ $\frac{9}{11.5}$

$\frac{10}{\text{grade}}$ $\frac{6}{+3.7}$ $\frac{6}{+11}$ $\frac{10}{+13.6}$

~~A~~

$\frac{9.8}{\text{grade}}$ $\frac{6}{+2.3}$ $\frac{6}{+8.6}$ $\frac{9}{+9.5}$

$\frac{10.4}{\text{grade}}$ $\frac{6}{+2.2}$ $\frac{6}{+6.4}$ $\frac{9}{+7.3}$

$\frac{10.0}{\text{grade}}$ $\frac{6}{+2.1}$ $\frac{6}{+7.5}$ $\frac{9}{+8.9}$

$\frac{10.0}{\text{grade}}$ $\frac{6}{1.6}$ $\frac{6}{+6.6}$ $\frac{9}{+8.0}$

~~$\frac{6}{+5.8}$ $\frac{9}{+7.2}$~~

$\frac{6}{+1.9}$ $\frac{6}{+5.8}$ $\frac{9}{+7.2}$

$\frac{7.5}{\text{grade}}$ $\frac{6}{+1.5}$ ~~$\frac{6}{+4.6}$~~ $\frac{8}{+5.5}$

~~$\frac{6}{+0.3}$~~ $\frac{6}{+4.6}$ $\frac{8}{+5.5}$

	R.R.	H.of I	Ele	cut	fill
6+50	5-0	120.2	115.2	2.0	
7+00	4-0		116.2	4.6	
7+50	5-2		115.0	5.00	
B.P.	3-7	118.7			
8.	4-00		114.7	6.3	
8+50	11-7		107.0	0.00	0.00 crack
J.P.	2-7	109.7	~~116.0~~		
9.	3-9		105.8	0.4	~~0.4~~
9+50	4-7		105.0	1.2 grade	
10	4-8		104.9	~~2.8~~	
J.P.	13-6	118.0			
10+50	10-5		107.2	grade	
11+	7.8		110.2	2.5	
11+50	4.0		114.0	5.1	
J.P.	10.8	124.8	~~+20~~.		
12.	4.2		120.6	10.6	
12+50	9.9		114.9	3.3	
13+00	~~17~~ 13.9		113.0	grade	
13+50	~~17~~ 13.8		113.0	grade	

$-\frac{6}{0.2}$ $+\frac{6}{5.00}$ $+\frac{8}{6}$

8.9 grade $+\frac{6}{1.6}$ $+\frac{6}{8.6}$ $\frac{8}{10.00}$

$+\frac{6}{2.6}$ $+\frac{6}{8.1}$ $+\frac{9}{9.5}$

$\frac{6}{2.5}$ $+\frac{6}{9.3}$ $+\frac{9}{11.3}$

$-\frac{6}{2.9}$ $+\frac{6}{1.9}$ $+\frac{7}{2.5}$

	R.R	H of I.	Ele	cut
13+80	7.3	124.8	117.5	4.3
14+30	6.0		118.8	5.6
J.P.	10.5	129.3		
14+50	10.1		119.2	6.0
15+	6.4		122.9	9.7
15+50	5.5		123.8	10.5
16+00	5.2		124.1	10.7
16+50	5.0		124.3	10.8
17.	10.6		118.7	6.0
17+50	10.9		118.4	7.0
J.P.	0.9	119.00	~~114~~	
18.	4.6		114.4	4.0
18+50	7.8		111.2	3.0
19.	7.4		111.6	3.9
19+50	5.6		113.4	5.1
20.	4.8		114.2	6.2
20+50	6.3		112.7	5.1
J.P.	1.4	114.1		
21.	4.1		110.0	3.

Slope 55° from Stat 12 to Stat 13+80
" 48° " " 10 " " 12.
" 46° " " 13+80 " " 17+50
" 55° " " 21 " " 23

	R.R.	H of I	Ele	cut	fill
21 + 50	3.3	114.1	110.8	5.1	
22	2.3		111.8	6.4	
22 - 50	5.4		108.7	5.5	
23 -	5.3		108.8	6.8	
23 + 10	[illegible]		126.0	24.2	
23 + 50			126.6	25.3	
23 + 65			120.8	20.4	
24.			105.4	6.0	
24 + 50			98.2	Grade	
B.M.			96.7		

9.5% slope (24.2) 55° slope

60° slope (25.3) 6 + 32.4 15 + 35.5

10 degs of slope + 13.5 (20.4) 6 + 22.0 12 23.8

8 + 4.7 6 + 5.2 (6) 6 + 6.7 9 + 7.2

7 − 0.7 6 − 0.5 (Grade) 6 + 1 7 + 1.1

nail on base of fir stump to which cable is attached

East of creek 1245 yds
West " " 5396 "
Total No of cu. yds 6644

approximately 1000 yards earth the remainder solid rock

5.50 / 5.40

10.7 / 3.2 / 7.5

16.1 / 15.4

11.7 / 10.2 / 1.5

Graham apl 30 09

Beg at 1/4 cor. on W side Sec 31 - 27-5
Thence E.

638' creek

~~1169~~ ~~set post for Lot cor.~~

FB 8 B 0050


31.01
18.71 chs
19.42 A
20.75
985
15.60 A.
20.15
8.03 chs
19.77 A
12.11 A.
20.75
21.97
5.75 chs
19.80
12.90 A.
6.25 chs
9.66
19.31 chs
1/4 Cor.

May 7 - 09

J C Fullerton

S.E. Cor Lassen & trs

a W.O. 18" N 66 W. 73

(Notes) " " " 18 N 70 W. 68

Cor of fence should be moved 6¼ lks North and 2½ lks. West

S. C. Bostrom June 18 - 19

Bearing trees at E. end of division line

Oak 14" S 42° W. 25 lks

" " 16" N 38 W 94 lks.

¼ West end

W.O. 5" S 22 E 29½

Madrone 14" N 74 E 45 lks

---

meander for east line of 20' Road

Beg. at pt 2.74 chs. E. of S.W. cor. 35½ acres

thence S 12° 45' W. 3.38

" S 26° W. 1.87

S 60° W 1.10

South 6.28

S

FB 8 Pg 0051

198

alder	S 45	2.00	
S 45 E	1.42	93.8	
S 79½	3.00	198. to Wint	
S 67 E	10.75	709.5	
S 57½ E	11.50	759.	
S 63¼ E	4.82	318.12	
S 74¼ E	4.75	313.50 to W. E. Sagely	
S 84¼ E	5.75	379.50	
S 79½ E	6.80 (50)	434.0 454.	
S 77¾ E	9.80	647.	
N 69 E	9.48	620.4	
N 77½ E	8.85	584.1	
North	66.40		

1.42
6
8 5.2
8 5 2
93.7 2

1075
6
645.0
6450
709.5.0

482
6
289 2
2892
318.12

1150
6
6900
69.0.0
759.0.0

475
6
2850
285.0
313.5.0

575
6
345.0
3450
379.5.0

650
6
3900
39000
4290.0
55
1894.0

885
6
5310
5310
584.1.0

980
6
5880
5880
646.8.0

6
5640
5640
620.40

3/80
27

Low Ck Road

June 23-07 Alt 5850'

1350

4500

N31 E - 0 to 6

N28 E - 6 to 20

N30 3/4 E - 20 to 26+20

N51 1/4 E 26+20 to 27

N62 1/4 E 27 to 28

N65 E. 28 to 30

N64 E 30 to 31

N73 E 31 to 32.

N52 3/4 E 32 to 33

N89 1/2 E 33 to 34

S86 E. 34 to 39.

N89 E 39 to 40

N83 1/4 E 40 to 42

N81 E 42 to 45

N71 1/2 E 45 to 46

N40 1/2 E. 46 to 47

N18 E. 47 to 48

N12 1/2 E. 48 to 49

Bar Ck. Road Lands
June 23-09

	B.S.	H.I.	Elev
0	6.90	6.9	00.0
1.	6.60		0.3
2	6.10		0.8
3	5.80		1.1
4	5.6		1.2
5	5.		1.9
6	3.4		3.5
7	1.2		5.7
J.P.	9.4	15.1	
Bridge 8	8.		7.1
9	7.5		7.6
10	5.4		9.7
11	3.3		11.8
12	0.8		14.3
J.P.	8.8	23.1	
13	6.4		16.7
14	3.3		19.8
15	0.4		22.7
J.P.	9.7	32.4	

15 C 4"	0	15 C 4"	10
15 1.3	F 6"	15 C-1	10
15 C 1.	F 6"	15 C. 10	10
15 C 4	0	45 C. 5"	10
15 C 1.3	F 6	15 C 1.10	40
15 C 1.6	F 8"	—	20
15 C 1.11	0	15 0	20
15 C 1.11	0	0	10
C 15 1.	0	15 grade	15
15 grade	F 6	15 C 1.3"	10
15 C 2.8	F 6	15 C 9"	45
15 C 1.10	F 6	15 C.6"	10
15 C 10"	0	15 grade	5
15 grade	0	15 grade	
15 grade	0	15 grade	
0	0	0	

	R.R.	H of I.	Ele.
16	6.8	32.4	25.6
17	3.2		29.2
J.P.	9.9	39.1	
18	6.7		32.4
19	2.3		36.8
J.P.	10.2	48.0	
20	6.5		40.5
21	3.3		43.7
22	1.0		46.0
J.P.	10.2	56.2	
23	7.3		48.9
24	5.8		50.4
25	4.0		52.2
26	1.0		55.2
26+20	0.7		55.5
27	1.4		54.8
J.P.	8.7	62.5	
28	8.6		53.9
29	4.9		57.6
J.P.	10.0		

	0	0	0	
	0	0	0	
	15 / C 1.9	F 8"	15 / C 1.3	
				15
Sta 19	15 / 1'7"	F 6"	15 / 10"	
	15 / C 2'8"	F 6"	15 / C 1.6'	20
	15 / 3.11	0	15 / grade	35
	15 / 2.8	F 6"		30
				20
	15 / C 2'10"	C 4"	15 / grade	
	15 / C 3.5	0	grade	25
	15 / C 3.9	0	"	45
	15 / 5.6	0	"	65
	15 / C 5.6	0	"	65
	C 15 / 8"	F 4	"	20
	grade	F 1.6	"	
	15 / C 4'5"	F 10"	"	25
				50
				410

FB 8 Pg 0055

	R.R.	H.I.	Ele.			
30	5.1	67.6	62.5	15 / 2.8'	0.8"	grade
31	2.9		64.7	~~C 1.6~~ 15	0	"
32	0.2		67.4	15 / C 2.5	0	15 / C 1'
J.P.	9.7	77.1				
33	6.7		70.4	15 / C 4.3	0	15 / C 1'
34	2.2		74.9	15 / C .5'	0	15 / C 1.6"
35	0.2		76.9	15 / C. 2.8	0	15 / F 6"
J.P.	9.8	86.7				
36	8.9		77.8	15 / C 2'11"	F8"	15 / F 1'1"
37	7.6		79.1	15 / C 2.2	F10"	15 / F 1.5
38	3.7		83.0	15 / C 1'2"	0	15 / grade
J.P.	10.3	93.3				
39	5.9		87.4	15 / 2.10"	C.4"	15 / F 8"
C+1.5 40	0.3		93.0	15 / C 2'4"	C 1'	15 / F 2'6"
J.P.	10.4	103.4				
41	7.2		96.2	15 / C 2'9	C 1'	15 / F 4.
42	6.5		96.9	15 / C .4'	0	15 / F 3'
grade 43	5.9		97.5	15 / C 2.5	F8"	15 / F 3'8"
44	4.4		99.0	15 / C. 2'2"	F10"	15 / F 2.8
J.P.	10.1					

20
30
40
60
20
20
15
20
15
50
20
10
25
375

	R.R.	H of I	Elev.
45	3.6	109.1	105.5
T.P.	9.3	114.8	
46	3.7		111.1
cut 47	1.8		113.0
47	2.6		112.2
T.P.	4.3	116.5	
49	6.3		110.2

	11 C 1'3"	C 1'	15 F 6"	33
Sta 46	15 C 3.6	C 2'	15 Q 3'	95
				194
	15 C. 5'6"	C. 4'	15 C. 3.7"	
	15 C 5'6"	C 3'	15 grade	194
				111
	15 3'1"	D	15 F 4.6	
				627

Lethe Road

June 24 - 09

(Var. 20½)

Beg at upper end ~~Sand~~ Crossing of log. R.R. N. & W. Ry

thence	N 67¼ W.	900'	to E. side of log. Spur.
	N 7° W	184	along R.R. Spur
	N 44° W	225	" " " to fir stump 36" dia.
	N 35° W.	170	" "
	N 60° W	290	" " to N. side
	N 26° W.	916	along N. side to center
	N 73° W	800'	along center to Glara Add.

Center of Lethe St. 10 chs and 25 ft

S. of ¼ cor. on N. side of Sec 4 - 33 - 6

Chainmen H. G. Sonnemann.

W. D. Hamilton

FB 8 P3 0057

FB 8 B 0058

Hanlin Bros.

July 10 ~ 09

Cr on E. end of Division Line

W.O.6 N56°W. 10½ lks

" " 6 S51 W 30 "

West mid. B.O. 4' S77° E. 29 lks

Changes in Crow Ck. Road
Aug. 4–09

Beg. at lower end

N 40° E.	1.73	J R 32-4 ¼ cor. bet 6-7, 11 bears N 39° E. 26.60 chs
N 47° E	1.65	
" " "	1.53	
N 50½ E	1.63	
N 54½ E.	1.50	
N 61 E	1.37	
N 54 E.	3.20	
N 34¼ E.	3.15	
N 16 E.	1.22	
" " "	1.05	
N 21 E	2.90	
N 32¼ E	4.35	
N 47½ E	1.70	→ graded road
N 59½ E.	1.50	
N 75½ E.	1.37	
N 56 E	7.00	
N 47¼ E	3.75	
N 16½ E	8.90	
N 38 E.	8.20	
	57.90	

FB B Pg 0059

N 19 3/4 E	2.95
N 46 3/4 E	2.40
N 34 E	2.72
N 36 E.	5.32
N 53 1/2 E.	3.66
N 54 E.	3.76
N 85 1/2 E.	5.50
N 89 E.	4.70
N 75 E	0.49 to 1/4 cor.

29 50
57 70
87 20

Cow Clk. Road
Change through Lilen

Beg at Lower end.

N. 11 W.	6.24	
N. 9¾ W.	12.13	to pt. 13 lks E. of forty cor
N 6¼ E.	2.60	
N 17 W	2.07	
N 41 W	7.00	
N 42 W	4.00	intersect old survey

FB 8 Pg 0061

Coon Ck Road

Change through Mc Ginnis

Beg. at pt. about 300 yards S.W. from N.E. cor. of sec. 34

S 35½ E.	3.17	
S 20 E.	2.15	
S 60 E	1.96	
S 59 E	1.92	
S 74 E	1.80	
N 81½ E.	1.62	
S 79 E	1.76	
S 81 E	1.60	Cross sec. line
" " "	1.32	
S 30½ E	1.70	
S 25½ W-	1.35	
S 57½ E.	3.30	
S 62½ E.	1.63	
S 56° E	1.85	
S 62 E.	1.79	
S 14 E	1.33	
S 12 E	1.32	

31.47

	31 47
S. 54 E	1.22
S 73 E	1.68
S 80 E.	1.77
S 83° E.	1.50
S 88 E.	0.75
S 84 E.	0.81
S 49 E.	1.30
S 74 E.	1.28
S 4 W.	1.63
S 2° E.	1.77
S 11 E.	1.47
S 17½ W.	2.15
S 13 W.	1.39
S 2½ W.	~~1.82~~ 1.32
Δ 13 E.	2.00 intersect old road mark W. f 12" elm
	5351

31 47

FB 8 Pg 0063

Low Ct. Road

Change above 9 M. Post

Beg at bound and mark fir 24" diam

S 32 E.	1.88	
S 43½ E.	16.10	
S. 33 E.	4.00	
S 48½ E.	4.50	
S 39 E.	4.12	
S 26½ E.	2.83	
S 68 E.	2.50	
N 85 E.	7.00	
N 83 E.	3.50	
N 53 E.	1.75	
N 48 E.	3.30	at 0.50 enter to side hyp
N 72 E.	2.65	
S 31 E	1.85	to fir 36" diam and
	6598	intersection of road

FB 0 Pg 0064

Cow Ck. Road

Change next below the Meadows

Beg. at bow end

~~N. 47 3/4 E. 4.95~~

~~N 11 1/2 E. 2.35~~

Chainmen
G. M. Palmer
W. C. McClannie

Beg. at pt. in the old road from which the 1/4 sec. cor. bt. bears N. 23° W. 2.88

Chainmen
N 47 1/2 E 4.75 4.25 on Springer
N 89 E. 13.92
N 76 E. 1.67
N 44 E. 4.42 400 ck.
N 55 E. 4.10
N 38 E. 3.17
S 89 E 1.78 to fir 24"

Cow Ck.

Upper part

Marked for 16"

N. 54 E.	3.07	
N 47½ E.	5.13	
N 86 ¾ E.	5.46	
N 25½ E.	1.50	
S 83 E.	9.65	
S 50 E.	6.50	
S 60 E.	1.20	
S 57 E	1.70	
S 44 E.	2.50	
S 52 E.	1.64	
S 44½ E.	1.90	
S 54 E.	1.42	
S 64 E.	4.50	
S 18 E.	2.40	
S 49 E.	1.65	
S 78½ E.	4.10	ck
S 71 E.	2.90	
S 76 E	3.80	
	60.96	

FBB Pg 0066

	S 09 3	
	60.96	
S. 75 E.	4.02	
S. 54½ E.	3.40	
S 62 E.	2.27	
S 38 E.	4.50	
S 55 E.	2.85	leave Aytch inter Stone
S 23 E.	2.93	at 2.00 mark. White f. 6" IM
S. 66 E.	2.05	
S 18 E.	2.16	
S 35 E.	2.63	
S 48 E.	1.70	
S 17 E.	2.22	
" " "	1.85	
S 15 E.	3.30	to crak
S 20 E.	1.83	
S 50½ E.	1.74	
S 51 E	1.60	
N 73 E	5.30	
S 89 E.	2.07	
S 50½ E	0.75	intersect 15.50 S. 7.
	29.20	¼ cor. on E side of 24

	74.05	1444 357 1801	
	30.13		
S 50½ E	1.25		
S 77 E.	5.50		
S 78½ E.	5.52		
S 53½ E.	3.58		
S 68 E.	4.25		
N 81 E.	3.50		
N 32 E.	3.03		
N 45½ E.	2.23		
N 46 E.	4.38		
N 67½ E.	3.13		
N 86¼ E	3.55		
N 72 E.	4.00		
N 82½ E.	5.52		
N 60 E	4.00	at 0.43 mark Pin 5' 2 M.	
N 53 E.	1.29		
N. 71¼ E.	3.20		
S 88 E.	2.35		
S 63½ E.	4.60		
S 82¼ E.	5.00		
	1444		

	1801	
N 70½ E	2.23	
N 41 E.	2.14	ck.
N 66 E.	1.50	
S 30 E.	0.90	
N 45 E.	3.06	
East	1.68	
S 56½ E.	1.21	
S 66 E.	1.25	
S 71¼ E.	1.00	
S 77 E	1.65	
S 85 E.	1.15	
S 77 E.	1.17	
" " "	1.00	
S 75¼ E.	0.80	
S 63 E.	1.68	
S 65 E.	1.53	
S 52½ E.	2.40	
S 39½ E.	1.50	
	4581	

FB 8 Pg 0069

45,81

S 32 E.	1.54	
S 73 E.	1.00	
S 70 E.	1.20	
N 85½ E.	1.53	
N 84½ E.	1.50	
N 82 E.	2.10	
N 67 E.	3.35	
N 89 E.	2.65	
S 76 E.	2.55	
S 86½ E.	6.40	
South	2.45	
S 84 E.	2.19	
N 77 E.	2.08	
S 73½ E.	2.95	
S 63 E.	1.35	marked laurel 18" 3 W
S 75½ E.	2.28	
N 72 E.	1.70	
S 76½ E.	1.56	
S 66½ E.	1.30	

B 449

	7.49			
S 64 E.	3.05			
S 69 E.	1.95			
S 76 1/4 E.	3.22			
S 84 1/2 E.	2.70			
S 69 E.	5.00			
S 80 E.	5.95			
N 39 E.	3.11			
N 11 E.	1.01			
N 17 E.	1.00			
N 6 1/2 E.	1.17			
N 76 E.	1.32			
S 24 E.	1.65			
S 10 E.	2.70			
S 17 E.	1.81			
S 67 1/2 E.	5.75			
S 44 E.	4.27			
S 84 E.	3.20			
S 47 1/2 E.	3.61			
N 43 1/2 E.	3.46			
	63.42			

FB 8 P3 0071

	9897
	63.42
N. 79 E.	4.58
N. 67½ E.	3.90
S. 84 E.	3.92
S. 88 E.	3.15
N. 81 E.	1.75 Marked Fir 30" AM.
N 82 E	1.06
S 73½ E	1.15
S 79 E	1.40
S 54 E	1.66
S 42 E.	1.04
S 39 E.	1.38
S 52½ E.	0.78
S 39½ E.	1.30
S 45 E.	1.07
N 79 E.	0.90
N 69 E.	2.13
N 74 E.	1.33
S 4 E.	1.43
S 29 E.	1.44
	19.77

	20.49
S 39 E	1.12
S 60 1/2 E.	1.39
S 81 1/2 E.	0.79
N 81 1/4 E	0.83
S 89 E.	1.34
S 77 E.	1.00
S 69 E.	1.69
S 76 E.	2.32
N 87 E.	1.00
S 73 E.	1.65
S 45 E.	0.93
S 48 1/4 E	7.10
S 64 E.	1.42
N 75 E.	0.88
N 56 1/2 E.	1.55
N 67 E.	1.08
S 39 1/2 E	1.37
S 80 1/2 E.	2.67
S 37 E	1.84
	53 50

intersect sec. line at 1 and 2

	7734		
	53.50		
S. 20 E.	2.67		
S. 31 E.	1.46		
S. 44 E.	1.10		
S 49½ E.	1.62		
S 66 E.	1.36		
S 75 E.	1.38		
S 40 E.	1.09		
S 52 E.	1.50	Ck.	
S 25 W	1.88		
S 1½ W.	2.43		
S 66 E.	1.40		
S 48½ E.	6.00		
S 17 E.	4.26	at 2.6 mark for 24" Elm	
S 22½ E.	6.05		
S 70 E.	6.56		
S 74¼ E.	4.40		
S. 1° E	3.60		
S 19° W	1.96		
S 37 W	3.14		

δ 2 W. 1.84

δ 19½ E. 1.76

δ 34 E. 1.14 mark W. f. 26 R.

Chairman

John Williams

J. C. Ollinghouse

Frank Albro

Geo. Chaney.

FB 8 P00075

Glendale Road Dayr - 09

Beg. at copper inscribed mark Redon post on S. side of beg pt. from which a Shinkapin 7" N 71½ E 176 lks
" Pine 8" N 79 E 195 "

Bearing of Road S 69 W.

3280
3228
5200 feet

Lower end bears N 23½° E. 1080 ft. from SW. cor. of Sec. 36, T 32 S., R 7 W.

Field Book No.8

Pages 76 - 77 Blank

FB B Pg 0078

		3 ft. posts
N.52W	375	17.00
N88W.	153	7.00
N40W	83	3.77
N25W	108	5.00
N10W	195	10.35
North	483	to 22.40 ck course



Declinations

Thurs. Aug. 3-05	7 A.M.	17° 36' 55"
	8 " "	17 - 35 - 52
	9 " "	17 34 - 56
	10	17 34 - 9
	11	17 - 33 - 25
	12	17 - 32 - 46
	1 P.M.	17 - 32 - 7
	2	17 - 31 - 33
	3	17 - 31 - 2
	4	17 - 30 - 40
	5	17 - 30 - 27
Friday Aug. 4	7 A.M.	17° - 21' - 13"
	8	17 - 20 - 10
	9	17 - 19 - 14
	10	17 - 18 - 27
	11	17 - 17 - 43
	12	17 - 17 - 3
	1 P.M.	17 - 16 - 25
	2	17 - 15 - 50
	3	17 - 15 - 20
	4	17 - 15 - 00
	5	17 - 14 - 44
Saturday Aug. 5	7 A.M.	17° - 5' - 10"
	8	17 - 4 - 5
	9	17 - 3 - 9
	10	17 - 2 - 19
	11	17 - 1 - 33
	12	17 - 0 - 53
	1 P.M.	17 - 0 - 13
	2	16 - 59 - 37
	3	16 - 59 - 7
	4	16 - 58 - 42
	5	16 - 58 - 26
Sunday Aug. 6.	7 A.M.	16 - 48 - 54
	8	16 - 47 - 49
	9	16 - 46 - 53
	10	16 - 46 0
	11	16 - 45 - 17
	12	16 - 44 - 37
	1 P.M.	16 - 44 - 0
	2	16 - 43 - 21
	3	16 - 43 - 0
	4	16 - 42 - 26
	5	16 - 42 - 10

Reclain E. bdy. of Sec. 12

North fond Klamath Trail

8.00	begin to ascend
11.70	spring branch
15.99	Angelica
25.33	My ¼ cor
35.75	Settlers trail

Monday Aug. 7 -	7	a.m 16° - 32' - 18"
	8	" " 16 - 31 - 1
	9	16 - 30 - 18
	10	16 - 29 - 28
	11	16 - 28 - 40
	12	16 - 28 - 00
	1	P.M 16 - 27 - 19
	2	16 - 26 - 42
	3	16 - 26 - 9
	4	16 - 25 - 4K
	5	16 - 25 - 39
Aug 8	7	AM 16 - 15 - 30
	8	16 - 14 - 29
	9	16 - 13 - 30
	10	16 - 12 - 46
	11	16 - 11 - 52
	12	16 - 11 - 12
	1	P.M. 16 - 10 - 31
	2	16 - 9 - 54
	3	16 - 9 - 21
	4	16 - 9 00
	5	16 - 8 - 40

Rock corners for Sec. Cors

Interior notch on S. end of E. Exterior N and S.

1/4 Cors. mark 1/4 on W. for N and S lines

" " " " " " N " E " W "

Sec. Cor Posts mark T. on N. E. face

" " R. " SE "

1/4 Pits mark 1/4 S 21 on W face 22 on E

" " " " " 9 " N " 16 " S.