Field Book #10

F.B. #10

Typed To Try & Interpret & Preserve Almost Illegible Pages - 1979 By V. Laugen

Douglas Co. Surveyors Records

Note: These typed (interpreted) pages were NOT scanned

0001

Survey of Big Meadows in
Curry Co Ore. Beginning
at Sec. Cor. Tp 32 S Rg & S W Cor R 10
Thence West on North bndy of
Sec 1 Tp 33 - 10
3.00 Red Fir 48 in dia
9.20 Small creek NE SW
20.00 Enter opening
26.00 Small Cr N W
32 " "
40.00 Set rock for 1/4 Sec Cor
A W Oak 14 S 17 1/2 E 396 lks.
44.00 Small Ck East & South
58.00 " " "
80.50 to cor

0002

South betwn Sec 1 & 2
6.00 Entr timber
9.62 Red Fir 40 in dia
Hill slopes to South some
Good timber is Fir)
20.00 Leave timber
23.25 Billings fence enter garden
25.75 Leave garden
83.50 Small Creek SE.
40.00 Set post for 1/4 Sec cor
A Black Oak 20' dia brs S50E 9 lks.
a " " 20 " " S80 3/4W 85

Begin at 1/4 sec cor betn 1 & 2
and run West.
10.00 Enter Fryes field
20.30 Leave field course of fence
NW S.E.
40.00 Set post for centre of
Sec 2 from which
a yellow pine 20 in diam brs
N 1°W 93 links

May 28 - 1908
Survey for Nel Billing.
Begin at 1/4 Sec cor betn 1 & 36
and run South down hill
10.00 Scattering timber. Brushy
? Cross orchard land

20.00 Set post from which a
Forked Fir 36 in brs N.55°W 45 links
A Fir 38 brs N 27°E 29 "
Thence west
2.00 Small Cr SS.W
7.50 " " SSE
12.00 " " N & S
20.00 Set post from which a
~~Fir 48 in dia brs S56°W. 48 links~~ OVER
~~Pine 20 in brs~~

Pg 0002 Cont.

Fir 48 in dia brs S.56°W. 48 links
Bl Oak 20 in " N.24°E 63 " "
N 2 Billings Land SE 4 SW 4 63 ".
of NW 4 and SW 4 if BW 4 Sec 1, 33-10

(35)

Dec 9, 10 1909
Survey for R L Jones
Begin at 1/4 Sec cor on Sth bndy
of Sec 8 Tp 29-3 Set per field notes
S.87°40'W var - 20°E

ch	
4.75	Centre Fish Creek. N & S
5.00	Ascend hill
23.40	Top of ridge (?) trail B,20°W
23.50	Descend
25.00	Bottom of small dry ravine S.60°W
	acend small ridge
30.00	Top of small ridge S 60°W
	Descend
32.00	Bottom small dry gultch S 80°W
	Descend
37.50	top small ridge S.80°W
	Descend
39.00	Jones Creek N & S
43.00	to Sec cor

(36)

May 1913
Begin on North bnd Sec 33
100 ft West from Cow Creek
and run var 20°15'E
S7°E 235 ft 3.56 chs 65 ft to Creek
S.42°20'E 200 ft 3.03 chs 60
S.35°30'E 300 ft 4.54 35
S 42°15'E 300 7.57 40
S 15°30'E 215 3.25 35
S 6°00'W 150 2.27 30
S 5°30'E 180 2.72 35
S 9°45'E 800 12.12 50
S 16°00'E 344 5.2 40
to point in Road from which
center of Sec 33 brs S 89°30'W
187 ft 2.83

(51)

Sept 21 1909
Begin at 1/4 Sec cor on North
bndy Sec 33 and ran South
on true line -var- 22°40'E

From 1/4 Cor on W Bndy
run East on true line var 20.30
at 42.24 intersect true N & S line
true center of Sec 33

Set post marked CS 1/16 S
21.12 East of 1/4 cor on West
bndy Sec 33 from which
A Fir 30 in brs S.50 1/4°E 27 lks
A " 32 in " N 51°E 30 lks

Set post center of Sec from which
A Fir 18 brs S 39 1/4°W 16 1/2 lks
" " 42 in " S.57°E. 61 "
" " 24 " " N.45 1/2 W 64 "
" " 30 N 42 1/2 E 105 "

51 1/2)

Sept 17 1909
In A.M.
Begin at post set 20.59 East
of center of Sec. 31 Tp 31-3
and ran S.0°12'E -var-20°E
40.00 to point supposed to be
corner 1/16 and on Tp. line
South bndy of Section

Sept Set 1/4 Sec post on South
boundry of Sec 33
at 40.46 East of SW cor -var- 20°E
from which a Fir 12 in brs S.77 3/4°W 1.25
" " 36 " " N.38 3/4°W 1.20 1/2

Sept 20 1909
John Albro under oath
swears that stump on North
bndy Sec 33 is witness tree
for 1/4 Sec cor

Set 1/4 Sec cor on North bndy
of Sec 33 as per original certified
notes only one B.T. and it is
cut off and destroyed. I put in
2 new BTs in Sec 28 No trees
in 33
A W Fir 32 in brs N.20°15'W 1.68
a Red Fir 30 in brs N.15°15'E 14.4 1/2

Sept 20 1909
Put in N.W cor 33 old BTs
badly decayed
marked CS A Fir 12 in S 76 3/4°E 31 lks
" a Fir 12 in S 32 1/2W 59 "

Set post for 1/4 cor on East bndy
of Sec 33 from which
Fir 36 in brs N.63 1/2°W 79 lks
" 20 " " N 17 1/4°E 65 lks.

(52)
Begin at NW cor Sec 31
and ran East var 20°E
44.12 to random N & S line
intersect 68 links North of
Stake 80.00 North of 1/4 Sec post on
South boundry of Sec
Sept 16 1909 31-3
Set a post for center of Sec 31

from which
A Pine 20 in brs N.40°30'W 80 lks
" " 35 " " S.24°W 84 "
" " 30 " " S 77°30'E 1.33 "
" Fir 12 " " N 79°E 1.03 "
Begin at center of Sec 31
and ran S.89°30'W on true
line
20.48 Set a post marked 1/16 S C.S.
from which
A Fir 32 in brs S.65 1/2°W 21 links
A " 24 " " N.53°W. 25 "

Begin at (?) cor post and ran
S.12'E on
28.50 ch to South bndy of Thomas
land
Begin at post Set for center of Sec 31
and ran N.89°30'E on true line
through center of Sec 31
7.00 Meadow Creek N & S
20.59 Set post marked CS 1/16 S
from which
A Fir 18 in brs N.19 1/2°E 20 lks
A " 24 " " S 61 1/2°E 37 "

53)
Chainmen
Farnam
Johns

Booth
Hobbs

Sept 13, 1909
Survey made for J.W. Thomas
John William
Jacob Laskla chainmen sworn
Beginning at the 1/4 sec cor on
west boundry sec. 31 tp 31-3
Thence East var 19°45'E on random
83.43 intersect 107 links S of 1/4 cor
Sept 14 1909
Begin at 1/4 sec cor on South bndy
of sec 31 and ran North -var- 20°E
on random through center 31
40.02 intersect (?) random line 42.24
East of teh 1/4 sec post on West bndy of
Section
Sept 15, 1909
Begin at NE cor of Sec 31 and ran
West -var-20°E
41.30 intersect 146 links North
of point 80.00 North of 1/4 cor on South bndy
of Section

54)
Cor Secs 11.12.13 &14
Tp 32-5
B.T.s
A W. Oak 10 in brs N.34°W 13 lks
" " " 10 " " N.40°45'E 30 lks
" B. " 9 " " S.42°E 32 "
A W " 10 " " S 37°W 76 1/2 lks.
Set post in Cow Creek
for 1/4 Sec cor betn 12 & 13
from which a 3 foot butt brs
S 73°15'W 2.95 links
an Ash 20 in brs N 56°W. 264 lks

Sep 9 in P.M Begin at NE cor
of Sec 12, 32-5 and ran
West var 19°30'E
81.75 intersect 12 lks North of
corner

Begin at 1/4 Sec cor on south
boundary of Sec 12 and ran
North var 19°30'E
79.45 Intersect Sec line on
North bndy Sec 12, 40.00 West
of NE. corner

Sept 10 1909
Set a post in center on the
north bndy Sec 12 for the
true center 40.88 west of
NE corner
thence S.1°16'E on true
line through center Sec 12

(55)
Survey made Sept 8 1909
J.C. Bushman
J.B. McGinnis chainmen Sworn
Beginning at N.E. cor
Sec. 13 Tp 32-5 and ran
West var. 19°30'E
40.00 Cow Creek enter Johns land
80.00 Could find no evidence
of cor. or B.Ts
Sep 9, 1909
Thence West -var-19°30'E
40.56 intersect 6 links south
of 1/4 sec cor betn 11 & 14
which I set per original field
notes one bearing tree cut
down. I took stump as BT.
and put in new BT, a R
white oak marked 1/4 S C.S.
8 in dia brs
S 3°45'E 338 links
Come east to S.W. cor of Sec 12
could find only one B.T.
a W. Oak said to be 4 in in dia
S.69 1/2°W 119 links Set a temporary
Post and found place where
original B.T.s stood and
established cor as per original
field notes. I find the sec
80.12 chains from S.E. to S.W. cor
My line 4 links south.
Established cor. and new witness
trees at 11 am Sept 9 1909
in presence of
J.C. Bushman
J.B. Mc Ginnis
W.S. Booth
T.C. Johns
T.A. Farnam and
G.B. Booth

(56)
W M Ruggles
Sep 6 1909

Begin at NE Cor Sec 28 -31-4
and ran South - var 21°15'E
39.85 to post supposed to be
1/4 sec Cor. intersect 16 lks east of
post
Thence west -var- 21°25'E
20.00 Set post from which
an Alder 16 in. brs N.9°E 22 lks
A forked Alder 14 in N.58 1/2°W 12 "
Thence north -var 21°E
19.93 Set post from which
A Fir 30 in brs S.35 1/2°W 15 lks
" " 26 " " S.62 1/2°W 35 "

Thence East -var- 21°25'E
20.00 Set post
Thence East -var- 21°E in Sec 27
20.00 Set post from which a
Fir 40 in brs S.81°W 25 lks
A " 30 " " South 38 "

Thence South var 21°E
40.00 Set Iron buggy axle
I found some 60 links south
and 15 links west of my line
Thence west -var- 21°E
20.00 Set post supposed to be
on Sec line betn 27 and 28
Thence west var 21°25'E
20.00 Set post
Thence North 21°E
20.00 to post 20.00 West of
1/4 sec cor

(57)
Sept 3, 1909 in PM.
Begin at 1/4 post betn 28 & 33
and ran west - var- 22°22'E
40.46 intersect 62 links south
of corner
Begin at cor and ran east on
true line
20.20 Set post marked 1/16 S. C.S.
from which a a Fir 46 in bears
S.31°30'W 105 links
A Fir 50 in bears N.55 3/4W. 97 links
Established in presence of
some chainmen
G.W. Siles, J.W. Siles and
John Albro. All residents of
Galesville Ore.

Sept 4 1909

Begin at 1/4 Sec post between
Secs. 28 and 33 Thence
East 20.00 - var- 21°30'E
40.92 to Sec cor
Intersect 75 links North of Cor.
only one B.T. in Sec. 27 A Laurel
Other BT destroyed.
Begin at NE cor of Sec. 33
and run South - var- 21°30'E-
at 40.00 find no evidence
of 1/4 cor or line, found Fir
tree blazed with one axe mark
Sept 5
Begin at point 40.00 south
of NE cor Sec. 33 and ran south
44.00 Spring gulch E & W
80.55 Intersect 1.78 west of corner
at 40.27
Set 1/4 Sec post on true line
which is 2.85 south of random line N 88 3/4°E
Section is 82.86 E.W betn 1/4 Sec posts

(58)
Survey made Aug 31, 1909
J.G. Bushman
J.B. McGinnis and chainmen sworn
Set a stake on high bank of
Cow Creek and followed a line
of blazes east - var 21°15' -
at 20.00 line was 10 links north
of old blazed line
(?) 40.61 intersect 67 links
North of corner
Begun at S.W. cor of sec. 33 and
ran east on random var 21°15'E
40.00 Cow Creek found mistake
of 50 links in chaining west
80.93 intersect 40 links south of corner
Sept. 2
Begin at sec. cor Sec 33 and
ran north - var. 21°18'E
41.25 to 1/4 Sec cor intersect
2.80 east of cor

N.B. Charles Cheney under oath
says stake set by Germond is 1/4 cor
on Sth bndy of Sec 33.
B
Sept 2nd 1909 afternoon
Begin at 1/4 Sec. cor btwn 32 & 33
and ran N.88°45'E -Var-21°15'E
20.00 set temporary post
40.00 " " "

(58 cont)
42.06 Intersect line ran by
Germond. (?) N.3°W
44.50 County road
45.00 Right bank Cow Creek (?)
Sept 3 1909
.85 Left " " "

60.00 Set Temporary post

(59)

Aug 17 - 1909
Survey of 80 acres in Sec. 6
Tp 30-3
Laeve Gilbaugh and
Henry Rach or chairmen
-Swoon-
Begin at point set by C.S.
at center SE 1/4 Sec 6
Thence North 39° E 20.00 - var- 20° E
East to bndy fence line 20.00
" 22.50 Fence
" 25.00 Creek
40.00
could not find B.C. for 1/4 cor
Begin at point 20 ch N 39° E
from beginning point and run
N0°39'E 19.62 to point set by C.S.
intersect 35 links west of point
changed var. to 19°30'E and
ran east set post marked 1/16 S
from thence I ran S.39'W

20.00 to point from which
a red fir 18 in dia brs S.9'W
57 links did not run west
to close. Moved first post set
20.00 ch N39'E from beginning to the east 17 1/2 (?)

(60)

Aug 13-09
Begining at a point 37.74
West of the SE of the Andrew
Thomas DLC no. 48

Thence	South	1.10	
"	East	18.05	
"	N 24 1/4	9.70	
	S 39 3/4° W	2.12	
	S 64 3/4° W	2.00	
	S 81 1/2° W	2.50	
	S 26° W	2.50	
	S 54° W	2.00	
	S 82° W	2.50	
	S 69 3/4° W	3.16	
	South	1.10	to place

of begining cont 8 acres more or less
-var.- 20° 10' E
field notes for Sec. 6, 30-3

Blue Same as above
Except East 17.72

	N 20 1/2 W	10.00
	S 39 3/4 W	2.80

(61)

July 22 1909

A Riddle
Maud A. Grant
Begin at SW Corner
Grace S Lagsdons Lot

Thence	N 38° W	6.06
"	S 36° W	1.71 2/3
"	S 38° E	6.06
"	N 36° E	1.71 2/3

to place of beginning

Blanch E Riddle
Begin at SW Corner of
Maud A. Grants Lot

Thence	N 38° W	6.06
	S 36° W	1.71 2/3
	S 38° E	6.06
	N 36° E	1.71 2/3

place of begin

Claud A Riddle
Begin at SW cor of Blanch
E. Riddle lot thence

N 38° W	6.06
S 36° W	1.71 2/3
S 38° E	6.06
N 36° W	1.71 2/3

to place of Beginning

Helena A. Riddle
Begin at SW cor of Claud
A. Riddle Lot
Thence

N 38° W	6.06
S 36° W	1.71 2/3
S 38° E	6.06
N 36! E	1.71 2/3

place of beginning

(62)

West approach
1st bent 23 ft. from center of pin
to center of mud sill
2nd bent 19 ft. centre
3rd " 19 "

Triangulation on West
side of river.
Turned off angle 90° to right
up river measured base 130 ft.
in angle 53° 32'

Tan 53° 30' 1.35224 x 130 = 175.79+
Levels on West side from
present stage water June 9 1909

+	12.16	- 0.02		
	10.30	- 2.59	24ft. 1st Bent +	Ele. 19.85
	11.50	- 5.61	2nd "	25.74

Set nail in ash tree 32 ft. above
water

July 22 1909
Survey of 6 acres for A Riddle
6 lots of 19 each
Ernest D. Riddle
Beginning at a point from
which the NE cor. of the Town
of Riddle bears N 61 1/2° E 12.30 ch.

Thence	N 38° W	6.06 chains
"	S 36° W	1 and 71 2/3 ch
"	S 38° E	6.06
"	N 36° E	1 and 71 2/3
		to place of begin

cont 1 acre
Grace I Logodon
Begin at SW corner of
Ernest D. Riddle
Thence

Thence	N 38° W	6.06
"	S 36° W	1.71 2/3
"	S 38° E	6.06
"	N 36° E	1.71 2/3

to place of beginning.

(63)


June 7, 1909

.25 to deduct

Umpqua Bridge Span 180.25
Casings 31 ft. long
from a point 1 ft. above water
(present stage) 31' 4" to high water
marks.
Levels ran 33.3 from point 1 ft. above water
on left bank 3 bent from river
ground 5 ft. below 33.3 levels
takes 3 more bents to reach 33.3 level
Grade on West approach 10%
" " East " left to
builders judgement, by instructions
of M. Fields.
Hieght of bottom chord 32 ft.
to bottom of chord above water
length of span from center to center
of piers 175 ft. 6 in.

(65) 30 - 5

North bwtn 21 & 22 var 18°10'E
16 Left bank of River
18.50 Right " " "
40.00 1/4 Sec B Oak 10 in N2°W 3.55
Laurel 6 " N 3°E 3.5 (?)
45.00 Leave bottom Var 18°30'E
80.00 Sec cor 15,16,21 & 22
W Oak 4 in S 75° E 30 links
B " 8 N 67° E 35 "
W " 10 N 75° W 225
" " 4 S 45° W 48
S 89° 30' W btn 15 & 22
404 1/4 Sec
B Oak 6 in N 25° E 62 lnk
" " 8 " S 45° E 12 "
48.20 B oak 12 in
80.08 Sec Cor
North Btwn 15 & 16
10.50 Pine 20 in
40.00 14 Sec
B Oak 8 in N 27° W 63
Laurel 10 N 35° E 43


FB No 10
10

FB 10

Survey of Big Meadows in County Co Rd. Beginning on SE Cor Sec 25 R9 E SW Cor. R10 thence west on north bndy of Sec 1 Sec 33-10

3,00 Rail fence due

7,20 Small Creek N E, S W.

20,00 Enter open mdw

26,00 Small Cr N S

32,00 " " " "

40,00 Six rods for 1/4 Sec on a W bnd 14 S 17½ E 396 ft.

44,00 Small Cr East S Bank

58,00 " " " "

80,50 to Cr

Sec

33-10

Sec 1 [illegible]

6.00 Enter timber

9.62 Red Fir 40 in dia

Hill slopes to South [illegible]

good timber - Fir)

20.00 Leave timber

23.25 Billings Fence E into garden

25.75 Leave garden

33.50 Small Creek S E.

40.00 Set post for 1/4 Sec cor

a Black oak 20 dia bears S 50 E 94

a " " " 20 " 1.58 0 3/4 W 85

Begin at 1/4 Sec cor between 1 & 2

and run West

10.00 Enter Joyce field

20.30 Leave Field crossed fence

N & W. S E.

40.00 Set post for centre of

Sec 2 from which

a yellow pine 20 in dia bears

N 10 W 93 links

May 28 - 1908

Survey for Net Billings

Begin at 1/4 Sec Cor betn 1 & 36.
and run South down hill

10.00 Scattering timber, Brush
15% class orchard land

20.00 Set post from which a
Forked Fir 36" bro N 55° W 45 lks
a Fir 38 bro N 27° E 29 "
Rhus mesh

2.00 Small Grs S.W X
7.50 " " S S E
12.00 " " N.S
20.00 Set post from which a
Fir 48 in dia bro S. 56° W 48 lks
Oak 20 in " - N 24° E 63 "
To ceiling land SE¼ SW¼. Sec 36
N 2 of SW¼ and S ½ of NW¼ Sec 1, 33-10

FB 10 pg 0002

Cloud Hall.

Begin at a post 20.00 ch
West of a post set for 1/4 Sec
Betn Sec 1 and 2 Tp 33 - 10
and run South

20.00 Set post from which
a B Oak 30 in brs S 50½ E 35 links
20.70 B Oak 36 in dia
27.50 Small Creek runs S.E.
40.00 Set post from which a
Laurel 12 in brs S 27° W 20
links
thence East
900 Small Creek runs S
20.00 Set post for Cor Sec 1, 2, 12 & 11
from which a B Oak 18 in brs N 68 E 20 lks
a Red Jack 30 in brs N 4° W 95 links
E½ SE¼ Sec 2
W½ SW¼ " 1

John Hall

Begin at SE Cor Sec 2 and run South

8.50 Small br S.S.E.

19.00 " " S§SE

40.00 Six rocks for ¼ Sec Cor bears Secs 11 and 12 from which a pine 20 in bra N 7 gons 22 links

" " 24 " " N 30½° W 39

NE¼ Sec 11

FB 10 pg 0003

Leo Frey

Begin a post 20.00 ch west of
Cor Sec 1, 2, 11 & 12 on run
north 20.00 to N.W. Cor Falls claim

12.00	Creek N 45
18.00	" S 8 W
19.50	Fir 36 in
20.00	Set post Cor N.W. Cor

Falls place from which
a Black Oak 14 in brs N 17 W 16 links
24.50 Creek N 45
36.00 " S 8 W
40.50 " " "
52.00 " " "
57.00 Enter Pines clearing
60.00 Set post for Cor Sec 2, 3, 10 & 11
From which a Fir 8 in dia
bears N 20° W 46 links
a Black Oak 30 in brs S 55½ W 30 links
S 3 S W 4 72 S E 4 Sec 2

West Bdry Sec 3 and 10

7.50 Steps running Small Cr Bears

14.50 Small Creek

20.00 Set post

40.00 Set post

60.00 Set post

69.50 West Fork main Trail

79.00 Fence of Trail S.S.W.

80.00 Set post for Cor Sec 3, 4, 9 & 10

a 2 inch oak 12 in bro N 64½° W 7 links

a " " 8 " " N 23½ E 8 "

Thence West on 5th bndy Sec 4

20.00 Set post from which

a Fir 30 in bro S 11° W 30 links

Top of mile mt bears S 55° W

Saddle peak N 7° E

Mouth Jones mile Creek N 9½° W

Run South 10.00 Set post

FB 10 pg 0004

May 30 1908

Begin at Cor. Secs 3, 4, 9 and 10

South

5,00 mile Trail S 44° W Top of ridge

13,00 John Walls Trail

20,00 Set post from which a Black oak 16 in brs S 51° E 11 links

27,00 China Creek S.W.

38,00 Set post for SE Cor Billings Claim from which a Fir 38 in dia bears N 9½° E 42 links Surface measure. Thence

West

5,00 Enter china Flat

17,00 Leave Flat, ascend Knoll

25,00 Set post from which a B Oak 24 in bears N 72° W 34 links Thence South

500 Set post from which a madrone 14 in bears N 6½° E 27 links

Thence West

15,00 Set post on top of ridge

Thence South

7,50

Thence West

4,00

Thence South

1,00

Thence West

10,00 To mile corner

July 6, 1908

Began at point 1,00 ch. S&E of the 4,00 ch. West and run West 8,00 to point 50 lks north of River

North 6,00 mile Gr. ap 5,00

West 6,50

North 1,00

West .50

FB 10 pg 005

2401
1150
1450

Survey of N Butler Sec 35-30-6

July 27-1908

John Ulam Esqr, Butler Chainmen

Begin at 1/4 Sec. cor betn Secs 26 & 35

Thence South

11.51 to SE. cor Lot

20.00 to Place of beginning

Thence

South 20.00 ch.

East 20.00 "

North 20.00 "

West 20.00 "

Containing 40 acres

Also

Beginning at a point 11.51

South of 1/4 Sec post betn Sec 26 & 35

South 14.50 from which a W oak

3 inch W 26 links

a W oak 20 bears N 18 1/2 E 61 lks

Thence

FB 10 p 0006

from point 1:5 1 Sh. ran
N48,90 intersect 7 lines shoes

N Beds line is 5,94
SR 7,50 Ch --

$\frac{6}{9} \sqrt{3} = \frac{4}{3} = 4$

N 55° 15' W 2.00 ch

N 51° 15' W 6.50

N 43° 40' W 1.09

North 7.50

East 45.93 E 5.97 to place of Begin

Containing 6.67 acres

FB 10 P 0007

July 16-08

Survey of recorded
lands part of J. C. Vandenbook
D.L.C no 47. Tp 30 - S. R 6 W

Beginning at a post 8.34
north of the N.E. Cor of town of
Riada. Thence

N 36° E 20.90
N 54° W 15.23 to a point 33.51
west of the N.E. Cor of J. C. Vanden-
book D.L.C. no 47. Tp. 30 - 6
Thence west 2.00 Thence
S 36° W 19.74
S 54 E 16.80 to place of Begin
ning Cont 3.54 acres ($\frac{1}{100}$)

Survey of mine Hagley

Begin at S.E. mouth cor of

Dam of Hagley D.F.S. No 49 which is 22.30 chs

thence N.W.ly var 21° E

6.28 to junct 27 links S.E.ly of

Sun Inf Hagley

North

18.00

East 14.60 from which a

Tree 8 in bro S 46½ E 8 links

South 45' W

1800

West 8.58

Cont 26.51 acres

FB10 Pg 0008

J. A. Clark D.L.C. No. 40 29-6

Beginning at a point 7.11 ch. West and 2.50 ch north from the Cor. of Secs. 1, 2, 11 and 12

Beginning at S.W. Cor. J. A. Clark D.L.C. No. 40 29 S.R.6W thence East 44.48 ch

1	"	N. 14 3/4° W	11.31
2	"	S. 59° W.	1.50
3	"	S 18 1/2° W	1.50 ✓
4	"	S 12 1/2° E	90 ✓
5	"	S 6° W	6.50
6	"	S 68 1/4° W	1.50 ✓
7	"	S 82° W	1.50 ✓
8	"	S 84° W	2.00 ✓ 1.00
9	"	N 84 1/2° W	5.00 ✓
10	"	N. 58 1/2° W	7.36 ✓ 7.35
11	"	N 68 1/2° W	2.00 ✓
12	"	N 14° W	3.50 ✓
13	"	N 71° W	12.60 ✓
		South	18.00 to place of beginning

14 " N 66½° W 5,00

15 " N 63½° W 3,50

16 " N 80° W 4,80

17 " S 1¼ W 18,50 to the

from S.E. cor of claim #6
ran north 18,80 intersect 50 ch
west of post set
cont 40,12 acres
Dr. E.E. Boyne
Arbuta
Ore.

Clough Place
Jacob Flippy N.E. 30-4 "

FB 10 pg 0009

Sept 7 — 1908

Survey of Bank Lick place

N.F. Rhoades and [illegible] Bates

Chainmen — Sworn

Begin on N.E. Corner of the

John N. Burch S.E.S. No 46 in Sp 30-6

Run West — Var — 20° 45' E

16.30 Run North intersect Sec

line at 2.53 instead of 3.45 as

given in original field notes

and also 20 links West of 1/4 Sec

Cor. which was established

from one B.T. the other tree

could not be found.

Begin at 1/4 Sec Cor and run

North — Var — 20° 15' E — to Bates

38.60 Co Sec Corner

Sept 8 — 1908

Begin at 1/4 Sec post on Sp Line

Betn Sec. 19, 30-5 and 24, 30-6

and run West — Var — 20° 45' E —

to B. Rhodes water tank, due West

Beginning at 16.30 West of J.W. Burch

D.T.C. No 46 and run

Mesh.

25.00 from D.T.C on 65' main road

25.50 to Left bank, water - cons Creek

Begin at N.E. Cor of D.T.C No 46 & 61

and run South - Var 21°20'E

27.60 to Fence Corner

45.60 " - cor of Fence at Creek

FB 10 pg 0010

Survey of Field Lot overhead

Begin at NW cor, thence

S 30°30' W 6.10

S 39°30' E 3.00

S 35½° E
S 40° W 1.75

S 28¼ E 3.28

S 40- E 4.50

S 41¼ E 1.50
S 45¾ E 6.85
S 79½ E 2.05

S 18.00 N 1° W

N 53½° W 3.00
N 70½ W 3.25
N 68½ W 5.00
N 78¾ W 4.37
N 77½° W 5.00

cont 18.73 acres

M E Gregory
N½ SW¼ Sec 10-30-6

Sp 28-4 Sec 14

13.5° North of center and stake
to stake north of corner
13.50
1.45
12.05

FB10 pg 0011

Survey of Dixon T. Boughs
mine Beginning at a point
on Sec line betw Secs 11 & 14
32.00 chains west and 12.00 ch
South of the NE Cor of Sec 14
Mag Mc Course ditch is 3.50 chains East
Course South

Begin at N center end stake and
run S 30° W

0.70 Shoot 40 ft dist 10 ft East of line
.75 Rod for 30 in dia
5.00 Summit 200 West of line
12.00 Bottom 200 East
16.15 Rail West side
17.80 Brow cut 40 long
18.50 Summit 50 ft West of line

15.00 P to S End center stake

Thence S 60° E at 3.50 ch ditch

300 ft Set post S E Cor post yellow pine
300 " Center discovery mound 12 in
300 " SE Cor discovery, 12 in mound
a Rod 24 in dia

0011

Begin at N end center post
of yellow Jacket claim and
run S 60° E

2,50 ditch

300 Ft to NE cor post and also
the NW cor post of discovery cl-
on Some course

300 " to center of discovery

300 " " NE cor discovery

Begin at South center post
of yellow Jacket also the north
center post of Gray Eagle
and run S 30° W 1500 ft to SE end
N 60° W

300 to W, W cor

S 60° E

300 to NE cor ditch or 70 Ft
from South end Stake of
Gray Eagle run S 60° E

300, to SE cor ditch or 70 Ft

300 " S W "

Discovery No 3.
also a claim East of Gray Eagle
make the ~~Center~~ S.W. cor of
Gray Eagle. Center end post
of the unknown

FB 10 pg 0012

N 81° W 34.62

S 16° W 12.70

N 64½ W 35.35 To Co Road

N 30¼ E 3.68 To pers of beginn

given dimensions for 10 acres to be taken on ye E end

Begin at point on Co Road and run N 30¼ E 3.68 to Humphreys

S 81° E 34.62

S 16 W 13.65

N 64½ W 35.70 to place of beginning Cont 30 acres

Survey of 10 acres part of same lot. Begin NE Cor

S 16° W 13.65

N 64½ W 8.20

N 16° E 11.20

S 81° E 8.10 to place of Begin

Survey of 5 acres
same ground
Begin at SW cor.


N 16° E 12.50

S 81° E 3.87

S 16° W 13.65

N 64½° W 3.91 to place of beginning

Cont 5 acres



FB 10 pg 0013

1 P.M. Oct. 8, 1908

Survey of change in
Co. Road on north Campgaw
Beginning at a point in front of
Road from which the beginning point
in petitioned survey bears
S. 66° E. 3.52. -Var- 20° E.
R. Gruno and Sidney Schlos-
man Chairman - Sworn -
Thence on Vaughn's land Small Timber
N. 77° W. 2.00 ✓ Light Grade 2% + " "
N. 88° 15' W. 2.50 ✓ ✓ " "
N. 39° 15' W. 1.14 ✓ ✓
N. 8° 30' E. 1.50 ✓ "
N. 16° E. .50 ✓ ✓ 999
N. 22° 15' W. 50 ✓ ✓
N. 57° 30' W. 1.00 ✓ Ave 3%
N. 65° W. 75 ✓ " "
N. 53° W. 1.00 ✓ Enter Fuller land N. 5
N. 86° W. 75 ✓ Var 50 ✓ White oak opening Fence entered

300 N. of S. W. cor Lot 1 - Vaughn -

S, 78°30' W, 1,25 ✓ ✓

S, 66° W, 1,50. ✓ ✓

S. 53°30' W, 2,00 ✓ ✓

S, 74° W, 2,05 ✓ ✓

S, 79° W, 1,83 ✓ ✓

S, 73°45' W, 1,08 ✓ ✓

S, 60° W, 2,00 ✓ Enter plowed field

S, 65°15' W 7,86 ✓ ✓ 7,00 Small draw

S, 64°15' W 1,59 ✓ ✓ Enter oak grubs - and + grade

S, 62° W 1,75 ✓ ✓ 1,40 Run marker gulch

S 61° W 66 ✓

S, 54°15' W 2,12 ✓ 2,00 draw

S, 65°30' W 1,20 ✓ Enter clear land -

S 57°45' W 7,24 ✓

S 67°15' W 4,50 ✓ ✓ Rough 100 ft of 4% - 2%

S, 76° W, 5,77 ✓ ✓ - and + abt 100 ft 8% +

S 73° W 4,37 ✓ Cross fence

S, 65° W 1,00 ✓ To center county road

61,41

6 P.M., 1st day

6 (3) 7 61,41 FB10 P 0014


989

51,52

Oct 9 1908

Begin at center of 1st bridge East of School house Thence

N 73° 45' E	1,82	
N 43° 15' E	2,26	abt 4% +
N 60° 30' E	4,50 ✓	
N 68° 15' E		4,50 small dry Creek through field
		14,00 To East bndy of Evans land, and 30 ft wide Hughes lane N & S
		15,50 Enter Fillis land
	15,90	
N 77° 45' E	1,17 ✓	.5° Local attraction
S 69° E	3,37 ✓	
S. 39° 30' E	3,98 ✓	Leave Fillis land, Enter Hughes land
S. 39° E	3,60 ✓	To lower edge of Road
S. 51° 15' E	5,53 ✓ S 49° 30' E	1 3/4° Local attraction along road
S 31° 30 E	3,82 ✓ S. 32° 15' E	31° 45
S 26° 15' E	4,47 ✓ S. 25° 45' E.	26°
S. 32° 15' E	1,68 ✓	



S, 27° 15' E

S, 26° 45' E 4,53 ✓ 2.7

S 47° 30' E 2,14 ✓

S 70° 30' E 17,80) ✓ 14,50 Creek in N S

To point set on other Bank

Survey of Lot 1 Hughes

Begin at Cor Dec 13, 24, 1879

and run S, 2° 37' W (Var 20°)

3,20 to Bank of N. Umpqua

River and thence up

angle N 87° 23' W Base line 2,50

Dist across River 5,12

8,32 Left bank of River

19,59 to post set by Fenn

intersect 15 links East of post

thence S. 88° E 4,50 Road along River

Send copy to Surveyor Riley Darrow

" " W. J. Hughes Glide

FB 10 pg 0015

May 25 1908 date of Survey

Beginning at a point in the centre of the Co Road from Oakbrook to Glade said point being S. 80° E 10.50 from the intersection of the centre of said road with the west boundary of Sec 19, Tp. 26 S.R. 3 W. 2nd a post marked R. Thence I run as follows

N 47° W 1.89

N 48¾° W 2.43

N 31° W 1.73

N 40½ W 1.44

N 42½ W 2.00

N 1¾ W 0.96

N 15° W 1.40

N 48° W 5.50 Intersect range line 29.05 North of N 1/4 Sec Cor Sec 19-26-3

1.33

2.50

Brushy Branch

Survey for Faught + V. Bacon

Nov 16 — 1908

Beginning at point 452 East

of NW Cor Sec 18 T 19 N R 28 E

thence N 29° E, Var - 22° E


1900 ch intersect 63 links

East of Cor line shewed be

N 27° E,

Magnetic Cor of first claim is a

Beech 10 in dia



FB 10 Pg 0016

Survey of mrs Sethers Lot-

January 7 1908

Beginning on a point from which a point 8.34 ch north of the NE Cor of town of Riddle bears N 36° E 60 links

Thence N 54° W 6.00


" S 36' W 1.60

S 42° E 6.15

N 36° E 2.97 to place of beginning.

Begin Cont 137 a

FB 10 pg 0017



FB 10 pg 0018

Survey made Nov 20 1908

Begin at 1/4 Sec post between 23 & 24

Upon 34-35 and run East on

random thru center of 24

40.00 for Center of Sec thence

East 7.50 thence S 30 E

2,00 to Jones Fraud Cor. S 10 E

thence same line at 2,00

to line E of NW

Survey of improved land

Beginning NW Cor & run

South 2,16

East 2,57

North 2,10

West 2,03

Photo taken 3.50 SW of claim on Ridge

2nd Photo same taken to East

3 " " 1 " SW

2.83
2.10
2.03
5.26

59430

287
214
1722
287
574
61992

283
210
283
566
59430

Tp 34 - 5 Nov 21 1908

Begin at 1/4 Sec Cor betn 13 - 14

By original field notes and m

west on random through center

of Sec 14

10,00 ch to Edge of clearing

from which point Gibbs bearing

N 77° W 2,60

Jennings Cabin bears

S 75° W 2,90

Took 2 photo nos Seaborgs Cabin

from NW 10 Southerly - next

Took no 6 from Instrument

Point Began at 1/4 Sec Cor betn 13 - 14

and run North 20,00 and thence run

west 20,00 on random thru center

of NE 1/4 ascend hill 15,00 thence

along side of mt for 5,00 timber Gibs

2nd class north of line best good

to South Sugar pine 1st class

Dec 27 1905

Beginning at a point 220
nrly from S.W. corn- Hughes lot
thence N 5½ W 4.25 to Hughes Road
" S 61° E 1.95
" S 22° W 3.55 to place of begin
Cont 3/4 a

Change in County Road

Dec 27 1908

Beginning at point on Fully farm
Temp Line 1.30 East of post
on line S 46½ E 4.50 to place of beginning

Thence

N 39¾° W 4.66

N 47° W 6.55

N 60½° W to intersect Co Road

FB 10 pg 0022

@ Bagley Jeeter farm

Beginning at a point 106 East
of the N.E. cor of S Bagley D.L.C. #9-30-5

North 5,31 intersect 19 lks west of post mk
by county Surveyor

West 18.00

South 5.50 to fence

East 2.50 " "

South 20.77 intersect 25 lks West of Compost
East 15.60 to post Bigelow N.E. cor
N. 3° W 7.30.

East 0.80 to fence

N. 45° 30' E 14.90 to place of beginning

03055
2¢
03055
60116
60,415-5
180

14.60
91
73.69

23 | 30 | 13
23
70

Returned work Jan 22 1908

John Fullerton Earl

Chairman.

Began on post Set by Co. S. and

Ran North var 19.05°

	15.00	Fence
	16.00	post Set by Co with 20 Lks
		South of Line
	17.00	Creek N 75
	18.00	Set post
South	5.50	" "
East	2.65	
S 1° E	22.60	
N 88° E	14.60	to N & Cor Buglows
	13.69	to point of Lines west of Buglow
N 2° E	7.75	to post Set by C.S.
~~East~~	~~1.00~~	~~" Set by C.S.~~
North	14.85	to point 1.6 East of N.E. cor & Co
"	5.30	" of Beginning

In all 70.49 rods 15 + 22

2 p. 30. S R 5. W. 4363

Point

FB 10 Pg 0023

Survey made Jan 7-09
for Geo Ulam and Mrs Alice
G. Ulam and Chas E. martin Chainmen
Sworn

Begin at Falls Cor + run

West	13.75	intersect line 13 Limits South
South	18.12	" Limbeh 34 r 35 2 27 E 5-1/4 Lks
		thence run
South	20.00	var. 19°50' E
East	13.75	
N.	38.12	to place of beginning
	Contn	52.41 acre

January July 1 1909

Irrigation for N. J. Miller

Beginning at ¼ Sec cor between

Sec 29 and 30 T 30 S, R 5W

Thence East 20.00

South 15.00

West 20.00

North 15.00 to place of

Beginning Cont 3 a

FB 10 pg 0024

Survey for J.H. Emmett, J. Randrup

July 4 1909 — 7 hours

J.W. James, Chas. Ewer, Chainmen

Begin at point on line 22.7 north of E end line and run N 20° E

N 18½° E 12.54

S 24¾° E 25.65 along fence to N. Sly. Right of way

S 5° W 7.52 to place of beginning

N 85½° W 28.25 to place of beginning

Cont. 2802 a

Also beginning at S E Cor. of above and running

S 5° W 8.50

N 85½° W 2.50

N 5° E 8.50

S 85½° E 2.50 to place of beginning

Cont. 2.125

Bearings quad. DRC 31 - 30 - L

bears S 88° 10' E 9.55

Beginning at a point
40 ft. West of the S.P.R.Y. Right of way
fence from which the S.E. cor. of the
W½ W½ Quad. S.E. ¼ No 31 in Sec
13 T. 30 S. R. 6 W. Bears. S 88°10' E
9.53 chains Thence

N 1¾° W	25.65
S 18½° W	12.50
S 85½ E	25.70
1 S 5° W	8.50
11 S 85½° E	250
11 N 5° E	16.00 to place of begin
Cont.	30.149a more or less

FB 10 pg 0025

Mch 16 1909

Survey of part of John

Fullerton D.L.C. No 52, in Sec. 30-5

Begin at N.W. Cor. and run

So 0° 45' W	49.50
East	5.00
South	3.00
East	5.00
South	12.45
East	4.65
North	64.94
West	14.18 to place of beginning Cont 80.9

Survey of a part of Fullerton NSC no 52, Tp 30 rs 5E

Sec Cor of Sam Gozley N.C. no 49 as per field notes var 21E

Sec. S.W. cor of Fullerton NSC by measure, thence Bar 20E

East 14,67

North 60,00

West 14,18

S. 45° W 60,02 to place of beg

Beg Cor 86,68 a

Begin at SW Cor of C 52

South 7,12

East 14,67

North 7,12

West 14,67

Cont 10,44

FB 10 Pg 0026

J. G. Shaw May 1st 1909

Survey of a part of the Yerlark

D.F.G. No. Sec 22, 27 Tp. 30-5

Begin on a post set by co Cor

8,16 ch North of the S.E. cor of Sec 27

or 3,96 ch South of the N.E. cor of Sec 27

Thence

North	16,95.	Var 21°E
West	5,95 / 7,80	" "
S 28°15'E	18,43	" "
West	1,65	Var. 20°E Lo pence of beginning

containing 8,98 acres more or less

Note Offset 2,00 ch South from N.E. Cor. in River

May 19, 1909

Survey for Mrs M E. Rooney

Land to be taken from the NE¼ of S, W½ Sec 5 Tp 29. R 4 W.

Begin at a point 20.00 ch North of ¼ Sec cor between Sec 5 & 8

Thence — Var 20° E —

North	7.14
West	1.06 ✓
(S 4½ W)	
S 6° W	2.16 ✓
(S 3° E)	
S 1½° E	1.55 ✓
(S 16½ W)	
S 18° W	1.78 ✓
(2 ¾° E)	
S 1¼° E	1.76 ✓
East	1.58 to place of beginning

Note changed var to 18° 30' E to correspond with Co. & U.S. lines, courses to be corrected accordingly

Cont 92 a more or less

FB 10 pg 0027

Plat

Begin 27.4 north of ¼ Sec 5 T 8

36 29.5 B 4 W

Thence N 88°30 E 9.83 — Var 18°30' E

" S 23° E 90

" East 9.83

" North 13.44

West 20.00


South 12.86 to place of begin

Cont 26.21 A more or less

106.21

92

105.29



714
24
538
82
656
2000
144

1286
714
2000

FB 10 pg 0028

Dec June 2 1907

Survey of 5 acres for Burt Ross

Ross Ross chainmen

Begin on point 16, 00 ch
E 2½ x 4 bm S 78 ch a 3½ S 5 bm N 60 ch
East of the ¼ Sec for beginning
32 + 38 2½ 30 & R.S.T.
thence South 20° E
1 " 7,92
East 6,32
North 7,92
West 6,32 to beginning
Beginning cont 5 acres
more or less

FB 10 Pg 0029

Survey Summit Creek ditch


for Gilpatrick June 12 1909

Sta	Rod			
0	2,00		~~34~~	~~3,43~~
1	04	Cum 1 ft 2¾ in	34	3,53
2	,08		35	,57
3	,12	R	36	,61
	~~5,48~~	1	37	,65
4	52		38	,69
5	56		39	,73
6	,60	noon	40	,77
7	,64	Monday	41	,81 R
8	68			4,08 R
9	,72		42	,12
10	,76	R	43	,16
	4,38	"	44	,20
11	,62		45	,24
12	,66		46	,28
13	,70		47	32 R
14	,74	R		5,01 R
	2,49	"	48	,05
15	,53		49	,09
16	57		50	,13

17	64			51	18
18	65			52	21
19	69			53	25
20	73	R		54	29 R
	3,73	R			3,77
21	,77			55	,81
22	,81			56	,85
23	,85			57	,89
24	,89			58	,93
25	,93	R		59	,97
	4,69			60	4,01 R
26	,73				3,67
27	,77			61	,71
28	,81			62	-75
29	,85			63	,79
30	,89			64	,83
31	,93			65	,87
32	,97			66	9 1 R
33	5,01				4,47
34	,05	R		67	,51
				68	,55

FB 10 pg 0030

69	4.59
70	.63
71	.67
72	.71
73	.75
74	.79
75	.83
76	.87
77	.919
	2,90A
78	.94
79	.98
80	3.02
81	.06
82	.10
83	.14
84	.18
85	.22
86	26
87	.30
88	.34
89	38



90	142	
91	46	
92	150 ℄	
	308 ℄	
93	12	
94	16	
95	20	
96	24	End of Ditch

+ 3,24	- 11,80
0,35	11,95
0,42	12,15
1,29	11,95
- 0,80	12,05
0,15	12,05
95	11,93
0,78	9,88
798	9376
	798
	8578
	384
	8962

FB 10 pg 0031

June 13 1909

Survey for Irrigation Gilpatrick ditch

Begin at 1/4 Sec cor betn Secs 1 & 12 Tp 33. R 5 W thence

N. 62° E 5.25 ch
N. 56° E 6,00
N 60° W 2.00
N 45° W, 1.00
N 58° W 3,80
N 25° W 1,30
N 54° W .90 intersect 40 lines East of head gate

East 10.00 North 9.82
North 11.12

258 ft fall from Burkhead to wheel 90 ft fall

Otto Gilpatrick
Glendale

Time to head gate

Begin on a point 25 links west of head gate and run S 17° W, 12.20 ch intersect 70 links East of ¼ Section between 1 & 12 Tp 33 S. R 5 W

True course to ¼ Sec bro S 47°30° W 12.20 ch

66) 280 (4.2
264
160

Ditch 3.3 Top
1.5 deep
1.2 Bot
230 min inches.
(1 in = 1½ cubic ft per min)
90 ft fall 1 in = .217323 H.P.
Total H.P. abt 50

FB 10 pg 0032


N 2° W	3	Road
N 15° W	3	✓
N 9° W	4	✓
N 44° W	4	Small Cor. on Right angle
N 40° W	6	Road ✓
N 50° W	4	" ✓
N 35° W	3	✓
N 18° W	9	✓
N 14½° W	8	✓
N 5° W	6	✓
N 32° W	5	✓
N 27° W	1	✓
N 36° W	4	✓
N 15° W	7	✓
N 45° E	4	
N 22° W	7	✓
N 24° W		✓
N 35° W	6	
N 22° W	2	Buckhead

FB 10 pg 0033

Fro Rosa Ber 12 of 7
Begin at NW Cor
NW ¼ Section 5 T[illegible] Rn 42-30-6
South - 990.20
17.50
West 5.71 Bdry in fixed Fence
South 3.00 to Cen Co Road
Cont 8.85 acres

Begin at NW Cor DEC no 42
South 20.50
S55° West 4.87 - 4.58

Cont 10 acres



20.50) 10000 (487
820
1800
1640
1600

Point on Co Road last line
on west of 320 10 acre tract
is 3/4 chains

FB 10 pg 0034

Dec 9, 10 1909

Survey for R.F. Jones

Begin at 1/4 Sec cor on S.R. bndy of Sec 8 Tp 29 – 3 Sch pr Fred noted S. 87° 40' W Var – 20° E

ch	
4,75	Centre Jack Creek, n r &
5,00	ascend Ridge
23,40	Top of ridge Prairie trail N. 20° W
23,50	descend
25,00	Bottom of small dry coulee S. 60° W ascend small ridge
30,00	Top of small ridge & S 60° W ~~descend~~ ~~bottom~~ descend
32,00	bottom small dry gulch S 80° W descend
37,50	top of small ridge S 80° W descend
39,00	Jones Creek n r &
43,00	to Sec Cor

FB 10 pg 0035

May 1913

Begin on North bnd Sec 23
100 ft West from Coal Creek
and run Var 20° 15' E

S 7° E	235 ft	3.56 chs	65 ft to Creek
S 42° 20' E	200'	3.03 "	60
S 35° 30' E	300'	4.54 "	35
S 42° 15' E	500'	7.57 "	40'
S 15° 30' E	215	3.25	35
S 6° 00' W	150	2.27	30
S 5° 30' E	180	2.72	35
S 9° 45' E	800	12.12	50
S 16° 00 E	344	5.21	40

To point in Road from which
enter of Sec 33 bears S 89° 30' W
187 ft — 2.83

Field Book No. 10

Pages 30 - 50 Blank

9 rods 1/4 ch on W bank
run East on tangent line var 20,30
etc 4 2 1/4 intersect true meridian
true course N/Sec 33

Set post mound cs 1/4 &
21,12 East of C 1/4 cor on south
boundary Sec 33 T 4 N R 6 W

a 7 links 30 min bus S 50 1/2 E 27 ch
" " 32 links " N 37 E 30 "

Set post Center of Sec from which
a 7 links 18 bus S 39 1/2 W 7 1/2 ch
" " 40 links " S 57 E 61 "
" " 24 " " N 45 1/2 W 64 "
" " 30 " N 43 1/2 E 105 "

1900 FB 10 pg 51

Beginning at [illegible]

Bndy Sec 33 and run South

on true line N 23° 40' E

57 1/2

Sept 17 1909

Inv. Om.

Begin at post Sec 20, 29 Bear
of center of Sec 31 Tp 31 - 3
and run S 0° 12' E - Var 20° E -
40.00 to point supposed to be
corner 1/4 and on Sp. Line
South boundary of Section

Set Sec 1/4 Sec post on Sec R
boundary of Sec 33
about 1/2 East of Bridge - Var - 20° E
from which a 3in 12 in brs S 77 3/4 W 125
" " " 36 " " N 38 3/4 W 1.20 1/2

Sept 20 1909
John allen under of R
Sec on Rock stamp on north
bnd of Sec 33 in mound stone
for 1/4 Sec cor

Set 1/4 Sec cor on North bdry
of Sec 33 as per original unstated
note only one B.T. and this
cor found destroyed, & put in
2 new B.T.'s in Sec 28 witness
cor 33.
(R)
a W Pine 32 in bro N 20° 15' W 1.68
a R.B. " 30 " " N 15° E 1.44

Sept 20 1909

2. Set in new 1/4 cor 33 as B.T.'s
(R)
finally required
marked C.S. 1/4 1/2 in S 76 1/2 E 31 lks
" a Pine 12 " S 32 1/2 W 59 "

Sept 20 1909

Set B.T. post for 1/4 cor on South bdry
of Sec 33 from which
a Pine 36 in bro N 63 1/2 W 79 lks
" " 20 " " N 17 1/2 E 45 "

2900 FB 10 Pg 52

Begin at mon on S.L. 31
and run East var 20° E.
44.12 to Random N 75 links
intersect 68 links north of
Stake 80.00 north of 1/4 Sec post on
South boundary of Sec
Sept 16 1909
Set a post for center of Sec 31 T. 9 S. R.

from which

a Pine 20 in dia N. 40° 30' W 80 lks
" " 35 " " S. 24° W 84 "
" " 30 " " S 77° 30 E 103 "
1 Pine 12 " " N 79° E 103 "

Begin on center of Sec 31
and run S 89° 30' W on true
line

20,1/8 Set a post marked 1/16 C.S.
from which
a Elm 32 in bs S. 65½° W 21 links
a " 24 " " N. 53° W 25 "

Begin at wheel post and run
S. 12° E.
28.50 ch to South bank of Thomas's
Lane

Begin at post set for centre of Sec 31
and run N. 89°30' E on true line
through centre of Sec 31
" 7.00 Muddoo Creek N.B.S
20.50 Set post marked CS 1/16 S
from which
a Elm 18 in bs N 19½° E 20 lks
a " 24 " " S 61½° E 37 "

Sept 13. 1909

Survey made for Mr. Thomas
John Williams.
Scott Sackla Chainmen Smith

Beginning on the 1/4 Sec cor on
West boundary Sec 31 Tp 31 - 3
Rhode East Var - 19° 45' on random
8343 intersect 10 links S of 1/4 Cor

Sept 14 1909

Begin at 1/4 Sec cor on South bndy
of Sec 31 and ran north Var 20° E —
on random through center 31
40.02 intersect Q Random line 42.24
East of the 1/4 Sec post on West bndy of
Section

Sept 15 1909

Begin at NE cor of Sec 31 and ran
West - Var. 20° E
N 1/30 intersect 1.46 links North
of 10.00 North of 1/4 cor on South bndy
Abelon

8900
FB10
pg 53

Chairmen 1,46

Darnami 3/4

Johns 3/4

Booth 3/4

Keith

1,30
1,92
2 | 3,22
1,61
,30
,31

3,00

2
7
2,5

42.25
192
44.17
4,30
85,47
32,25
3,22

0054

Cor Secs 11, 12, 13 & 14

B.F.s 2232—5"

a W. Grade 10 in bn N 34° W 13 lks

" " " 10 " " N 40° 45' E 30 "

" B " 9 " " S 42° E 32 "

1 W " 10 " " S 37° W 76½ "

Set post in rock Grade

for ¼ Sec cor between 12 & 13

from which a 3 ft oak bears (R)

S 73° 15' W 2.95 links

an oak 24 in bn N 56° W 264 lks

Set a iron Pin at West

of Sec 12, 32-5 and run

mer var 19° 30' E

81.75 chains 12 lks north of

corner

FB 10 pg 54

S 0,55
79.05 57

Began at 1/4 Sec Cor on South
boundary of Sec 12, and ran
North var 19°30E
99.45 Intersect Sec line on
north bndy Sec 12, = 40,00 East
of NE Corner

Sept 19 1909
Set a post in earth on the
north bndy Sec 12 for the
true center 40.88 west of
NE corner
Thence S 1°16E on true
line through center Sec 12

0055

Running survey Sec 5 T 17 N

J.C. Buchanan

J.B. McGinnis Chainmen Survey

Beginning at NE cor

Sec 13, T 32 - 5 and run

West Var 19° 30' E.

Varies Considerable into Johns Fork

30.00 could find no evidence

of Cor. or B.Js

Sep 9, 1909

Thence West - Var - 19 30' E

40.56 intersect 6 links South

of ¼ Sec cor. Iron

which I set for original Field

Note. one Bearing tree cut

down. I took Stamp at B.J.

and put in new B.J. at

point 40.56 @ 6 links

which one Bearing tree

S 3° 45' E 38 Links

FB 10 pg 55

Come back to S.M. Cor. Sec 12
could find only one B.T.
a rock said to be 1 in dia
S 69½° W 119 links but a limb proj
pick and found piece where
original B.T. stood and
Established Cor. as per original
field notes. Find the Sec
80.12 chains from S.E. to S.W. Cor
my line 4 links South.
Established Cor. and new Witness
Trees on 11 a.m. Sept 9. 1909
in presence of -
J.C. Buchanan
J.B. McGinnis
W.L. Booth.
J.C. Johns
Jas. Farnham and
Self. B. Booth.

Thence South Var 21°E

40.00 Set Iron Buggy axle

I found some 60 links South

and 15 links West of my line

Thence West Var 21°E

20.00 Set post Supposed to be

on Sec line between 27 and 28

Thence West Var 21°25'E

20.00 Set post

Thence North, 21°E

20.00 to post 20.00 West of

1/4 Sec Cor

9500 Trm Ruggles

Sep 6 1909

Began at N.E. Cor Sec 2 T 8 S R 34 E
and ran South var 21° 15' E
39.85 to post Supposed to be
1/4 Sec Cor, intersect 16 chs East of
post.

Thence Nort-var-21° 25' E
20.00 to post from which
an alder 8 ins dia N 0° E 22 lks.
A Pine 14 " " N 35½° W 12 "

Thence north -var- 21° E
19.93 Set post from which
a Pine 30 ins dia S 35½° W 15 lks
" " 24 " " S 62½° W 35 "

Thence East -var- 21° 30' E
20.00 Set post

Thence East -var- 21° E in Sec 27
20.00 Set post from which
Pine 40 ins dia S 5° W 2 lks
" 30 " " Sec Cor E 8 "

FB 10 p 56

2500

Sept 3, 1909 in Sec. 7

Begins on ½ post bears S 1/8 W 53

and 0.4 links from Sec. 7, 12, 13, 18

4046 intersect 52 links South

of Corner,

Begins at second run East on

true line.

20.29 Set post marked 1/16 S.C.S.,

from which a Ash 46 in dia.

S. 31° 30' W. 105 links

a Elm 50 in dia. bears N. 53½ W. 94 links

Established in presence of

Sam. Chairman

Geo. Bibo, Jr. Bibo and

John Albo, all residents of

Gabrielle Ore.

FB 10 pg 57

Sept 4 1909

Begin at ¼ Sec post between
Secs 28 and 33 Thence
South 20.00 - Var - 21° 30' E
40.92 to Sec Cor
Intersect 75 Link Fence of Col,
only one B.T. in Sec 28 a Small
Pitch Pine bearing S.
Begin at NE Cor of Sec 33
and run South - Var - 21° 30' E -
at 40.00 find no evidence
of ¼ Cor or line, found 1 in
tree blazed with one axe mark
Beech 5"
Begin at point 40.0 South
of NE Cor Sec 33, and run South
40.00 Spring quick E & W
80 55 Intersect 1.78 N. of Cor in
an 40.27
Sec ¼ Sec post on true line
(2.86)
which is 28° South of random line N 88¾° E
Section in. 82.86 E. to beh ¼ Sec post

8500

Survey made Aug 8 11, 1900

J.E. Buchanan

J.B. McGinnis Ed Chainmen

Set a Stake in Big Cow Creek

Cow Creek and followed a line

of blazes East - Var 21° 15' —

ch 20.00 line was 10 links North

of old Blazed line

ch 40.61 intersect 67 links

North of Corner

Began at S.W. Cor of Sec 33 and

ran East on random Var 21° 15' E

40.00 Cow Creek found mistake

of 50 links in chaining West

80.93 intersect 40 links South of S1/4 Corner

Sec 33

Began at S.W. Cor Sec 33 and

ran North - Var 21° 15' E

41.82 to 1/4 Sec Cor entered

2.50 East of

FB 10 pg 58

2°30'
2°15'
1°45'
8°45'

N.B. Charles Cheney under oath
says State line between Vermont & N.H. at
N.E. Cor of Sec 33,
B
Sept 2nd 1909 Afternoon
Began at 1/4 Sec Cor bet 32 & 33
and ran N. 88° 45° E. Var - 21° 15' E.
20.00 Set temporary post
40.00 " " "
42.06 Intersect Fire Road by
Vermont, Geo. N. 2° W
44.50 County road
4.50 Right Bank Cold Creek 6.9m
Sept 3, 1909 Kept 4 "
85 Deg
60.00 Set Temporary post

6900

Aug 17 - 1909

Survey of 80 acres in Sec 6 Tp 30 - 3

Four Fishbaugh and Henry Rachor chainmen

-Sworn-

Begin on point set by C.S. as Center SE¼ Sec 6

Thence North 39' E 20,00 - Var 20° E

East to E bndy Fishbaugh land 20,00

" 22,50 Fence

" 2,00 Creek

" 40,00

Ends no finds B.T. for ¼ Cor

Begin on point 20ch N 39' E from beginning point and run N 39' E 19,2 to point set by C.S. intersect 35 links west of point changed Var. to 19,30° E and run East Six post marked 1/16 S from Thence from S 39' W

FB 10 Pg 59

20,00 to points from which
a red fir 18 in dia bears S. 9' W
5 7 links did not run west
to close, moved first post set
20,00 ch N 39' E, from beginning to the East 17½ lks

0900 Aug 13-09

Beginning at a point 37.24
West of the SE. of the Intersection
Thomas D.C. No. 8,
Thence South 1,10
" East 8,05
" N 24¾ 9,20
" S 39¾ W 2,12
" S 14¾ W 2,00
" S 81½ W 2,50
" S 26° W 2,50
" S 37° W 2,00
" S 52° W 2,50
" S 69¾ W 3,16
" South 1,10 to place

Beginning Cont 8 acres, more or less

Var - 20° 10' E

Rec Note for Sec 6, 30-3

Blue same as above
Except Each 1772
N 20½ W 10.00
S 39¾ W 2.80

FB10 pg 60

1900 Surveys of 1904

M Riader.

Maud A. Grant

Begin at S.W. Corner

Piece Thompsons for

Thence N 38° W 606

" S 36° W 1,71 2/3

" S 38° E 606

" N 36° E 1,71 2/3

to place of beginning.

Blanch E Riader

Begin at S.W. Corner of

Maud A Grant for

Thence N 38° W 606

S 36° W 1,71 2/3

S 38° E 606

N 36° E 1,71 2/3

place of begin

FB 10 pg 61

Claud A Riddle

Begin on S.W. cor of Branch E Riddle for thence

N 38° W	6.06
S 36° W	1,71 2/3
S 38 E	6.06
N 36° W	1,71 2/3

to place of Beginning

Helena A Riddle

Begin at S.W. cor of Claud A Riddle for thence

N 38° W	6.06
S 36° W	1,71 2/3
S 38° E	6.06
N 36° E	1,71 2/3

to place of beginning

July 22 1909

Survey of 6 acres for A Riddle

6 Lots of 1 a each

Enoch D Riddle

Beginning at a point from which the NE cor of Ph Jacobs & Riddle bears N 61½° E 12.30 ch

Thence N 38° W 6.06 chains

" S 36° W 1 and 71⅔ ch

" S 38° E 6.06

" N 36° E to place of begin

Cont 1 acre

Grace P Kingdon

Begin at S.W. Corner of

Enoch D Riddle.

Thence N 38° W 6.06

" S 36° W 1.71⅔

" S 38° E 6.06

" N 36° E 1.71⅔

to Place of beginning

2900 West approach


1st Bench 23 ft from centre of pier to centre of mud sill

2nd Bench 19 ft, centre

3rd " 19 "

Triangulation on West Side of River,

Started off angle 90° to right up river measured Base 130 ft in angle 53° 32'



Jan 53°30' 1,35224 x 130 = 175.79+

Levels on West Side from present tidal water June 9 1909

+ 12,16	- 0,02		
10,80	- 2,59	1st Bench	+ 19,85
11,50	- 5,61	2nd "	25,74

Set nails in rock 5.27+ above water FB 10 pg 62

8900

Go to 7th house
to Jackson ville get rig say to
go to Sayra Fore, go to number
Cabin on Sayra Cy
Get Indian meal as soon as
possible.

Main House 16x32 Roof- 768
Kitchen & 19x22 484
1252

33.50
190
57,40

1803
756
47

31 long
32

27
2
54
48

180
46
1756

FB 10 pg 63

June 7, 1909

25-Tadanac

Umpqua Bridge Span 180.25 ft

Casings 31 ft long

from a point 1 ft. above water (present stage) 3' 4" to high water mark.

Levels ran 33.30 from point 1 ft above water on left Bank 3 Benches from River ground 5 ft. brings 33.30 levels takes 3 more Benches to reach 33.30 level

Grade on West approach 10%

" " East " 6% to bridges graduation. By instruction J. M. Dills

Height of bottom chord 32 ft to bottom of chord above water

Length of span from center to center of piers 175 ft 6 ins

(proposed ditch has northing 40 – as with Sterling)

Squa Lakes are located in Tps. 40, & 41, S. Rge. 3 West in Jackson Co. Ore. near State line West Oregon & California

Favored Estimates Lower Lake 3/4 mile long 1/2 mile wide Surface are 125 acres, Upper Lake abt 40 acres

Dams to be 30 to 50 ft deep on both Lakes

Sec 11 Cor is near dam on lower Lake

Mrs. Ades-Vial.
Roseburg
Ore.

0064

FB 10 pg 64

(COPY OF ORIG. GLO NOTES)

5900

30-5

North Bdry T. 21 N., R. 22 W., Mer. 18°10' E.

16 Left bank of River

1850 Right " " "

40.00 ¼ Cor Bears 10 links N 72° W 35.5

Pointer 6 " N 3° E 34.5

45.00 Large Cottonwood Var 18°30' E

80.00 Sec Cor 15, 16, 21, 22

Pine 4 in S 75° E 30 links

B " 8 N 67° E 35 "

W " 10 N 25° W 32.5

" " 4 S 45° W 46

S 89°30' W Bdry T 15 N R 22 W

40.46 ¼ Sec

Brch 6 in N 25° E 62 links

" " 8 in S 45° E 12 "

48.20 Brch 12 in

80.92 Sec Cor

North Bdry T 15 N

10.50 Pine 20 in

40.00 ¼ Sec

Brch 8 in N 27° W 43

FB 10 pg 65

frames 10 N 35° E 43

9900

38, 1/4 1 + 120 acres
price $50.000 net
add for com $10.000
25% Portorford cedar
75% Fir also some sugar
pine.

1/4 Sec $300.000. Comprise
380,000 Fir
$20.000 Cedar
300,000 Sugar pine
Office Comprise
43 miles from RR on good
logging Stream
price $1600.00 net add 5%

Frank J. Kenard

FB 10 pg 66

30 Amerpoken
47 3/4 Bow wheel
19 " oals

Half Moon
Paradise
Bay
Hudson Bay
Ridge
Ridge
Ridge

78	.06
79	.09
80	.12
81	.15
82	.18
83	.21
84	.24
85	.27
86	.30 9. 2nd day 5:13 P.M.

8900

58	6.72
59	.75
60	.78
61	.81
62	.84
63	.87 not in
63+6	.88+
64	.90
65	.93 @ 3.69
66	3.72
67	.75
68	.78 @ 3.83
69	3.86
70	.89
71	.92
72	.95 not correct
73	.98 @ 2.91
94	94 not in deck 73 huffs
95	97 " " " "
96	8.00 " " " "
77	.03

FB 10 pg 68

38	5.78	
39	.81	
40	.84 ∧	3.09
41		1.12
42		1.15
43	3.18	
44	.21	
45	.24	
46	.27 on rock	not correct
47	.30	
48	.33	
49	.36 not correct	
50	.39 ∧	7.91
51	7.94	
52	.97	
53	8.00 ∧	7.78
54	7.83	
55	.84	
56	.87	
57	.90 ∧	4.69

6900


18	.52
19	.55
20	.58
21	.61
22	.64 not in to Stay.
23	.67
24	.70
25	.73 R
	7,419
26	.44
27	.47
28	.50
29	.53
30	.56
31	.59
32	.62 R quit first day .60
33	563
34	.66
35	.69
36	.72
38	.75

FB 10 pg 69

June 3 1908

Rods of mile Green Plum
(Red River Mining Co.
— 960 per mile

0	3.76
1	3.79
2	.82
3	.85 Too close. Not Correct
4	.88
5	.91
6	.94
7	.978 4.16
8	4.19 on Brown Bluffs
9	.22 " " "
10	.25 Stake 19+ Hour grade
11	.28
12	.31 Notch
13	.34
14	.37
15	.40 & 5.43
16	5.46 Notch
17	



1 pr 1/2 Outer Soles 2 1 3

pr 3½ Uppers

1 pr Cobblers Nails

1 pr Shoes and Straps

Pair 3/6 and Strap

1 pr Clothes Pegs 7

Cobblers Nails

Ink Black Deed or Ebonite

Bot Vaseline Ho Poultice