

Field Book # 94



2.

Index

		Page
Dec 30 - 1899	Thos Williams & Right	9
Jan 26 - 1900	Jos Ramsey & Perry & others	13
July 6	John Wachter	19
" 9	S. E. Brewer	21
" 13	S. A. Gokhams	24
July 17	H. J. Wilson administrator of Estate of Stevens	27
" 26	H. Woodford & Ch. Aylch	47
31	John Hay, & others	57

1

1/4 S 849, T 28 3 R 9 m
Var 18° 30' E

N bet sec 849,

40.00 bet 1/4 S
B Oak 6 in dia 377 1/2 150 m
" Oak 30 in dia 520 1/2 150 m
" Oak 3 m 517 1/2 150 m

8000 bet cor 4. 5. 849,

B Oak 10 in dia 333° E 64
" " 7 " " N 79° E 65-1
" " 15 " " S 78° W 26
" " 8 " " N 40° W 762

East bet sec 499

Var 18° 30' E

N 89° 32 1/2 W

40.31 1/2 ch B Oak 5 in dia 350° E 33-1/2
" " 10 " " N 40° E 114
House 345° W 5-5-0 m

North bet 8.0e 9.4.10

4000 set 1/2 S cor Nov 18

↓ B Oak 6 in clin bear S 40° E 21

" " 12 " " " N 80° W 22

8000 set cor to see 3.4. 9.4.10

B Oak 8 in clin bear S 12° E 125-

" " 15 " " " S 5° W 125-

9r " 8 " " " N 20° W 137

B " 12 " " " N 12° E 150

Cor to see 8.9. 16.4.17

B Oak 6 in clin bear S 65° E 60 W

↓ Laurel 16 " " " N 65° W 110

" " 18 " " " N 35° W 87

B Oak 15 " " " S 60° W 8

3 • sunny

$\frac{1}{4}$ Sec bet Sec 8 & 9

Hence West

2000 ch set post from which

Black 30 inches S 28° E, 8 M

Cedar 6 inches S $52\frac{1}{2}^{\circ}$ W, 11 A,

Hence South

2000 ch set post from which

Lau will 24 inches N 57° E 6

Hence from $\frac{1}{4}$ S Cor

East

2000 ch set post on bank

of creek from which

W Oak 6 inches long S $40\frac{1}{2}^{\circ}$ W 24

6-

North bet 26 & 27 - 92887m

4000 set $\frac{1}{4}$ 8 cor -

90157

W Oak 24 in $S 35^{\circ} E$, 105 ft

Maple 8 " $S 55^{\circ} W$, 82 "

8000 set cor to sees 22, 23, 26 & 27,

W Oak 18 in $S 23^{\circ} E$, 95 ft

B " 18 " " $S 44^{\circ} W$, 160 "

" " 10 " " $S 33^{\circ} W$, 102 "

" " 30 " " $S 65^{\circ} E$, 104 "

North bet sees 27 & 28

4600 Ten Mile Creek

4000 set $\frac{1}{4}$ 8 cor

W Oak 24 in $S 37^{\circ} E$, 525

Ash 15 " " $S 14^{\circ} W$, 150

Allen's House $S 69^{\circ} W$ Creston $S 15^{\circ} E$

6000 B Oak 20 in $S 15^{\circ} E$

8000 set cor to sees 21, 22, 27 & 28

W Oak 36 in $S 67^{\circ} W$, 245

Art F.N.D

B Oak 28 in dia S 68° E. 206
" " 12 " " N 5° E. 137
Made trench

N 89° 30' on true line bet 22 & 23
37.50 Ten Mile Creek
4022. Set 1/4 S cor
N Oak 20 in dia N 3° W. 160
" " 4 " " S 5° E. 11.50
8044 to cor

North bet sees 28 & 29
1700 Ten Mile Creek
4000 Set 1/4 S cor
B Oak 20 in dia S 33° E. 9. 55- Ms
" " 10 " " N 58° W. 75-
8000 Set cor to sees 20. 21. 28 & 29
B Oak 24 in dia N 12° W. 325-
" " 20 " " N 34° E. 73
" " 7 " " S 81° W. 42

Art F.N.D

7 " " S 81° W, 42

7
" " 15 " " S 41° E, 5-8

S 89° 44' W, bet S. 21 & 28

40.14 Set 1/4 sec

W. Oak 8 in dia S 35° W, 35-As

B " 15 " " S 16° W 14

Rede Square House S 45° W

80 28 to car

9

38

Survey made for Tho Williams
Dec 30th 1859.

Beginning at S. ^{stone} W. Cor of Peter Soars
Ch No 55. T 28 S R 7 m. S 29

(Bear 20° E)

Thence North
13.86 ch to Stone N. W. Cor
Thence East

18.03 ch set post for Hampton
N. 30. cor of 25-acre tract
Thence South

13.86 ch set post for Hampton
S. 30. cor

Thence from last above
Corner E.

18.61 Intersect Sec 28 & 29

10.90 ch S. of cor

5000 Set post as per instructions
given during war some early

10

Thence North

9.25 ch set post - from which
B Oak 18 in dia $S43^{\circ}E$, 142

Thence E.

4000 Set post no tree some cor
Thence S.

4.60 N.W. cor cl 50

23.60 ch to S.E. cor. Stone
Then West

6000 ch N.W. cl 51

71.81 Ironwood See line 28729

14.50 N of 1/4 3 cor

90.00 Pin 60 in dia $N30^{\circ}E$ 158

11
South boundary of Sec
Township cor 475. 324-33 W

Sec 25. 30. 317-36

- Pin 8 in air S 25° W 18 Mo
- " 12 " " S 30° E. 73 "
- 6 " " N 66° E 43 "
- Summit 12 " N 40° W 20 "

or

- Pin 12 in S 60° W 17 "
- " 12 N 62° W 20 "
- " 12 N 42° E 27 "
- Red wood 26 S 55° E 39 "

Point
K

South bay of Sec 36, 382-38
5-9m

- West bar 23° 30' E,
- 20 00 - bar 18° 30' E. Lat 42. 44
- 40 00 set gear cor - from
- O G Pine 16 in N 80° W 118

11

South boundary of Sec
Township cor 4 & 5, 32 & 33 m

Sec 25-30, 31 & 36

Pin 8 in line S 25° W 18 1/2

" 12 " " S 30° E. 73 "

6 " " N 66° E 43 "

hump 12 " N 40° W 20 "

or

Pin 12 in S 60° W 17 "

" 12 N 62° W 20 "

" 12 N 42° E 27 "

Red wood 20 S 55° E 39

Start
FN

South boundary of Sec 36, 30 & 32
5-m

West bar 23° 30' E,

20 00 - bar 18° 30' E, Lat 42.44

40 00 set gear cor - from

A G Pine 16 in N 80° W 118

12

Pin 12 in dia $S 19^{\circ} \frac{1}{2} E$, 63 lb

Wax $18^{\circ} 10' E$

77.18 G Pine 36 in dia

80.00 Get part car to see 1.2.35736

G Pine 20 in dia $N 61^{\circ} W$ 125-

" " 16 " " $N 51^{\circ} E$ 71

" " 20 " " $S 47^{\circ} \frac{1}{2} E$ 102

" " 22 " " $S 47^{\circ} W$ 105-

¹³ Minor ab

Survey of the George
Lock, located by J. H. R
Ramsey, Survey made
for location June 22
1900.

Beginning at center
post on southerly end
of claim from which
discovery cut bears
N 38° E, 12 ft

Post 4 ft long 4 in square
18 in in the ground with
stone monument along
side No 1

Thence N 52° W, 300 ft
Set post No 2 4 ft long
4 in square 18 in in the
ground with stone monu-
ment along side

14

Thence from center post
No 1.

S $52^{\circ} 2'$ 300 ft set post
No 6. - 4 ft long, 4 in
square 18 in in the ground
with stone mound along
side.

Thence from post No 1
run center line

N $45^{\circ} 28'$ 1800 ft set post
center of No 8 end of cl
post No 4.

which is 4 ft long 4 in square
18 in in ground with
stone mound along side

Thence N $38^{\circ} 7'$ 300 ft
set post No 3. 4 ft long,
4 in square 18 in in ground

7

15 -

Hence from post No 4
S 38° E, 300 ft set post
No 5 - 4 ft long 4 in square
18 in in ground with
stone mound alongside

Survey of the
Kentucky Lode
Beginning at post No 1
Center of southerly end
of Claim and northerly
end of Georgy Claim.

Hence N 38° W 300 ft
Set post No 2 - 4 ft long
4 in square 18 inch in the
ground with stone mound
along side

Hence from post No 1
S 38° E 300 ft set post No 6

Thence from post No 1
N 45° W, 1500 to cedar tree
16 inch dia per center of
southerly end of cl
Scribed M.S. No 4.

Thence N 38° W, 300 ft - set
post No 3. 4 feet long 4 in
square 18 inch in. The ground
scraps M.S. No 3.

Thence from cedar tree
No 4.

S 38° E, 300 ft to post
No 5. which is a 7 in 8 in
inch dia Scribed M.S.
No 5.

R. H. Melch
Locater

17

North

27 S R 6 W

S 9th cor of Huntley
Cl 5-6

N Oak 20 in dia $S 45^{\circ} E 2314$
" " 10 " " $S 46^{\circ} E 170$

John Keiser
Cl 5-8



$S 89^{\circ} 49' 9''$ on true line $S 40^{\circ} 13' 24''$ Var $19^{\circ} 56'$

10.00 Enter oak opening
20.00 Prairie

40.18 Set $1/4$ S cor - from which
an oak 15 in dia $S 14^{\circ} 2' 54.22''$
of Oak 16 in " " $S 86^{\circ} 21' 9.75''$

Var $22^{\circ} 55' 8''$

80.36 to sec cor

18
 Cur to 13, 14, 23 & 24 - 227 512 6 m
 at Fin 24 in air N 12 1/2 E, 108 m
 Laurel 5 " " S 35 1/2 E, 14 "
 Fin 36 " " S 59 1/2 W, 302 "
 Laurel 5 " " N 35 1/2 W, 106 "
 War 1 515 E.

11.56
 5.75

 5780
 8092

 5780
 6.64700

22.80
 5.75

 17.05
 24.00

 2) 41.00
 20.52

 15.56

11.56
 4.00

 16.56
 6.82
 10.00

 16.82
 38.58

 21.76

6.82 months
 24.76 Second R
 10.00 1st R
 12312
 10260
 10260
 2052
 3192.912
 664700

 3857.612

19
Survey made July 6th 1900
for John Natchez
Beginning at the S.W. cor of
Jeremiah Heintz, Donation #1
No 56. T27 S R 6 W.

Thence East 30.00 ch set post
No 1. Thence East 11.56 ch set
post No 2. Thence North
22.80 ch to left bank of
South Mississippi River
Thence from cor No 1.

North 5.75 ch set post
Thence West 4.00 ch set post
Thence North 24.00 ch to
left of bank of S. Mississippi
River. Thence meandered
river up stream to post
No 3, Thence Com S. 67° E, 17.00
38.58 acres \$ 15.00

20

North bet sec 23 & 24
T29 S R 5th - Bar 17° 30' E

4000 set 1/4 S part from which

B Oak 18 in diam N 85° W. 34 ft

" " 8 " " N 63° E. 44 "

75.00 Enter in Myrtle Creek bottom

78.00 Myrtle Creek 20 ft and 0.5 ft

80.00 set cor to sec 13, 14, 23 & 24

Balm 36 in diam S 10° W. 31 ft

M Oak 12 " " S 45° E. 22 ft

mark bench north tree near

2000	1614	000	8.07	40.45
	1600	000		27.00
	014	000		13.45
6.55		1614		20.00
2000		2		6.55
1310000	3228			2000
6	1703	1345		1310000
3930	4931	95		13190
1.28	1310	6725		900
90.58	122	12105		
	1438	127775		

21

Survey made after
9th 1900, for B. S.
Bremer,

Beginning at quarter
corner bet Sec 23 & 24
T29 S R5 W. witness trees
still standing, set post
as per instructions.

Var $18\frac{3}{4}^{\circ}$ S

Thence North, 2000 ch
Set 10th post No 2, described
C.S. No 2, from which
Run 8 in dir base N 85° W 17^m
" 5 " " " S 17° W 2^m
6.55 ch South to Jones Donation
Ch 48

Thence West - Var $19\frac{3}{4}^{\circ}$ S

22

20.00 Set post No 3

30.00 " " " 4

40.00 " " " 5

Given for 4 in square
from which

W Oak 12 in diameter N 34° E 2nd

Thence South 20.00 ch

Set given post 4 in square
from which

B Oak 12 in diameter N 75° E - 187 ft

Thence East

10.00 ch set post No 7. C.S.

20.00 " " " " 8 C.S.

39.91 intersect 37th South
of bearing corner

Jeff Wiley & Ira Miles
Chairman Swain

\$ 10.00

23

Corner to Secs 27, 28, 33 & 34

T 30 S. R. 5-M 19° E.

B Oak 12 in dia bear S 60° E. 70 ft

" " 8 " " " N 74° E. 39 "

" " 12 " " " N 3° W. 35 "

" " 15 " " " S 35° W. 117 "

All four made returns
N 89° 32' W 2.25 ch to west base
line of Roberts Co No 5-9

Set post for cor 27, 28, 33 & 34

B white 8 in dia bear N 18° E

F W 8 " " " " N 57° W

Sawd 6 " " " " S 80 1/2° W

" 6 " " " " S 69 1/2° E

No. in corner
No. Rec.

Survey made July 13-1900
for Jasper G. O'Brien and
Herbert Hodges

Beginning at S. M. Cor of J. S.
Clark Donation Pl.
T 30 S R. 5 N Sec

near 14° E

Thence South 2000 ch the old
mistakes trees cut down,

Made new bearing trees to suit
Bl Oak & in div line N 18° E 26 ch

New	7 in	8 "	"	"	"	N 57° W 49
	Laurel	6 "	"	"	"	S 60° W 55
	Laurel	6 "	"	"	"	S 69° E 35
Sec	27	28	33	34	30	S M 5-91

Thence South 4.75 ch set rock
6+ 5+ 18 M
Count road bearings

25

To Canyonville

Thence N 66° E, 2.46 ch along
road Set Rock 5x5x10 in

Thence S 74° W 23.75 ch to
N.W. cor of Joseph Roberts Donation
Claim to

Thence West 2.25 ch to place
of beginning

Cont 5.45 acres

Cor Sec

At 5:00

8000
 7450

 550

26

Cos to see 15, 16, 21 & 22 J3251257
 B Oak 11 in N 58° E 42 lbs
 Yr " 10 " S 52° E 68 "
 B " 10 " S 75° W 67 "
 Pine 12 " N 30° W 45 "

Mar 18 1938

Cos to sees 22, 23, 26 & 27

Cedar 14 in diam S 75° E 42 lbs
 " 11 " " S 50° W 55 "
 " 15 " " N 65° W 42 "
 Fir 8 " " N 38° E 28 "

Field Notes

North bet 800 22 & 23 - Mar 18 45° S
 350 ch Stream 26 lbs wood S 20° W
 4000 set on spot - from which
 Fir 10 in diam bear N 57° E 56 lbs
 " 12 " " " S 82° W 14 "

27

Survey made July 17-1900
of the Donation Land claim
of A Lewis & wife claim 38
in T32 S12, 5-W for H. Nelson
administrator of Estate

Beginning at N.E. Cor. set
as per Baring tree to wit
Black 18 in dia S70° N 77

Var 19 1/2°
James Lewis & W. C. Kennedy
Chairman Secy

Thence N 1/2

5000 ch set post Secy of

C 38, C 8, no tree mark

Thence South 2000 ch

set post in what field

measured to old stump

beass S 16 1/2° E 641 ch

28

Thence West 1000 feet
of hill quit for night
21.50 ch set part as per
original B.T. still stand
to suit

B Oak 18 in dia bear $S50^{\circ}E$, 15 lbs

Records
Thence South 2500 ch across
Road 31.45 ch set part on
gravel bar of Cow Creek from which
sample 12 in dia bear $S77^{\circ}E$, 1.17 lbs

Thence East 1006 set part west end
of lot 7,

70.73 ch set part as per
original B.T. still stand
to suit

H in 14 in dia $N40^{\circ}W$ g.c.f.

29

Thence north 40.00 ch

Set post for night 2nd day

51.95 ch to place of beginning

Cont 321.95 acres

The west half of the above described is to be set off to Grand Haven

2) 321.95-

51.95) 160.9250 | 30.97 3/4
153 85

507 00

467 55

399 50

3636 5

358 5

Beginning at the N.E. cor
of the Donation cl 34
meshed west 30.97 3/4 ch

31

Cor to 3rd 14, 15, 22 & 23
 Baln 24 in dia N 80° E, 31 lbs
 " 8 " " S 54° E, 22 "
 Maple 11 " " S 45° E, 62 "

Gov Field Notes

N 89° 49' W on true line bet 157 & 22
 West bar of Cow creek
 30.90 Road to Jacksonville
 40.15 - set for sec cor
 W Oak 24 in dia N 40° W, 267 lbs
 Baln 3 " " S 20° E, 53 "

N 89° 45' W on true line bet 22 & 27
 40.20 set for cor from which
 W Oak 2 in dia N 13° E, 85 lbs
 " " 8 " " S 30° W 135 "

32

Granite cor bet sees 15-16
 B Oak 8 in dia S 29° E. 20 lbs
 Laurel 10 in " S 70° W. 50 " SW
 War 18° 20' E

N 89° 49' W. on tree limb bet 800 16 + 21

4013 - set gran see cor from what
 B Oak 12 in dia bet N 53° E, 49 lbs
 W " 14 " " " S 65° E 616 "

80.30 set cor to see 16-17 20 + 21

Laurel 7 in dia bet N 68° W. 26 lbs
 " 10 " " " S 25° W 41 "
 " 8 " " " N 25° E 46 "
 B Oak 7 " " " S 73° E 34 "

South bet 204-21 - (Bar 18° 15' E)

4000. B Oak 15 in dia S 70° E. 34 lbs

" 14 " " N 63° W. 49 "

33

33

Thence July 19 1900
at noon

Beginning at the S.E. corner
of Donation Ct 30;

Thence South 35-5-00
N 70-5 in marked C.S.

far corner from which
Maple 5 in dia N 64° E, 28 ft

Thence East 40-00-00 set
3/8 cor H. Dune clear
post from which

Pin 46 in dia bears N 36° E, 16 ft

out for night - 3rd day
Thence South, July 20th 1900

20-00 Set 1/4 S cor one of Aris
B.T. standing marked & set

N 60-10 in dia S 30° N 135 ft
the other tree you made memo
to east N

N Oak 4 in dia be NEW TREE 35-
1/4 S 22 C.S.

34

15:00

Thence $S 89^{\circ} 45' E$
 40.20 intersect cor to sec
 22, 23, 26 & 27, tree stanchions
 marked & set (new green cross)
 set as per original B.T.

Thence North

40.00 ch. intersect at $\frac{1}{2}$ Sec. bet
 22 & 23, Original B.T. stanchions
 set as per B.T. do not
 what 70020 in den $S 51^{\circ} E$ 56 to
 R. Fin 12 " " $S 82^{\circ} W$ 13 "

Thence West

15.050 in the timber quit for
 Aug 4th day
 July 21st 1900
 25.00 ch. Dune Creek

35

29.41 Set post S.W. Cor
Minnetto cl. - from which
N. leaf 30 in diam N 70° E. 128 Ps

40.00 set post N.W. Cor of
R. Christman cl from which
N. leaf 9 in diam S. 11° W. 244th

36

37

July 21st 1900
Begin at quarter cor bet
Sec 22 & 23. T 32 3 R 5 - W
Thence East
20.00 Set cedar post - from
Laurel 10 in diam N 86° W 6 R

Thence West

4000 ch Fir 6 in blaze
and marked for cor C 3 -
from which

76 in diam base S 27° W 17 R

Thence West 4000. Left bank
Cove Acets 5.00 Right
7.50 ch Right bank
10.00 ch Left bank
2000 Set post as per
one original B.T.

38

Thence South

40.38 to place of beginning
Cont 80 acres

39

July 23 - 1900
Beginning at S.W. cor of C.S. Myers
cl no 37.

Thence North 32.50 Right bank
of Cow Creek.

40.00 intersect sec line bet 18 +

22. 10.70 East of quarter
cor set post N.E. cor of Quinn
claim

40.00 Marked 7 in 8 inches
dial for cor of the 20 acres
except,

Thence West

20.00 ch set post S.W. cor of
the 20 acres reserved tract
from which

Run 5 in dia N 40° E, 35 1/2

Thence North

70

10,00 ch set post to W, dia
of 20000. Best recorded
from which

W Oak 10 in dia S 70° W, 15, 16
Thence West

2000 ch set to lat to finest 16
from which

Fin 6 in dia S 54° W 13th

" 5 " " S 65° E 6th

Made new car the old

~~B.T. could not recognize
quest for night 5th day~~

71

491
70
450

July 24th 1900

Beginning at quarter

New with Tree
Rec

Cor bet sees 16.7 21. J 323 R 542

Cor 20° E.

Set. post marked as per instr

Old W Oak 18 in dia S 65° E. 616 ch

Set New
Gen B 8 in " " N 54° E 4.57 New

2000 ch set post in Ad

sees 16, 17, 20 & 21, as per

old B T. & L. L. L. L.

Thence South

2000 ch set post from cut

B Oak 14 in dia N 47 1/2° E, 5-013

Thence East

2000 ch marked W Oak 6 in

dia for cor - from which

W Oak 10 in dia S 41° W 13th

over

427

Thence South 6:00 ch
Marked mark 5 in dia for co
from which
Mark 12 in dia N 19° W 27 ch

1280

43

Thence made new division
line on dividing line be-
tween Grant Levenes and
the Estate,

Beginning at post on
North boundary

Thence $S 1^{\circ} 15' E$, to center
of North end of big Barn
14.07 ch

Thence through center of barn
lengthwise $S 12^{\circ} 30' E$, 148 ft
through the barn

Thence from South end of
barn

10.00 ch set stake on line

This division makes a difference
of 2.76 acres added to the west
half makes 163.69 acres

\$ 52.50 paid

44

July 25 - 1900

South bet Secs 29 & 30

732 S, R. 5 W - N 18° 20' E

4000 set gran see post from John

Cedar 9 in diam N 60° E 8 lb

Cherry 5 " " N 51° W 26 "

80,000 set post cur to Secs 29, 30, 31 & 32

Maple 12 in diam N 33° W 16 lb

" 7 " " S 41° W 31 "

Dogwood 4 " " S 67° E 41 "

Hick 16 " " N 46° E 25 "

N 85° 53' W, on true line bet Sec 29 & 32

39.93 set 1/4 S cor

Saw 10 in diam S 80° W 32 lb

79.86 see cor

East - W

45-

S 89° 54' E, on tree line at see 30731

42.48 set 1/48 cor - from which
Cedar 11 in dia S 62° W 125 lbs

" 18 " " N 18° W 166 "

Nest on S Boundary of see 32

Near 18° 15'

Govt F.N.

40.00 set 1/48 cor from which
Chinkapin 7 in dia N 3° W 18 lbs

" 3 " " S 48° W 5 "

66.05 Fir 30 in dia

80.00 Set Cor to sees 5.6. 31 & 32

Dogwood 5 in dia N 35° W 52 lbs

Fir 14 " " N 32° E 37 "

Larval 10 " " S 10° E 29 "

" 10 " " S 40° W 45 "

N on S Bed of see 31 - Near 18° 10' E

11.00 Stream & links with @ N 20° E

46

340

5

17 00

1 00

1 00

1 00

20.00

49

Survey made for
H. Woodford & Ch. Aytch
July 26 1900

Beginning at the N.E. cor
of Wm. Aytch H. var 19° 30' E.
James Irvine & W. Rendley
Sperren chainmen.

Thence South 20.00 set
spot for 1/4 S 29° 30'
from which

Rec	"	8	in line	S 9° W	94
	"	12	"	S 74 1/2° E	86

The original B.T. gun
could not be found

Thence South 20.00 set spot
in field.

Thence South 20.00 intersect
at cor to see 29.30, 31 & 32
from which

48

Fir 24 in dia base N 46° E, 25-M

Red Dog wood 6 in dia S 67 1/2° E 41 "

M Fir 8 in dia BT S 80° W 22 "

The two Maples gone

Thence South on unsurveyed
land 2000 stopped for night
July 27th 1900

Thence South 2000 ch set

1/4 S cur, from which
Lawrel 8 in dia East 13 M

Fir 10 in dia N 53° W 70 "

Thence East

2250 ch Woodford Creek N

4000 ch set part from corner

Fir 14 in dia S 73° E 5-7 M

Lawrel 10 in dia S 53° W 60 "

49

Thence North

4000 ch set $1\frac{1}{4}$ S. cor

The original BT burnt up

set new cor

Laurel 5 in dia S 20° N, 20

Thence West 2000 ch

set post from which

B oak 10 in dia bears S 6° E 50

Thence North. 2000 ch

set post from which

Fir 14 in dia bears S $5-6^{\circ}$ N 17 $\frac{1}{2}$

Thence West 2014 ch in the

line see line 19 $\frac{1}{2}$ S out of

cor. set in field

Set post from which

Pine 10 in dia S 59° E 37 $\frac{1}{2}$

50

Thence from 29.30 32.33

S 32 S. N 5 W

Thence West 20.00 ch

Set post - from which

N 7 in 18 in dia N 38⁰ E 58th

Thence North,

6000 ch Set post - from which

N 7 in ¹⁰ in dia base N 73⁰ W 6th

R " 14 " " S 43⁰ E 55th

Thence East 2000 ch to place
of beginning

Set post from which

N 7 in 8 in dia N 20⁰ E 34th

R " 16 in dia S 33⁰ E 33th

Cont 320 Acres

Free \$20,00 received pay

Survey made for July 30-1900
for John Haight - B McPinnon
of Beurch

Beginning at car to sections

22. 23, 26 & 27 332 312 5-71,

Var 19 1/2° E

O. M. Baker. Charles Bene
Chairman Sworn

Thence South 2000 ch

Set Geo post C.S. - from where
Pine down die bear N 36° E. 69

Thence 18 " " " 38 1/2° E 133

Thence East 1900 ch
Lune Creek

2000 ch Set Geo post - from

Laurel bin die N 8 1/2° S. 7 1/2

Thence 12 " " " 34 1/2° E 28

Thence South 570 Lune creek

C. H. W.

52

16.25 Same creek C.R. 30° E.
20.00 ch set part from
bet of Linn creek
from which

Cedar 12 in diam N 59° W 23 ft

Fir 18 in diam N 49° E 41 "

Thence East 4.30 Linn creek

C.R. 12.50 Bull run creek

C.R.

20.00 ch set Fir part from Linn

Fir 24 in diam diam N 46° W 12 ft

Fir 30 " " " S 42° E 73 "

Thence North 20.00 ch set Fir part

Maple 6 in diam S 10° W 32 ft

W Oak 10 in diam N 23° W 19 "

Thence West 20.00 ch to

Stad to the N.E. cor of S.W.

53

1/4 of the N. 1/4 of
of sec 26, T32S R13W
Tree #830 Reced spray

Cor bet sees 11, 12, 13 & 14 T32
 S 12.5° W - from which
 B Oak 11 in diam N. 66° E, 114 lb
 W " 12 " " N 64 1/2° W 215 "
 " " 4 " " S 69 1/2° W 119 "
 " " 6 " " S 26° E, 208 "
 Cor 1830' E

North bet see 17 & 12

103 of Pine 36 in diam
 1410 Creek 8 lb wide E S E
 40.00 Set for see cor from which
 W Oak 18 in diam S 86° W, 29 lb
 B " 16 " " S 12° E, 106 "

Frank
R N K

54

N 89° 48' W on tree line bet Secs 11 & 14

33.20 Road

40.30 Set 1/4 cor - from which

W Oak 6 in dia S 14° W 254 lb

B " 10 " " N 81° W 246 "

80.60 to cor

1/4 Sec cor bet Secs 13 & 14 - from which

F. in 16 in dia N 80° W 18 lb

Maple 16 " " N 28° E 30 " "

1/4 cor bet 12 & 13, from which

Cherry 7 in dia N 21° E 12 lb

" B " " S 22° E 4 "

N 89° 45' W 50 Left bank core creek

130 Right " " "

Govt
Field Notes

55-

On to Sec 1. 2, 117 1/2
7 in 3 in dia N 61° W 7 1/2
" 16 " " N 77° E 10 "
" 9 " " S 19° E 12 "
" 18 " " S 62° W 47 "

56

4000
58
3942

Survey made July 31st 1914
for J B Johns & series

Beginning at 4th corner to sec 11 & 12

T 32. S R. 5th M. - Jan 1830

Min Booth Rechar Johns
Chairman Survey

Thence West 4,000 ch set post

West 2030 set post - from which
B Oak 20 in dia bears S 54^o 1/2 W 5-

" 10 in dia bears N 78^o 1/2 E 19

Thence South 20,00 ch set
post - from which

B Oak 11 in dia N 50^o 1/2 E 22 1/2

Thence West 3,50 ch Creek C S,

20,00 ch set post - from which

Pin 10 in dia bears N 70^o 1/2 E 7 1/2

" 12 " " " S 66^o E 19 "

57
Thence from the SW cor
of the N. 30. 1/4 of the SW 1/4
of Sec 11. T32 S12 E 10
East 2000 ch. set post on E
bank of small creek - from which
B. Clark & inc. bear S 84° 00' W
Thence South at 19. 42 ch
intersect sec line bet Sec 11 & 14
1.31 East of cor. set 1/4 sec
cor. as per old B.T.
Remaining to visit
B. Clark 10. ch. bears N 81° 00' W 246 ch
corrected the last corner
set in orchard by set in
West 1.31 & North 58 ch.
Then South 400 ch
set post in grass field
at 7 in. ch. S 18° E, 81 ch

5-8

Thence East 10,000 cord creek
50 the wide c s

4000 ch set post from a' way
Maple 30 in dia bears S 69° W 24 ft
Thence East 2,000 ch set
post on steep level hill
from which

Chimney pipe in dia N 31° W 7 ft

Fees \$18.00

Field Book No. 94

Pages 59 -68 Blank

69

78.00	43.55
20	60.20
31.45	40.00
70.04	40.00
57.95	20.00
50.00	40.00
20.00	20.00
	<u>40.00</u>
<u>57.95</u>	38376
370.80	<u>37080</u>
	65455-
	6-

65-4.55-
 23-6 30
 80) 910.85 (12,
 5-
 465425-
 1
 46.5-4
 6
 2.50

327276-
 100
 33.72
1282
 46.54
 3.50
50.04

$$\begin{array}{r} 10.75 \\ 5.095 \\ \hline 127.83 \\ 5745-7 \\ \hline 23.01 \end{array}$$

$$\begin{array}{r} 5.432 \\ 24.91500- \\ \hline 22.40 \\ 5.75 \\ \hline 17.05- \end{array}$$

$$\begin{array}{r} 11.56 \\ 5.75 \\ \hline 5780 \\ 8092 \\ \hline 5780 \\ 664800 \end{array}$$

$$\begin{array}{r} 24.00 \\ 7705- \\ \hline 34105- \\ 20.52 \\ 15.36 \\ \hline 12312 \\ 10260 \\ 10260 \\ \hline 205291? \\ 31.9291? \\ 6.64700 \\ \hline 38.57612 \\ 6.62300 \\ \hline 21.75312 \end{array}$$

$$\begin{array}{r} 11.56 \\ 400 \\ \hline 1556 \end{array}$$

70 ml
 W