
Field Book # 98


98

6	5	4	3	2	1
7	8	9	10	11	12
18	17	16	15	14	13
19	20	21	22	23	24
30	29	28	27	26	25
31	32	33	34	35	36

Index

1899			Pages
Aug	7	J. J. Chadwick	1-2+3
"	8	M Crouch	5-6+7
"	15	Jos. Lee Reed	9
"	16	C Cook Ditch	11
"	16	Cook & Briggs mine	31
"	25	Ott Beall	33
"	28	H. R. McDonald	38
"	30	Rep Tax & Brennan	40
Sept	2	Jno Lewis	43
"	13	Thomas Wells	46
"	21	County Road Granville	48
"	23	Cobb & Co Mine	50
Oct	12	Co Tickets	56
"	13	D & Stevens	58
"	17	J. M Crow	59
"	17	M Crouch	60
"	17	Reed Chenoweth	60
"	18	Jeff Williams	64
"	24	Edward Briggs & others	65
"	25	Arizona Sticks	69

			Pages
Oct	26	Mitchell & others	71
"	27	E Raymond	73
"	28	Briggs Cemetery	75
Nov	10	Smith Odeum & others	78
"	16	W. K. Moore	80-81

N bet S 31 & 32, T 25 S R 5 W
Var 18° 45' E.

17 77	Deacys House bar S 68° 15' E.
25.50	Road
38 30	Brd of Stream 15 Mde
40.00	Set 1/4 S cor - from witness W Oak 12 in dia bS 13¾ W 201 " " 18 " " " N 78° E 80

Survey made for
J. L. Chadwick & J. T. Cooper
Aug. 7th 1893.
Beginning at 1/4 S cor
between Sec 32 & 33 T 25 S
R 5 W.
J. P. Hughes & A. C. Sloan
Chain carriers
Var 19° 30' E
Meshure & run line
West 40.10 ch Set Stone Cor
State, Then went
to S.W. cor of Cl 38:
and run & meshured
a line S 89° 40' E 49.40 ch
Thence Meshured and
run a line North 42 rods
& 10.60 ch Set post
from which

Thence from S.W. cor
of Cl 38 Meshured
and run a line
N 42 Rods & 10.60 ch
thence West 2.30 ch
to Starting point
for the tract of land
Sold by John C Smith
to Joshua L Chadwick
& Lies in an Meshured
C.S. for cor from which
Sequoia 10 inches bears N 38° E 1/2
Thence North
19.40 ch 77.60 Rods. Set post from
which 5 inches bears S 25 1/2 E. 3.25 Links
Thence East
33.25 ch Set post from which
Ash tree 6 inches bears S 85° E. 23 1
Thence South
65.0 ch to post
Thence East

17.50	Ch. to post
	Thence South
12.50	to post
	Thence East
86	ch. Set post
	from which
	Chimney of J. Chadwick
	bears S 68° E. and
	Stove pipe of J Cooper
	bears S 12° 45' W.

5-7 2.9
1 9 00
76.29

N 85°-45' E

10 00
18
58

Survey made for Mrs
M Crouch Aug 9 M
Beginning at a S.E. cor
of Cl No 45 T 25 S R 5 W.
Sec 14.
Thence W. Near 1/4 1/4
23.70 to the river cor of Cl 45
Continue on same line
46.60 to West boundary of Cl 45
The South boundary of
the elevation line is
N 85°-45' E. } from Mon post
N 22° W. North at 8.65 to bank
33.38 to center of County road
Thence on line of
N 69 1/2° E. 19.00.
Thence
N 67 1/4° E 5.7.29 to the East bdy line
Thence South
5-3.50 to a S.E. Cor of Cl 45
Thence West

1403. Set post S W cor of John
M Crouch tract Set post
from which
Elm Ash 6 in dia Bears N 17° E 5-lks

Aug 10th
Thence West on Bdy line
14.92 to Rock cor
South 5.11 ch to Ash tree
M on South bdy
4.18 S W Cor of William M Crouch
14.00 Set post for S W cor of
Joseph M Crouch tract
Continue

Thence W on Bdy line
14.60 Set post for S W cor
of Samuel B Crouch
tract

		Thence West on Bearing
14.00		Set post for S.W. Cor of
		James P. Crouch
		No west bound 17 feet
		East of West boundry
		of Cl No 43
		Beginning at 1/4 S. Cor

Survey made Aug 15th 1893
for John Rems and Geo
M. Rems. Cascade Shrum
Beginning at the N.E. cor
T 27 R 5 of Cl No 46, & S.E. cor of
Cl No 46. the original BT
badly decayed Scarcely
recognizable Mad new BT
No mist
B-12 in circ 6 West 16 lks
B 12 " " N 12 W 10 lks
S.M. Rapp
C Neal Chainmen
Thence — Var 18 3-4° E,
West 25.32 ch Set post marked C S
Cl 46. the original BT
gone made new BT
An Ash 6 in circ 32° W. 136 lks
Thence South
S. 14.52 ch Set post marked C S
from which
Witness 6 in circ 6 N 88° E. 102 lks

Run up grade ½ in to the Rod

Survey of a Ditch
for Cook & Co Aug 16
Th 16-93 beginning at cruk no 1

St	R	S	C	D	Remarks
1	1	"			Steel Standard dist
	2	"			" " "
	3				
	4				
2	5				
	6				
	2				
	3				
	4				
	5				
	6				
	7				
	8				
	9				
3	10				
	1				
	2				

St	R	S	C	D	Remarks
3	3	"			Steep side hill dist
	4	"			" " " "
	5	"			
	6	"			
	7	"			
	8	"			
4	9	"			
	1	"			
	2	"			
	3	"			
	4	"			
	5	"			
5	6	"			Ann
	1	"			"
	2	"			
	3	"			
	4	"			
	5	"			
6	6				
	1				

Sl	R	S	C	Z	Remarks
6	2	1			Steps side hill dirt
	3	11			
	4			17	Small quake
	5	11			
	6	11			
	7	11			
	8	11			
	9	11			
	10	11			
	11	11			
	12	11			
	13	11			
	14	11			
	15	11			
	16	11			
7	17	11			
	1	11			
	2	11			
	8	11			
	4	11			

Sl	R	S	C	Z	Remarks
7	5	11			Steel side hill dirt
	6	11			
	7	11			
	8	11			
	9	11			
	10	11			
	11	11			
8	1	11			
	2	11			
	3	11			
	4	11			
	5	11			
	6	11			
9	1	11			
	2	11			
	3	11			
	4	11			
10	1	11			
	2	11			
	3				

15

St	R	S	C	Z	Remarks
10	4	"			Steep side hill Dirt
	5	"			
	6	"			
	7	"			
	8	"			
	9	"			
	10	"			
	11	"			
	12	"			
	13		18		point of hill
	14		19		
	15		16½		
	16	"			
11	1	"			
	2	"			
	3	"			
	4	"			
	5	"			
	6	"			
	7	"			
	8	"			

16

St	R	S	C	Z	Remarks
	9	"			Side hill dirt
12	1	"			
	2	"			
	3	"			
	4	"			
	5	"			
	6	"			
	7	"			
	8	"			
	9	"			
	10	"			
	11	"			
	12	"			
	13	"			
13	1	"			
	2	"			
	3	"			
	4	"			
	5	"			
14	1	"			
	2	"			

					Remarks
8	2	B	C	F	Remarks
14	3	"			Sheeps Bridge Dist
	4	"			
	5	"			
	6	"			
15	1	"			Rocky
	2	"			
	3	"			
	4	"			
	5	"			
	6	"			
	7	"			
	8	"			Front of Rock
	9	"			
	10	"			
	11	"			
	12	"			
	13	"			Loose rock
	14	"			first day 16 Mr 137
16					

					Remarks
8	R	S	C	F	Remarks
16	1	"			Sheeps Bridge Dist
	2	"			"
	3	"			"
	4	"			"
	5	"			"
	6	"			Rock
	7	"			"
	8	"			"
	9	"			"
	10	"			"
	11	"			"
17	1				"
	2				"
	3				"
	4				"
18	1				"
	2				"
	3				"
	4				"
	5				Loose Rock

Stat	R	S	C	L	Remarks
19	1	"			
	2	"			
	3	"			
	4	"			
	5	"			
	6	"			
	7	"			
	8	"			
	9	"			
	10	"			
	11	"			
	12	"			
	13	"			
20	1	"			
	2	"			
	3	"			
	4		15		Thru
	5	"			
	6	"			
	7	"			

Dist

Sta	R	S	C	L	Remarks
20	8	"			to crk no 2. 178 R.
					Thence from a Station Marked S. 1. at a point on Right bank of Crk No 1 35 feet dros from Stak No 1 on left bank of crek the Beginning point for Survey of Ditch to Crek No 2 Thence on down grad km to the road
1	1	"			Ditch Sta to dist
	2	"			
	3	"			
	4	"			
	5	"			
	6	"			
	7	"			
	8				

St	R	S	C	L	Remarks
2	1	"			Steps Side hill Dert
	2	"			
	3	"			
	4	"			
	5	"			
3	1	"			To avoid two trees
	2		22½		
	3		18½		
	4		18½		
	5	"			
	6	"			
	7	"			
	8	"			
4	1	"			
	2			15	
	3			20	
	4	"			damaged
	5	"			
	6	"			
	7	"			

St	R	S	C	L	Remarks
	8	"			Steps Side hill Dert
	9	"			
	10	"			
	11	"			
	12	"			
	13	"			
	14	"			
	15	"			
	16	"			
	17	"			
	18	"			
	19	"			
5	1	"			
	2	"			
	3	"			
	4	"			
	5	"			
	6	"			
	7	"			
	8	"			

St	R	S	C	T	Remarks
5	9	"			Steep side hill Dirt
	10	"			
	11	"			
	12	"			
	13	"			
	14	"			
	15	"			
	16	"			
	17	"			
	18	"			
	19	"			
	20	"			
6	1		17½		point of hill
	2		17		
	3		23½		
	4	"			
	5	"			
	6	"			
	7	"			
	8				

Sta	R	S	C	T	Remarks
	9	"			Steep side hill Dirt
7	1	"			
	2	"			
	3	"			
	4	"			
	5	"			
	6	"			
8	1	"			
	2	"			
	3	"			
	4	"			
	5	"			
9	1	"			
	2	"			
	3	"			
	4	"			
	5	"			
	6	"			
	7	"			
	8	"			

Sl	R	S	C	Z	Remarks			Sl	R	S	C	Z	Remarks		
9	9	"			Steps Side hill Dirt			11	8	"			Steps Side hill Rock		
	10	"							9	"					
	11	"							10	"					
	12	"							11	"					
	13	"						12	1	"					
10	1	"				Rock			2	"					
	2	from rock							3	"				Dirt	
	3	"							4	"					
	4			14					5	"					
	5	"							6	"					
	6	"							7	"					
	7		26	26					8	"					
	8	R						13	1	"					
11	1	"							2	"					
	2	"							3	"					
	3	"							4	"					
	4	"							5	"					
	5	"							6	"					
	6	"							7	"					
	7	"							8	"					

St	R	S	C	E	Remarks
13	9	"			Steps Side hill Dirt
	10	"			
	11	"			
	12	"			
	13	"			
14	1	"			
	2	"			
	3	"			
	4	"			
	5	"			
	6	"			
	7	"			
	8	"			
	9	"			
	10	"			
	11	"			
	12	"			Rock
	13	"			"
	14	"			"
	15	"			"

St	R	S	C	E	Remarks
15	1	"			Rock Dirt
	2	"			
	3	"			
	4	"			
	5	"			
	6	"			
	7	"			
	8	"			
	9	"			
	10	"			
	11	"			
	12	"			
	13	"			To small creek drop 6 feet
16	1				for reservoir
17	1	"			
	3	"			
	4	"			
	5	"			
	6				

207

364
178
188

St	R	S	C	Z	Remarks
17	7	"			
	8	"			
	9			13	S. west
	10	"			
	11	"			
	12	"			
	13	"			
	14	"			
	15	"			
	16	"			
	17	"			
	18	"			
18	1	"			
	2	"			
	3	"			
	4	"	20		to arroyo bed
	5		30		
	6	"			to end of Section
					1.52 feet pressure
			Total		number of 364 R.

dust

Rock

St	R	S	C	Z	Remarks

Survey made for Cook & Briggs Claim Aug 18. 1898.

Beginning at the S. W. Corner of Home & Comb claim from which a 15-inch dia b S 37½° E. 29 lks Thence — Mar 19° E.

South 10.00 ch to South bdy of cl Thence

West 10,00 ch set post — from which a Pine 40 in dia b N 48° E. 25 lks Thence

North 10,00 ch to a mound of stones 15,00 " Wagon road 16,25 " Dike 30,00 ch set post — from which a Pine 36 in dia bears S 21° W 38 lks Thence

East 10,50 ch to meander post from which

a Spruce 8 in dia b S 33½° W. 20 lks
" 10 " " " N 44° E. 30 "
Thence

North 20,00 ch Set post Mar. M.C.S. No tree near Thence

East 10,00 ch Set post — from which a Pine 30 in dia b S 38° W. 58 lks Thence

North 10,00 to a Juniper 24 in dia marked M.C.S. from which a Pine 30 in dia b S 34° E. 45 lks Thence

East 10,00 ch to State corner Survey

T 27 S R 6 W

	Survey made for C.H. Bluell Aug 25th 1893		West on S Bdy of Sec 34 - Var 17 30° E.
	Beginning at N.W. Cor of Sec 3 & 4, T 27 S R 7 W & S 33 - Set post as per original B.T. pt Stake Bearing	31.03	To Standard or Sec cor from which Q Oak 7 in dia bears S 88½° E 234 lks Balm 24 " " S 57¼ W 15.2 " Var 18 20 E
	Thence Bears 19½ E.	40.00	Set gun Sec cor from which Magnetic & in dia bears N 2° E. 24 lks " 16 " " N 82° W 25 "
East	25.00 ch Set post - from which Witness Oak 6 in dia bears S 18¾ W 34 lks	41.25	Meander post on R bank of river An Ash 5 in dia bears S 23° E 25 lks " " 12 " " N 28° E. 78 " dist over dia 3.67 ch
	Thence	43.98	Meander post on left bank of R Magnetic 5 in dia S 27½ W 7 lks " 10 " " N 21½ W 16 " Var 21° 40' E
South	on Right line	71.05	Stand Sec cor of 34 4 Q Oak 20 in dia bears S 88° W 30 lks W " 18 " " " S 5½ E 47 "

35

80.00
71.05
8.95
3.82
4

80.00	See cor to Secs 3 & 34				
	An Ash 14 in dia	N 76½ E	3.00	lks	
	N Oak 24 " "	N 5 2¼ W	4.62		
				3103	to Sta on Sec cor
				32.98	Meander post on right-bank R.
S 55½ E.	on true line bet Secs			40.00	Set 1/4 S cor - from which
	3 & 4				Mag Az & in dia is N 02° E. 24 lks
4.50	foot of hill				" 18 " " " N 82° W 23 "
39.15	Set qr Sec cor - from which				Var 21° 00' E
38.55	an Ash 8 in dia is	N 6½ E	1.70	lks	
	" " 9 " " "	S 62½ W	2.47		
	Var 18° 05' E.			42.50	Leave brow entering prairie
				63.00	Top of ascent on S slope of hill
79.15	to cor to Sec 3. 4. 9 & 10			71.05	Standard Sec cor
	W Oak 24 in dia	N 83° E.	0.89	lks	
	Y " 20 " "	S 48° E.	3.40	"	
	" " 12 " "	S 5½ W.	4.51	"	
	W " 8 " "	N 78½ W.	not given		
				80.00	Set post cor to Sec 33 & 34 -
					An Ash 14 in dia is N 76½ E 3.00 lks
					N Oak 24 " " " N 5 2½ W 4.62 "

36.

T 27 S R 6 W.

West on S bdy of Sec 34
Var 17° 30' E.

3103	to Sta on Sec cor		
32.98	Meander post on right-bank R.		
40.00	Set 1/4 S cor - from which		
	Mag Az & in dia is	N 02° E.	24 lks
	" 18 " " "	N 82° W	23 "

Var 21° 00' E

42.50	Leave brow entering prairie		
63.00	Top of ascent on S slope of hill		
71.05	Standard Sec cor		
80.00	Set post cor to Sec 33 & 34 -		
	An Ash 14 in dia is	N 76½ E	3.00 lks
	N Oak 24 " " "	N 5 2½ W	4.62 "

West on N bdy of Sec 3. T 28 S R 6 W
Var 16° 20' E.

40.00	Set 1/4 Sec cor - from which		
	Y Oak 7 in dia is	S 88° E.	2.34 lks
	Calm 24 " "	S 57¼ W.	1.52 "

Var 19° E.

4000
843
3157

41.95	Meander post on right bank				Survey made for H. E. McDaniels Aug 28. Beginning at cor to Secs 33-34, T. 27 S. R. 6 W. Set post from which established Meander B.T. the old mesquite gone, Ans. Ash 20 in dia b N 76½ E. 3 vrs Mesq 16 in dia b N 56½ W 5 lks Thence East —
	on Ash 5 in dia b. S 23° E.	29	lks		
	" " 12 " " " N 28° E	78	"		
	Dist over river 3.69 chs				
45.98	Meander post on left bank				
	Mesquite 5 in dia b. S 22½ W	7	lks		
	" 10 " " " N 21½ W	16	"		
	Var 21° 40' E.			Cor Pos	
52.00	Leave timber enter prairie				
76.00	Top of ascent on S Slope of hill			S 45°	Set post for Stone Sec Cor of Secs 3-4 T. 28 S. R. 6 W the Original B.T. gone made B.T.
80.00	Cor to Secs 3-4 from which				
	~~Ash 20~~ gone in dia b. S 88° W	30	lks		
	W " 18 " " - S 51½ E	47		Stone Pos Cor	
	N " 6 " " S 5½ W	70			
					Ash 20 in dia b S 5½ E 47 lks
					" " 6 " " " S 5½ W 70 "
					E. B. Walker & Ed Walker Chain carriers. Sworn
				4.00 Cor Pos	Set pos for 1/4 S Cor the original B.T. gone is stone made B.T.
					Mesq 6 in dia b N 63½ W 2.90 lks
					Mesquite 10 in dia b N 34° E. 131 "
					Var 21° E.

91.55 − 2.50 = 89.05 − 5.15 = 83.90

7000 − 3505 = 3495

425.0 − 5.12 = 419.88 − 5.0 = 414.88

3895 − 4000 = 7895

41.00		Var 22° E.			Survey made for Burton and Brennan Aug 30th 1893
42.50		to point on left bank of river about 75 lks from water edge			Beginning at a Rock cor in County road it being the S.W. corner of their land
47.63		to point on right bank of river		Var 19°20' E	Thence East on S bdy
48.45		to quarter cor to Sec 3; the original BT gone made new cor to west		37.48	to East bdy of cl no 49
				60.61	to Sec line bet 20 & 21
New Cor		B Oak 6 inches S 41° E. 312 lks			Thence from cor 1.6.17.20 & 21
		100 the mean Var 18° E°		South	17.00 ch set post for S.E. cor of their land on S side of County 50 lks.
		Thence South 44 lks		6 "	Set post from which a B Oak 4 inches bears N 11° W 107 lks
38.95		to the quarter pos set post as per Original BT			" " 24 " " " N 60½ E 2.77 "
78.95		to Sec cor of 3.4.9 & 10, Set post as per Original BT		South	6.00 & to pos set on line above mentioned
				3	Thence from cor above given
				S 78° W.	23.71 ct to rock cor 2.50 ch North of N.W. cor of Bellw Donation cl 52

41 3 rods 2.5 = 29.75

Thence N on a prolongation of S 89°40' E of the Eastern part on Line del 17 & 18

S 89°40' E, 29.75 ch

Wm Buxton & Hannah Buxton do Wm Bainnes & Jane Bainnes

34 46.38 41.18 5.25

29.20 25-27 993 42

corner in center of co road
N Oak 8 in dia 6 N 5½ E. 3.40 lks
South 5.25 Elm corner
an ash 30 in dia 6 S 22½ W. 1.35 lks
B Oak 36 " " S 86° W. 1.13.

29.20
Thence South 28.33
and West 41.57
and North 36.20
and S 23¾ E. 23.71
" S 88¾ E 19.31

25-27
3 5-8
28,80

373
89
284

438

666
298 — 36.54
373
40.29

Survey Made for
Daniel Lenpis Left 2°93
Beginning at a Beech
12 x 7 x 5 Set in County
road N 88 3/4° W 83 lks
Thence South

25-27 to post in county road
Thence West

.89 ch Fred Burnell N E. cor
of one acre lot

3.73 ch to N W cor Burnells lot
Thence S 16 1/4 W

3.44 to S W cor of lot. to South
boundary of Cl No 49
Thence W

2,00 ch Left bank Looking East
Crik offset South 1 ch

6,66 offset North 100 ch reg on
true line

36.54 ch to the S W cor of Cl 49
original BT down

per cr

36.17 Made new BT to cedar 10 inches N 2° E.
Var 18 1/2°
Thence N.

23.71 ch to corner Set in co Road
Thence S 73 1/4 E.
ch to Stake in county road
Thence S 88 1/4 E.

18,48 to place of begin
Cont 124 59/100 acres

344
373
1032
2308
1032
127312

373
89
284
344
1136
1136
25-2
91696

	N 89°54' W	on S. bdy of Sec 33. T 26 S R 6 W	
		Bear 1°30' E,	
4000		Set 2" Iron Pipe Sec Cor - Iron within	
		an Ash 24" mean S 89½° W 7.15 lks	
		Maple 18" " N 84½° W 6.97 "	
		Bear 1° E.	
5354		Set Quartz Stone on R bank of Rio	
		an Ash 16" in circ B. N 86° E. 20 lks	
		" " 12" " " " S 87° E. 73	

Survey made for Messrs Weber Sept 16th 1898
& Brother & Bert Hazel
Commence
Beginning at the S. W. Cor of
C No 37. T. 26. S. R. 6 W & See
4. being part of the Elwert
Donation, C 37 & 41
The Original B.T. Corner
The marks obliterated partly,
Mad a new corner by
Marking a Angle 6 inch
for cor C 37. C. S. B.T.
Thence East
Bear 2° E.
2906 Set Rock 12+5+6 in
Mound C.S. & post along Side
Marked C.S.
Thence North
1207 Set R^k 14+10+8 in

Thence West —

37.50 to Right — bank of Stump
gage Pine Set Post
from which
Mag. Ne 6 links Bat 10 lks
Thence
S 35° E, 15.14 ch to the place of
beginning

T23 SR5 W

Survey of a county Road
from a point from which the
S.W. cor of Block 15 of the
town of Goneville to intersec-
tion of county road leading
to Oakland.
Met at Goneville Sept 21 st 93
and after being sworn
took the oath of office
Thed H. Brown Chairman
and of M. Wise — Axman
Thence proceed to survey said
road as provided for by petition
Beginning 30 feet S 85 E 20 W
from the S.W. cor of Block
15 of the Survey of the
town of Goneville
Set post marked R.
Var 19° E.
Thence
South 15.00 ch intersect county

road leading to Carlson
Set post. Mg. Iron R.
from which the N.W.
cor of Alfred Anderson
Donation cl No 44 bears
S 42° E. 28 lks
Set post East 34 lks

Sept 23rd 1899
Surveyed for Cobb & co
Beginning at the original
N.E. cor of the Magnum
Placer cl made new
post Marked M.S. and Marked
Original B.T
Laurel is inclin to S 20° W 63 lks
Thence West 6 chs 19° S.
to the original N.W. cor
of cl Set new post. Marked
M.S. from which original
B.T.
Fir 20 in diam to S. 60 E. 70 lks.
Thence South
Fir 10 in diam to S. 30 E. 50 lks
Fir 20 in diam
Marked M.S. for cor.
Thence West
6 chs
Marked Laurel 6 in diam M.S. cor

	Thence South	
6.50	Teller creek C N 2.	
9.75	miles et N. W. cor of Benson	
	cl	
	Continue on South on	
	West boundary of C Benson	
	cl	
10.00	ch Set post Marked M C	
	from which	
	Legan Pine 36 in dia N 38½ E 38 lks	
	Marked M B	
	Thence West	
1.000	Marked an alder 6 in dia	
	M S per cor Standard	
	on Sept bank of Teller	
	creek	
	Thence South	
1.00	Set post marked M. S. from which	
	Pin 12 in dia bears N 30° E. 20 lks	
	Thence West	
10.00	ch Set post M. S. from which	

	Pin 12 in dia bears S 38½ E. 25 lks	
	Thence South	
10.00	ch Set post M. S. from which	
	Pin 14 in dia bears S 9½ E. 54 lks	
	Thence West	
10.00	Set post M. S. from which	
	Pin 12 in dia bears South 54 lks	
	Thence South	
10.00	ch Set post M. S. from which	
	Pine 30 in dia bears S 47½ W. 52 lks	
3.50	South bank of Teller creek	
10.00	Set post M. S. from which	
	Pin 16 in dia bears S 32° E. 57 lks	

Survey of the
Archer Placer mine
Sept 28th 1893.
Beginning at the S.W.
Corner of the Arimo
Mine at Laurel tree
from which
Laurel 12 in dia South 46 lks
Thence — Due East
S 45° W 45.00 ch Set post M.S. from
Ins 24 in dia N 68½ E. 74 lks
Altitude 3200 feet
Thence East
East 40.00 ch Set post M.S. from
Laurel 10 in dia N 3½ E 21 lks
Then
N 45° E 9.00 ch Creek 5 lks wide N
Altitude 2210 feet
45.00 ch to intersect 1.03 chs
East of S.E. Cor of
the Arimo Mine

South 8.50 ch Thence East 4.00 ch
Thence South 8.50 ch.
Thence N 45° E. 45.00
Cont 16.00 acres

Contains 126.00/100 acres
Added on to the South
end of the claim to make
out the 16 acres
from the S.W. cor of angle

		North bet 19 & 20. T 29 S R 5 W		Survey made for C. O. White Oct 12th 1893 W. T. Fogle & S. H. Cook Surveyors Chainmen
32.00		Left bank of South Umpqua River		Beginning at cor to Secs 17. 18. 19 & 20. T 29 S R 5 W,
38.00		Right-bank		Thence - Var 20° E
4.00		Set 1/4 S post - from which		20.00 ch Made Stone Monument
		B Oak 12 in dia b. N 37° E 142 lks	South	Thence - Var 21° E
		on Ash 5 " " S 54° W 63 "		40.00 ch Made Stone Monument, on Side Mountain
45.00		Road	East	Thence S. Var 21° E
8.00		Set post cor to Secs 17. 18. 19 & 20 from which - 3 Var 19° E,		20.00 ch Made Rock Monument
		W Oak 10 in dia b. S 16° W 148 lks		Thence W. Var 21° 30' E,
		" " 6 " " S 40° E. 96 "		3.00 ch to willow bush along Slough
		" " 10 " " S 33° W. 26 "		Thence from the Monument of Rock before mentioned
		B " 14 " " S 25° E. 87 "		20 ch South of beginning point West
		4.00 3.00 1.00 3.60 12.60	20.00 20.00 2[illegible] 000000 400.00	3.00 ch to Right bank of River Paid

Secs 21. 22. 27 & 28. T 30 S R 5 W M

Bearings made from D D Leavy Oct 13th 1853

Gen'l Albrough & Rosanna Albrough Chain used

Beginning at a Stake Set in center of County Road Leading to Canyonville from which

Pine 12 inches dia N 21° W 1.47 Chains Bear 15° E.

Thence N 11½ W 5.23 ch Thence N 29° W 9.39 ch Thence N 45° W 10.15 ch Thence N 83½ W 6.06 ch Thence N 87° W 3.60 ch to cor to Secs 21. 22. 27 & 28. T 30 S R 5 W

Thence South 22.99 ch to a Rock cor from which

Laurel 8 inches dia S 74° E. 1.14 Links Thence Bear 21½ E 23.09 ch to place of Beginning

Cont 38 76/100 acres

Beg				
W Cor	15 in dia	N 60° E	123	Links
" "	12 " "	N 35° W	89	"
" "	12 " "	S 25° W	93	"
B "	15 " "	S 20° E	15.6	"

Survey Made for John
N Crook Oct 17th 1893
for the purpose of finding
the location of "B" 5 of
Crows addition to the town
of Oakland Oregon
Beginning at granite
post on North boundary
of Sec 4 T, 25 S, R, 5 W,
Bear 19½ E,
Thence Northerly South
12 Rods to the N. W. Cor
of Crows addition, Thence
South 6.16 to the N.W. cor
of "B" 5. Thence East 25-6
feet Thence South 240 feet
Thence West 25-6 feet and
Thence North 240 feet to
the Starting point of
Survey of "B" 5.
$8 00 paid

Survey made for M
Crouch Oct 17th 1893
Beginning at the N.E. Cor
of "B" 5, Thence One hundred
North 180 feet to S.E. cor
of Lot No 2, in B No 4
Thence West 120 feet
Thence North 120 feet
Thence East 120 feet
And Thence S 120 feet
Comprising Lot No 1 & 2
of B 4 & 5.

Survey Made for Creed
Chinowith Oct 17th 1893
Beginning at the S.W. Cor
of "B" No 5 of Crows addition
to the Town of Oakland or
Thence East 60 feet
Set post for S.W. Cor of
"B" 6 & L No 5.

Thence North 240 feet
to N.W. cor of "B" 6 & L8
Thence East 120 feet to
N.E. cor of Lot 8. Thence
South 240 feet to S.E.
cor of Lot 5. Cont
Thence West 120 feet
The Survey includes
Lots No 5. 6. 7 & 8. of "B" 6

N

4,00

50,00

N

4,00

76,83

S 8° 33' E.

38,45

7645

Y 27 S R 6 W — Dec 18° 16' E.
cor of Townships is on
Y Oak 30 in dia S 85½ E. 5,60
Made brnchs No other Trees near
Set gr Sec cor — no trees near
Set post cor to Sec 30 & 31,
drove Stake — No trees near

on west bdy of Sec 30
Var 18° E.
Set gr Sec cor — from which
Y Oak 15 in dia N 23½ W 22 5-
W " 22 " N 22 E 24 2
W " 20 " on line

on Tree line bet Secs 30 & 31
Set gr Sec post — from which
Y Oak 10 in dia S 8½ E. 15 links
Y " 12 " " N 28½ W 38 "
Var 18° 30' E.
to Sec cor

West		on N boy of Sec 6.				Survey made for W. H. Williams Oct 18th 1893
		Bar 18° 3½' E.				Beginning at gran post
40.00		Set gr stone con - from which				between Secs 25-30
		W Oak 12 in dia S 77° E 23 lks				The original S.T. Stones
		S " 24 " " S 8½° W 31.8 "				N Main Line cone of H
80.00		Set post cor to Township 25-5 R 6 W		17 R 6		Brown Sewer claim
		S Oak 16 in dia 6. S 57½° E. 70 lks				Thence South — Bar 15½° E
		" " 14 " " S 24½° W 75				
				36.03 ch		to Rock on cone of Rocks
						Thence S 89° 33' E.
				16.65½		to Rock in cone Rocks
						Thence North
				36.03 "		to post
						Thence N 89° 33' W.
				16.65½		to place of Begin
						Cont 60 acres
						More or less

2000
1059
943

1.93

Survey made for Alden
Stuart R Stewart & Coulter
W J Briggs Ben & W B Briggs Jr
for a Placer Mining ground
Douglas county State of Ore
Beginning at Corner No 2 on
24 & 25 T 30 S R 9 W
Bears 19½ E

Set post marked M.S.
from which
B Oak 16 inches b N 66° E 89
Thence N 13° E
9.01 ch Set post marked M.S. from which
W Oak 4 inches b S 16° E 11 lks
Thence East
20.00 a Fir 12 inches for cor M.S.
from which
Fir 6 inches b South 2 lks
Thence South
22.44 to N Bdy of Jacob Conners
Donation Cl Set

1057
1831
2888

66

post M.S. from which
W Oak 3 inches dia N 43° W 26 lks
Thence West
9.50 to the meander cor of "L" of the
Donation Cl Thence North
11.50 to N Bdy of Donation Cl
Thence West
28.88 on N Bdy of Donation Cl to State
Thence North
1.93 to Fir 10 inches dia M.S.
on Sec line between 24 & 25
from which
Fir 7 inches b N 12° W 17 lks
Thence North
20.00 Marked Oak 6 inches
for cor M.S. - Bears
W Oak 5 inches b S 53½° W 14 lks
Thence West
1831 Set post M.S. from which
B Oak 12 inches b S 20¼° E 84 lks

	Thence South		
5,00	to Right-bank of Sinnepaxon river —		
	Thence from the S.W. Cor of Jacob Amsley Dec'd 54, which is a Rock from a Oak 14 in dia S 33° E. 35 lks		
	Thence South on Bdy of Cl 51.		
1807	Set post marked M.S. from a Oak 12 in dia N 61° W. 85 lks		
	Thence West		
2.47	to Sec line bet 26 & 25 — Set post marked M.S. from a W. Oak 6 in dia N 44° E. 34 lks		
	Thence North		
4,00	ch to post on R bank of river Set 3,00 ch North of river		

	Corner to Secs 27. 28. 33 & 34		
	from S 12 3 W.		
	an Oak 18 in dia S 40° E.	110	lks
	" " 10 " " S 25° W.	60	"
	" " 12 " " N 76° E.	170	"
	Dia 24 " " N 5° W.	268	"
	East bet Secs 27 & 34.		
	Va	18.36	
21,50	Stream 15 lks E S.		
40,00	Set a Sec post from which a Laurel 12 in dia S 2° W.	35	lks
	Dia 30 " " N 30° E.	55	"

Survey of Placer mine
for J. L. Cremens Jr. and
Silas M. Briggs. Park
City, Oct 24th 1893
Beginning at cor. to Sec
27. 28. 33 & 34. T 30 S R 3 W
Set post — Marked M. S.
from which
Lapel 6 in cm bears N 2° E 107 ft.
Thence North
2000 ft. Set post Marked M. S.
from which
Tree 6 in cm S 57½ E 15 ft
Thence from Set cm
to post mentioned
East
4000 ft. No ½ S cm Set post Marked
M. S. from which
Tree 6 in cm bears N 41° W 44 ft

Thence North
2000 ft. Marked Post 4 inch cm
M. S. — from which
Lapel 12 inch cm S 43½° W 20 ft
Thence East
4000 ft. No cor. from which set
Corner 80 Acres

Quarter post of Sec
28 & 29. T 30 S. R 3 W. is an
Oak 12 inch cm S 65° W 105 ft
Fir 15 " " " N 15° E. 2,25 "
Aneroid 18° 30' E.

2000
1460
540

Note

Survey made per Mat Mitchell. Hank Nichols J. J. Butler Post Chain & another Geo Marley Oct 25th 1853
Beginning at 1/4 S cor bet Sec 28 & 25 T 30 S R 3 W
Set post Marked M S. from which Tri 12 inches b N 71° E 41 lks
Thence East
4000 ch Set post marked M S from which Laurel 6 inches N 14° E 30 lks
Thence North
2000 Set post Marked M. S. from which Tri 10 inches S 30 W 30 lks
Thence from 1/4 S cor before mentioned North

14,60 Possible cor
20,00
4,00
6,45
4,00

to N.E. cor of ch 57. Set post Marked M. S. from which W Oak 6 inches N 37° W 76 lks Set post Marked M. S. from which W Oak 6 inches S 57° W 1.14 lks
Thence West
Marked Tri 10 inches M. S. from which Laurel 8 inches S 18° E 1.5 lks
Thence South
to pos Marked M. S. on R bank of River from which W Oak 6 inches S 65° W 27
Thence East
ch to N. E. cor of ch 57.

2304
300
2004

Survey made for
Ephraim Raymond
Oct 27th 1863.
Beginning at the S.W. cor
of A Thomas donation cl
in Sec 10 T. 30 S, R. 4 W.
Thence North — Rods 19½
3,00 ch to State in county Road
Thence N 84½° W.
20.28 to Stake on West bdy of cl 47
Thence South
1.99 to N.W. cor of lot sold to Phebe
Boyles
Thence East
2,00 to N.E. cor of P Boyles lot
Thence South
6,00 to S.E. cor of P Boyles
Thence West
2,00 to West bdy of Sec Dey
Donation cl
Thence South

20,04 ch to S.W. of Sec Dey cl No 47
Thence East
20,00 ch to S.E. cor of cl 47
and Thence North
19,08 to the place of beginning
Contains 48.05 acres.

Survey of the Briggs Cemetery Oct 28th 1893
Beginning at the N.E. cor of Lot Set Post from which
W Oak 8 inches b N 57° E 14 lks
" " 14 " " S 35° E 47
Var 13½° E.
Thence West
6.00 ch to N.W. cor Set Post
Set post from which
Laurel 6 inches b S 2 6½ E 16 lks
Thence South
2.00 ch Set post from which
Laurel 6 inches b N 10½ W 13 lks
Thence East
5.00 ch Set Post for S.E. cor from which
Laurel 7 inches b S 17° E 10 lks
Thence North
2.00 ch to place of beginning

Contains one acre
The initial corner of Donation
Cl No 44 T 30 S R 5 W
bears S 55 3/4 E 8.65 ch
from the S.E. cor of Lot

South on West bdy of
Sec 6 T 29 S R 6 W Var 18°20' E
Set for Sec cor from which
4,00 Laurel 10 inches b N 25° W 4 50 lks
B Oak 5 " " " N 5° E 4 25 "
Stone 4 lks mkd C N E
Set post cor to Secs 1. 6. 7 & 12
80,00 R Fir 16 inches b N 45° W 25 lks
" " 18 " " " N 65° E 70 "
Laurel 8 " " " S 50° E 20 "
" 7 " " " S 35° W 75 "

South on West bdy of Sec 7
Var 18°30' E.

	Cor to Secs 5.6.7 & 8	
	Var 18° 30' E.	
	N Cah 20 in dia & S 60° E 27 5 lks	
	Lawrence " " " N 87° E 27 5 "	
	R Fir 10 " " " S 53° W 22 7 "	
	No Tree in Sec 6.	
	East on true line bet Secs 6 & 7,	
30.00	Stream 10 lks wide N. & E.	
41.80	Set qr Sec post from which	
	B Cah 8 in dia & N 18½ E 40 lks	
	Lawrence " " " S 38° W 13 "	
81.80	to Sec Cor	

Survey made for Rosco B Smith & R Addams. Wm Walker, & Thomas Thompson & Jack Spears, Nov. 10 th 1893.

Beginning cor to Sec 1. 6. 7. & 12. on Range T 29 S, R 5 W, Two of The Original Bt Gon, Made two new B.T. to wit

Laurel 6 in dia & N 32° W 30 lks

" 8 " " " S 73½ W 47 "

" 8 " " S 50° E 20 "

Fir 18 " " N 65° E 70 "

Thence — East

Var 19° E.

21.80 Marked B Cah 4 in dia Cs. on four sides

41.80 Set post from ¼ Sec cor no Signs of Original Bt, mark'd post from which

Reset by Stewart

Remains of Original

79

24.00

7.55
17
7.41

20.00
14.05
5.95

80

Reset by Stewart

	Line in ditch b. S 78° E.	18 lks.		Survey made for
	Law & in ditch N 57° W.	16. "		W. N. Moore Nov 16th 1883
				Beginning at the N.W. cor
	Corner to Secs 5.6.7.8			of the James Bean Donation
	T 29, S. R. 5 W. - Var 18° 10' E.			cl No 38, T 29 S R 5 W, Sec 7,
	W Oak 4 in dit b S 20° W.	73 lks		Thence East - Var 13° E.
	B " 7 " " " S 65° E.	50 "	10.40 ch	to Legal Subdiv line
	" " 12 " " " N 35° E.	46 "		Thence West
	" " 10 " " N 33° W.	47 "	7.55 ch	to S W cor of N Section 6,
				Thence N 89° 47' E.
N 89° 47' E	on true line bet Secs 6 & 7		14.05	intersect 54 lks North of quarter
28.00	Stream 10 lks wide C S W.			post Thence from W 1/4 Sec
	Varies here S 62° E.			N 89° 47' E.
42.00	Set pr Sec Cor - from which		2.00 ch	set post from which
	An Ash 6 in dia b. S 27° E.	93 lks		W Oak 16 in dia b N 13° E. 14 lks
	B Oak 8 " " " N 60° E.	24 "		W " 12 " " S 5 1/2 W 37 "
				Thence North
			2.00 ch	Set post - from which
				W Oak 6 in dia S 33° E 6 lks

81

28.42
27.63
.79

1926
5.32
27.63

2844
2764 82

Survey made for W. N. Moon
Nov 17th 1893.
Beginning at a point
4.14 East of the N.W. cor
of James Bean Donation
Land Claim No 38, T. 29, S.R. 5. W.
Set post Marked C.S. from which
Wash. 4 inches b S 72° E
" " 4 " " N 38° E
Thence West
.20 lks Set post marked C.S.
Thence North
7.30 Set post marked C.S. from
B Oak 24 inches b S 14° E. 40 lks
Thence N. 89° 45' E.
4.00 Set post marked C.S. from
W Oak 16 inches b N 13° E 14 lks
W " 12 " " S 51½ W 32 "
Thence South
7.47 Set post marked C.S. from
B Oak 16 inches b S 2° W. 26 lks

4.50
2807
28.07 ch
19.70 ch

Thence West
Set post M. C.S. from which
Thence S 45° W
Set post M. C.S. from which
Thence N 45° W
to place of beginning
Cont 68.50 acres
The S.E. ¼ of the S.E. ¼ of Sec 6
T. 29, S.R. 5. W.
in all 108.40 acres
Samuel Aston &
Henry B. Macleay
Thence N 45° W
to Meander line on east
Thence S 45° W 50 lks
Thence N 45° W 1.00 ch
Thence N 45° E 50 lks
Thence N 45° W 7.37 ch to
place of beginning

	Sec 13. 18. 19 & 24	T 27 S R 5 & 6 W.	
	Pine 12 in dia b. S 37° W.	127	links
	" 8 " " " N 73° W.	230	"
	" 18 " " " S 26¾	5-89	"
N 85° W.	on line bet Secs 13 & 14		
10.00	enter Oak opens		
20.00	enter prairie		
40.18	Set gun Sec Post from which		
	An Ash 15 in dia b. N 43¾ E.	4.22	
	& Oak 16 " " " S 86° W.	9.73	
	Pine 22° 3' E.		

8-5

8-6

89

8.37

90

D & E Parsley

Lot No 6. in Block No 4
being 50 feet front on main
Street in the town of
Cangamula Recorded Aug
6th 1878. Book 10 P. 195

Lots No 1 & 2 fronting on
Cangan Street one hundred
feet front and 100 feet
back, one hundred feet
along the South side of
3rd Street known as main
Street & Lot No 2 fronting
main Street
Recorded June 25th 1869
Book 4 Page 15-22

91 Lozenge 3

Ft Worth
Glendale
Douglas Co
Ga Marshall Co Ga

33.90
15.90
49.80
3062
50.72

17.00) 30.000 (1.76
17.00
13 060
11 900
1 160
1 120
40

2) 35.00
17.50

35.00
17.50
17 5 0.00
24 500
35.00
2) 612 5.00
3 062.5.00

2.00) 15.900 7.95
14.00
1900
1800
1000
1000

2200
795
11 000
15800
15405
17.795.000

25.72
17.49
6.23) 7.23 (1.16
6 23
1 000
623
3770
3738
.32

14.18
7.95
6.23

2200
11.60
10.40

18.50
1.50
925
85
2.7.7.500

