


Field Book #106



$$\frac{108}{5}$$

$$171$$

$$\frac{12}{12}$$

$$342$$

$$176$$

$$108 \sqrt{2052} \overline{) 239}$$

$$108$$

$$972$$

$$972$$

$$38$$

$$\frac{3}{3}$$

$$117$$

$$18$$

$$8132 \cancel{800} 26050(3$$

$$\frac{80}{80}$$

$$52$$

$$\frac{24000}{2050}$$

$$27 \sqrt{600} \overline{) 622}$$

$$\frac{54}{54}$$

$$600$$

$$22$$

$$22$$

$$0$$

$$0$$

$$0$$

$$0$$

$$0$$

$$0$$

$$0$$

$$0$$

$$0$$

Yours truly,

6	5	4	3	2	1
7	8	9	10	11	12
18	17	16	15	14	13
19	20	21	22	23	24
30	29	28	27	26	25
31	32	33	34	35	36

Index



2 Shows day 28-1893 Pre-burial Survey of a Deltic April 29<sup>th</sup>

Sta	to sight	Height	Deposits	Sta	B Sight	B Sight	Deposits
1	level	Sta 23	level	1	5.00		57.00
2	"	24		2	3.00	23	1.50
3	"	25		3	1.00	24	2.00
4	"	26		4	2.50	25	2.00
5	"	27		5	2.50	26	3.00
6	"	28		6	4.00	27	2.50
7	"	29		7	1.00	28	2.00
8	"	30		8	2.00	29	2.00
9	"	31		9	1.00	30	10.00
10	"	32		10	2.50	31	2.00
11	"	33		11	3.50	32	1.50
12	"	34		12	1.00	33	1.50
13	"	35		13	3.50	34	2.50
14	"	36		14	3.50	35	2.00
15	"	37		15	2.50	36	10.00
16	"	38	132.00	16	3.00	37	2.00
17	front of my Run			17	3.00	38	2.00
18	April 28 <sup>th</sup> A.M.			18	3.00	39	3.00
19	"			19	2.50	40	2.00
20	"			20	2.00	41	2.00
21	"			21	2.00	42	3.00
22	"			22	1.50	43	3.50
	10 <sup>th</sup>				55.50		118.50
					1.50		
					57.00		



12) 397233,  
 36  
 37

7

6

Start	Money dest	1893	Start	up back forward	1
1	150	21	34	53	122.00
2	250	22	35	123	128.50
3	250	23	36	32	150.00
4	500	24	37	117	175.00
5	1000	25	38	52	175.00
6	1000	26		397	835.00
7	1000	27	39		560.00
8	200	28	40	100	23.50
9	150	29	41	250	
10	350	30	42	300	200.00
11	50	31	43	400	150.00
12	200	32	44	150	112.50
13	600	33	45	1000	800
14	150		46	500	480.00
15	400		47	800	450.00
16	100		48	300	150.00
17	1000		49	1000	1000
18	200			5050	600
19	57.50			112.50	
20	1000			175.00	
	500			50.00	
	72.50			92.00	

1997 S 136 W

West	Survey made by 3 D for Thomas William H. Bushnell	North	Set loc 23724 Var 19° 30' E.
	Beginning at S.E. cor of Mrs Thomas Cleland - Donation of No 67 2283	3250	Top of Ridge
	R. 7 N. Sec 28	4000	Set 1/4 S part - from corner Chicle main b. S 17° W 50 lbs
	from which Original B.T.	5350	Ash 17 " " S 67° E. 97 "
	N. Cor 20 main b. N 80° W 375'	5000	Var 19° 30' E
	Thence - near 15 1/2'		foot of hill
	3000 ch set part from which		Set part cor to loc 1314. 23724
	N. Cor 20 main b. N 85° E 300'		Thence 24 in main b. N 122° E. 108 lbs
	Thence		" 36 " " S 55° W 302 ft
	N. Cor 20 main b. N 85° E 300'		Sound 5 " " S 35° E. 14 "
	Thence		" 5 " " N 37° W 106 "
	53.33. ch to center of County Road	N 89° 45' W	On tree line bet 13724
	# 6 -	80.15	Set 1/4 S part - from which
		48.35	Rock 15 - main b. N 114° E 422 lbs
		80.36	If Oak 16 in " S 66° W 975 "
			Var 22° 35' E
			entire boundary then line
			to sec cor

14.49 Set 13 & 14 - Cor 18° 15' E  
 of S Unappreciated  
 Dip 9 in air S 20° W 10 lb  
 6 " " S 30° E 13  
 Cor to Sec 15 14 2 2 2-23  
 W. Cor. 16 in air S 88° E 1368 lb  
 13 " " " S 88° E 1032 "  
 16 " " " S 49° W 1258 "  
 No trace in Sec 22  
 589° 44' W on line to Sec 14 & 23  
 40.12 Set 14 Sec from within  
 at 10 in air S 88° E 7 lb  
 " 6 " " S 42° E 14 "  
 40.25 under present S 75° W 1755 lb  
 North Set 3 Sec 14 & 15 - Cor 21° 35' E  
 40.20 Set 14 Sec from within  
 10 in air S 90° E 38 "  
 15 " " S 75° W 16 "  
 Cor 19° 40' E

Set 15 in part on left bank  
 of S Unappreciated  
 W. Cor. 20 in air S 73° E 176  
 " " 30 " " S 54° W 173  
 Cor to Sec 13. 18. 18 & 24  
 19 in air S 31° W 127 lb  
 " 8 " " S 73° W 230 "  
 " 10 " " S 26° E 389 "  
 Corner of Sec 13. 14. 23  
 & 24. Original BT has been  
 cut down marked on  
 one of the Survey  
 marks made  
 B.T. to west  
 10 in air S 40° E 33 lb  
 " 10 " " S 86° W 68 "  
 " 10 " " S 65° W 108 "  
 " 14 " " S 20° E 28 "

NE 1/4

17

2354  
377  
2691

280  
125

Survey made for the State of Oregon for the purpose of locating the location

May 5 - 17<sup>th</sup> 1893

Beginning at a point

9.98 ch East and 11.46

South of corner to Secs

13.14, 23.42, 27 S.R. 6m

Set post <sup>by survey</sup> ~~at~~ <sup>at</sup> 27 S.R. 6m from which

run 24 in dia to N 1/2 W 283 th

true corner in the Co Road

Theodore Dummer, Brewer Chimney,

Thence - <sup>to</sup> ~~at~~ <sup>at</sup> 19 1/2

18.33 To North boundary of 18.53

Set post West of C. S. from which

Post 12 in dia to S 49 1/2 W, 60

Thence

S 68 1/2 W 23.47 ch to angle post

66

11 58

12.34  
46  
13

which is in the River Thence

S 78 1/2 W

260 ch to 255 m + 51 S.

Set witness cor on left

bank of Sumpqua River

125 links South of drum

corner in River - from which

Run 2 m to S 22 E 17 th

Thence

11.40 to bound fence on

11.86 center of Co Road

Set post on line of bound

fence per witness cor

46 links North of tree

Cor in Co Road - from

Tree 6 in dia to N 9 1/2 E 54 1/2

Thence

12.96 to angle

Thence

12.25 to place of beginning

Cont 40.72 acres



1522 1878 E. bay of James Mease  
Donation C.S.

Survey made for  
Charles Mease May 11  
A. 1893

Beginning at cen of  
Secs 4, 5, 32 & 33. T 29 S R 5 W

1894 E. Thine - May 20 '88

1522 cen E boundary of James Mease  
Donation C.S.

6000 Set post marked C.S.  
from which  
W oak is measured N 62 1/2 W  
Thine

Post

1150 to N boundary of H Adams  
-ms Penaton C.S.

Set post marked C.S.  
from which  
W oak is measured S 38° W 72

Survey made by order  
of Co Judge May 18 '93  
Beginning at a post 40  
long 4 in square set 24 in  
in the ground - marked  
R. for starting point -  
of change in road  
leading from Boraburg  
to Mary Springs Set  
from which

W oak 10 in dia N 29° E 53

" 12 " " N 56 1/2 W 65

\* 4 mile post at 30 oak tree

8 in dia in thick survey

tree N 87 1/2 W 350 ch

Thine

4.00 ch to post

2.30 "

4.18 "

3.28 "

4.67 " Industrial County

Set post 4 feet long

4 in square 24 in

ground

Mass face "R." from school  
 W. Park 7 miles to S. 47° E. 37 1/2  
 " " " S. 21° W. 98 "

August R. Brown chert  
 Howard S. Ward "  
 John J. Crossler Appear

Survey made for  
 starting & ending point  
 for a chain in Co  
 Road from Rowburg  
 to Harary Jones Gate  
 Beginning at a pine  
 tree 36 inches width  
 poles on the side  
 corresponding with  
 line of old road  
 & 3 new blays  
 from which  
 quadrer can be drawn  
 14th 22. J 27. S. R. 6 M.

Line S 66° W. 588 ft  
 Pine tree in an  
 direction over the lanes  
 of the New of Thomas  
 Bros Post and the  
 land of H. Piler  
 to a post 4 feet long  
 4 in square set in the  
 County Road from  
 Rowburg to Harary  
 Gate from which  
 em to Sec 14. 15. 22. 23. 24. S. R. 6  
 Post from S. 66° 30' E. 21. 25. 26

Saw some of a Grubby Rump  
 In the mountains of the location  
 since reactions of a County Road  
 prayed for by Dr. C. J. P. L. P.  
 and 41 letters  
 601 Graham, Charles W. Smith  
 & Robert B. G. G. P. in view  
 Part at Roseburg May 2-93  
 and after being cleared up  
 to discharge their duties as  
 previous proceeded to the  
 Street, front of Garden  
 road and May 23<sup>rd</sup> 93  
 truck to our descent and  
 J. W. Atterbury and J. Thomson  
 then crossed and Albert  
 B. B. G. in view  
 and after being seen  
 proceed to view of Survey  
 since road, but not yet  
 3 1/2 feet long in view  
 2 1/2 feet in view  
 and then R. P.

7.100 500 2292193  
 13.12 " 80 14 14  
 1.69, 80 14 14  
 1.75 - brush  
 1.10  
 1.00 - 50 - 50  
 2.52 90 14 14  
 2.00  
 1.10  
 2.20  
 1.35  
 2.30  
 1.65 - 50 under a  
 1.50  
 1.50  
 2.75  
 1.60  
 1.00  
 2.00  
 53.16

8000  
5016  
2684

7029  
429  
571

22

		lumber	Rein
S88°	W	53.16	lumber
880°	"	4.30	
885°	"	1.50	
" 81 1/2	"	1.25	
" 84°	"	1.75	
S84 1/2	"	1.00	
" 87°	"	1.50	
" 80°	"	1.50	
S83 1/2	"	8.0	
" 89 1/4	"	1.20	
S 93 1/2	"	8.0	
S 94°	"	1.25	
" 61 1/2	"	3.28	Sub 15 paces
" 66 1/4	"	5.71	1 M foot in a line
		8000	311 in dia - from creek
			W. Cat - 12 in dia - 857° 20'
		"	" 8 "
		"	" 30° N. 30'
S 67°	W	4.40	
" 76 1/4	"	1.75	
" 62 1/4	"	3.70	W. Cat - 8 in dia - 857° 20'
" 66 1/4	"	6.90	

2490  
2486  
4

5000  
5307  
2890

86  
80  
6

23

		lumber	Rein
S88°	W	16.75	lumber
880°	"	1.75	
885°	"	1.80	
" 81 1/2	"	1.60	W. Cat - 8.0
" 84°	"		at the very lane
			enter at Harrison
S83°	"	3.25	
" 77 1/2	"	2.70	
" 87 1/2	"	3.00	
" 91 1/2	"	2.20	
" 10 1/2	E	4.90	
" 0 1/2	W	11.22	
S 92 1/2	E	9.0	to N. W. Cor. of 2 streams
			Denialion Cl
" 02°	W	15.00	on old road
" 2°	E	1.50	
" 18 30'	"	4.00	
" 29°	W	5.0	to N. bank of Little R
" 29°	"	5.49	to point on left bank
			at Cat-sound Bar
			5615.8, 50 el. 107 m
			Price 5.49 to W. Cat
		5.907	
		2.679	
		<u>79.56</u>	



8000  
7647  
353

26

N 62°	38.52	
" 63 1/2°	2.70	
" 89 1/2°	2.40	
S 85° 15'	10.20	to old fir 12 in dia
" 82°	7.00	
" 77 1/2°	4.35	to N oak 10 in dia
	6.00	to E cor of N oak Donation cl to 11 th
S 88°	2.10	
N 89°	3.20	to fir 30 in dia
" 81°	3.50	
	8.00	Set 4 N pins from N oak
		to 8 in dia beam S 5° N 78
		" 30 "
		" 12, 31 "
S 85°	4.60	to N oak 2 in dia
" 77 1/2°	5.80	to fir 4 in dia
N 86 1/2°	1.00	
" 69 1/2°	2.75	
" 85 1/2°	9.00	
S 82°	9.50	at intersection
	31.63	

31.65  
23.25  
61.40

		Between Alderberg &
		Mrs Treask
		29.75 to oak 6 in dia
		10.75 to S. M. cor of the
		72.13 N oak part of
		The Donation cl
		Set post terminal on
		The County Road
		from which
		on Oct 18 in view N 2 1/2° W 23.5-
		Corner 10 in dia S 30 1/2° W 20.5-
		Calced Road 4 M 31 ch
		then 4 72.13
		41.13

1.093 8000 409.8  
31.63  
38  
9330 27

Decl for June 12. 12. 12. 19. 41. 11.  
 1893 Lat 43° 10' 36"  
 23° 11' 37" day 18 8" Greenwich  
 am 32"  
 8 23° 12' 09"  
 noon 23° 12' 33"  
 pm 24"  
 3 23° 12' 57"  
 pm 24"  
 6 23° 10' 21"

13  
 am 23° 15' 01" ÷ 7  
 8 23° 15' 29"  
 noon 23° 15' 29"  
 pm 23° 16' 21"  
 3 23° 16' 21"  
 6 23° 16' 32"

14  
 8 23° 18' 00"  
 am 23° 18' 24"  
 noon 23° 18' 24"  
 3 23° 19' 12"  
 pm 24"  
 6 23° 19' 36"

See my Macab from  
 Dr S. Miles Green 12<sup>th</sup> 1893  
 Beginning at 11 AM  
 end of the season to station  
 CL, 71956W Nov 20<sup>th</sup> 8

8774<sup>th</sup> 31 to left bank of  
 River  
 Thence from starting  
 corner

10.00 Nov 20<sup>th</sup> 8  
 16.00 " 20<sup>th</sup> 4

19.00 to left bank of river  
 Thence measure of R  
 390<sup>th</sup> to W end  
 290

81° " 20<sup>th</sup>  
 " 28<sup>th</sup> " 24<sup>th</sup>  
 " 41° " 22<sup>th</sup> 8  
 " 50° " 10  
 " 77° " 10

877° " 1/4 Sec  
 " 43° 40' 125 1/4 Sec  
 " 40° 40' 125 1/4 Sec  
 " 29° " 1400<sup>th</sup> to station on left bank  
 of River 89.7<sup>th</sup> Sec

Thence from N. W. corner  
the Decker Donation

N 15 3/8° E	100 ch to post No 1	
East	8.03	
South	9.64	
West	10.70	
	Place of begin	
	8.90 acres	
East	Thence from post 3	
	8.30 to post	
	Left bank of R.	
N 29 25' W	3.90 to post	
N 1° W	2.90	
N 28 1/2° W	8.57	
41° "	4.85	
South	7.18	
East	80	
South	10.09 to st	
	Place of the monument	
	Cont 8.90 acres	

Thence from State  
No. 1.

N 15 1/2° E	145 to state No 11	
South	3.78	11 Road
	7.78	
N 41° W	2.65	12
" 5.0 "	7.89	13
S 15 1/2° "	13.35	14
S 74 1/2° E	4.54	11 and
	Place of beginning	
	Cont 1.100 acres	
	Thence from State No 14	
N 15 1/2° E	13.35 to state	13
N 50° W	7.40	15
S 15 1/2° W	16.19	16
S 74 1/2° E	6.66	14 and
	Place of beginning	
	Cont 10.150 ac	
	Thence from State No 16	
N 15 1/2° E	16.19 ch to state	15
N 50° W	12	17
" 77 1/2° "	4.18	18
S 71° "	2.64	19
S 15 1/2° "	14.55	20



8000  
5192 =  
508

34

427 SR7M

Post

4000

on S bay of Sec 34, on 19<sup>th</sup> 10<sup>th</sup>

Set 1/8 cor from where

B Oak 12 in. dia. to S 88<sup>th</sup> W 89<sup>th</sup>

" " 18 " " N 88<sup>th</sup> W 89<sup>th</sup>

Stance of sec cor from N-75

links 4' 7.26 ca

Stream 25' to view C.S.B.

Standard Cor. to Sec 34

Set cor to sec 34 from which

B Oak 12 in. dia. to N 45<sup>th</sup> E. 63<sup>th</sup>

" " 12 " " with 75<sup>th</sup> W 15'

Post

744

on N bay of Sec 3 28<sup>th</sup> 30<sup>th</sup> m

Near 18 1/2 E

on to sec 34

Set 1/4 S cor across 8<sup>th</sup> to line

Set 1/4 cor on line near

Hum. 1/4 Ave 90<sup>th</sup> S of line

Stream 12<sup>th</sup> to view C.S.B.

Set post cor to sec 34

B Oak 10 in. dia. to S 88<sup>th</sup> E 9'

" " 6 " " S 12<sup>th</sup> W 30

33-

on N bay of Sec 34

Set post cor to sec 33 & 34

Stream 12 in. dia. to S 88<sup>th</sup> W 25'

" " 15 " " N 88<sup>th</sup> E 84

Post

744

12.50  
2.70  
11.10

36

37

See survey map for Off	I find	The car bears S 11.0° E and 74.20'
Beceid June 25. 1893		ch from The car to see 34.4'
* Beginning at car to see		inside of S 13.50° E 74.19.00'
87.4 J.S.S.R. 797		Thence East
The original B.T. standing	20.20	See line bet see 34.9'
but the mark has nearly		11.10 South of car
rotated west inside new	32.38	To car from which it
post and new B.T.		B. C. 2.0 miles back 11th
Dir 8 in cloud S 57° E. 13		original B.T.
" " " S 12° N. 7		Thence South
U.S. Burrell Chamman	25.10	To Rock on surface line
Non-Abandonment		course
Thence S - Near 1908	25.12	Thence East
Thence W		To Rock on surface line
Thence N		Cut down stump
Thence S	25.0	S. T. 1000
Thence W	36.10	Thence N
To the S.W. corner of Pond	25.12	Creek 12 the area 6.2
to the 43. Set from		To source of line
from original B.T.		Thence W
		Set post - from where
		W. C. 6.0 miles 89° 30' E. 5.18'

ON  
THE  
SOUTH  
SIDE  
OF  
THE  
CREEK

38

Trance car on Township  
line

Sept

28.68

to the N.E. cor of sec 8.  
Set gas-meter, C.S.

Township

Went to Holbrook  
4<sup>th</sup> returned 6.

Jan

5<sup>th</sup>

2 days

went to Ocala  
7<sup>th</sup> returned 8<sup>th</sup>

9<sup>th</sup>

2 "

went to Wiles on

12<sup>th</sup> returned on the

on the 14<sup>th</sup> Jan

2 "

went to Buell on

the 26<sup>th</sup> returned on

the 28<sup>th</sup> Jan

2 "

39

40-3 J1717L 1112  
3700 2712 201717L 201717L

Alley between Rose +  
Jackson Street Rockburg  
Beginning at chimney  
and Smith's lot - 2 B38  
at bottom of chimney  
height of instrument above  
bottom of chimney  
8 feet 5 in height of man  
above top of stake  
2 feet 2 1/2 top of stake above  
bottom chimney 6 feet 5 in  
Set stakes every 20 feet on  
space 6 in in 20 feet

1000  
700  
6 July 17<sup>th</sup> 1899 41

Survey made for  
Chas Cook of Adams. Maab Home. 1788. 22<sup>nd</sup> Stone  
Beginning at 1/4 Sec  
bottom Sec 22 427  
T 32 S. R 7 W  
Near 1902  
Thence W  
Ch set post - 1902  
Sawed 6 in dia 5 542824  
Thence S.  
Set post from which  
division N 88 E 19 1/2  
Thence W  
Set post from which  
division due to South 57 1/2  
Thence South  
Set post - from which  
Pin 30 in dia 57 1/2 E 23 W  
Thence West -  
induce 30 ft to iron of 1/4  
Sec cor. Set post see  
per original BT

1000  
2000  
1000

Thence South  
 2000 ch set post from which  
 Range 24 in air N 37° 13' W  
 Thence South  
 1000 ch to post in 24 in air N 74° 25' W  
 Thence West  
 1400 ch set post from which  
 Range 20 in air N 27° 12' W  
 Thence North  
 2000 ch set post from which  
 Range 10 in S 29° E  
 Thence East  
 1000 ch set post from which  
 Checkpoint 2 S with 7  
 Thence from the S.E. corner  
 of the S 1/4 of the S.M. 1/4 of  
 the N.M. 1/4 of S.O. 27.  
 East  
 1000 ch to bin in air from  
 which N 56° W 92 lbs  
 Thence North  
 1000 ch set post from which

Range 14 in S 70° E 42 lbs  
 Thence East  
 1000 ch set post from which  
 Range 10 in air N 3° 27' W 87 lbs  
 Thence North  
 2000 ch set post from which  
 Range 20 in S 53° W 3-7  
 Thence East  
 1000 ch to post  
 Thence North  
 1000 ch to place of sign  
 Condon 1000

Serrano made for  
 Phil Diamond July  
 20<sup>th</sup> 1893  
 Commencing at a stake  
 Mar 19<sup>th</sup>  
 S 10° W 447 to ash bank  
 Thence  
 S 81 1/2° W 100 to Stake Thence  
 N 79 1/4° W 244 to willow  
 Thence  
 N 65° W 300 ch to Stake +  
 Thence  
 N 88° E 439 to black oak tree  
 Thence +  
 S 25 1/2° W 127 ch to willow ditch  
 Thence  
 S 81 1/2° W 375 ch to spot  
 Thence  
 N 14° W 238 ch to Stake  
 Thence  
 S 54° E 494 to top of peak  
 Thence cont to  
 Total 1.75<sup>mi</sup> 1.25<sup>mi</sup> acco

George G. Barrett  
 Hood July 25<sup>th</sup> 1893  
 Beginning at a Pine  
 tree 36 in circ  
 R. from which  
 Bear 24 in circ S 64° E 60  
 " 24 " S 65 1/2° E 35  
 and 1/4 S bet see  
 14 x 23 - 127 S 11.8 W  
 to S 66° W 554 ch  
 Miller Pass and  
 Rimmer then chain  
 Curlew and Sage  
 Mayday across  
 Thence - Dec 15<sup>th</sup> 1893  
 (150) along base of creek  
 500  
 S 77° W 730 - at 393  
 Thence  
 N 99 1/2° W 2250 ch base  
 land end  
 Thence  
 Total 6.50  
 4130

47

41.30

80.00
66.62
13.38
2.04

S 73 1/2 W 17.50 ch

Thence

S 75 1/2 W 7.82 ch and old

County Road

Thence

S 36 W 11.40 on old road

Thence

S 30 1/2 W 2.88

8.00 ch 1 M fence

from which

Cherry 4 in circ S 55 W 7.08

6 " " S 25 1/2 E 2.50

Thence

S 22 1/2 W 13.50

Thence

S 29 1/2 W 5.50 1.00 small barn

Thence

S 42 W 3.20 - 2.00 "

Thence

S 77 1/4 W 3.50

Thence

S 88 1/2 W 2.07 ch to post 4 in circ

48

7 feet long

Thence

4.00 ch

Thence

S 73 1/2 W 2.30 ch

Thence

S 80 W 4.18 ch

Thence

S 57 W 3.28 ch

Thence

4.67 ch to a post for put-

52.20 long 4 in circ

Set on line of County

from which

Post 7 in circ S 47 E. 37

" " " S 21 1/2 W 98

Cor to Sec 15:16.21 & 22 S 27 S 13 1/2 W

Clear S 50 1/2 W 2.50 ch

Survey of a County  
Boon July 2<sup>nd</sup> M. 1893

John M Hunt, Warner McCully  
Anna Jeff, Muelin, Oliver

Andrew, Callahan on the  
day signed as marker and  
proceeded to starting point

of road. Took to be as  
Homer, Angley, Hall, Jr and  
J. H. Williams, Chamber and

Angley, Hule, Sam, Marler  
and after being sworn  
proceeded to view Survey

line, made as call for by  
the following

Begin at a post marked  
B set at point of R. Brown  
which

Blackburn to N 71 $\frac{1}{2}$  E 66  
Chubbins Jr 17 E 11 $\frac{1}{2}$   
and the S. E. Cor of Sec 36

T 24 S R 5-01 bears S 34 $\frac{1}{2}$  E 35.6 ch  
and S 41 $\frac{1}{2}$  W 25.0 ch  
on S. Brought line 336 $\frac{1}{2}$  E 5.96 ch

Thence East 32.00 ch  
Thence South 40.00 ch  
Thence on follows

over 19 $\frac{1}{2}$  E.  
2.00 into S. T. H. Set on  
Left - bench of

Culapooa Creek  
182  
358  
919  
342

535 - to intersection  
22, 37 of County - road  
as Oakland &  
Fair Oak R

Set post marked  
B from which  
Blackburn in view N 71 $\frac{1}{2}$  E 66  
" " " 8 " 52 $\frac{1}{2}$  E 30

1/4 S. Cor. det 33436 bears  
N 66 $\frac{1}{2}$  W 13.75 ch

Sr 1° N

Chadwick addition

Survey March per

Beatings July 30 1893

from N. W. cor of lot 1101 1.243 of B. 4

on S. W. side of James Street

Thence per 17948

S 89° E 102 feet angle

S. 1° W 120 "

Thence

S 89° E 102 feet

Thence

Sr 1° E 120 feet

Chadwick addition

to the town of

Bozsbury

52

Moore

Survey for W. R. Wells

March 20 1893 July 31 1893

Beginning at a stake

marked 0 43 inches

low water of Deer creek

Set grade stakes every

100 yds in to the road

503

Start	R	Spec	Cut Soil	Remarks	Std	R	Spec	Cut Soil	Remarks
0	1	G	C	F	S 2	1	G	F	Remarks Rocky
	2	"	"	"		2	"	"	
	3	"	"	"		3	"	"	
	4	"	"	"		4	"	"	
	5	"	"	"	S 3	5	G		
	6	"	"	"		1			37
	7	"	17	"		2			47
	8	"	11	"		3			85
	9	"	"	"		4	G		
	10	"	"	"	S 4				
	11	"	"	"		1	"		8 1/2
	12	"	"	"		2	"		5
Std	1	"	"	"		3			
	2	"	"	"		4			
	3	"	"	"	S 5				
	4	"	"	"		1			
	5	"	"	"		2			
	6	G				3			
	7	"			S 6	1			
	8	"				2			
	9	"				3			
						1			
						2			
						3			
									12 1/2

Mugen R

Cylinder

Stal	R	S	C	F.	Remarks
6	4				
7	1		18		
8	2	"			
	3	"			
	4	"			
9	1				
	2				
	3				
	4				
	5				
10	6				
	2				
	3				
11	1				
	2				
	3				
	4				
12	1				
	2				
	3				
	4				
	5				
13	1				
	2				
14	3				
	1				
	2				
15	1				
	2				
	3				
	4				
16	1				
	2				
17	1				
	2				
18	1				
	2				
19	1				
	2				
20	1				
	2				
21	1				
	2				
22	1				
	2				
23	1				
	2				
24	1				
	2				
25	1				
	2				
26	1				
	2				
27	1				
	2				
28	1				
	2				
29	1				
	2				
30	1				
	2				
31	1				
	2				
32	1				
	2				
33	1				
	2				
34	1				
	2				
35	1				
	2				
36	1				
	2				
37	1				
	2				
38	1				
	2				
39	1				
	2				
40	1				
	2				
41	1				
	2				
42	1				
	2				
43	1				
	2				
44	1				
	2				
45	1				
	2				
46	1				
	2				
47	1				
	2				
48	1				
	2				
49	1				
	2				
50	1				
	2				
51	1				
	2				
52	1				
	2				
53	1				
	2				
54	1				
	2				
55	1				
	2				
56	1				
	2				
57	1				
	2				
58	1				
	2				
59	1				
	2				
60	1				
	2				
61	1				
	2				
62	1				
	2				
63	1				
	2				
64	1				
	2				
65	1				
	2				
66	1				
	2				
67	1				
	2				
68	1				
	2				
69	1				
	2				
70	1				
	2				
71	1				
	2				
72	1				
	2				
73	1				
	2				
74	1				
	2				
75	1				
	2				
76	1				
	2				
77	1				
	2				
78	1				
	2				
79	1				
	2				
80	1				
	2				
81	1				
	2				
82	1				
	2				
83	1				
	2				
84	1				
	2				
85	1				
	2				
86	1				
	2				
87	1				
	2				
88	1				
	2				
89	1				
	2				
90	1				
	2				
91	1				
	2				
92	1				
	2				
93	1				
	2				
94	1				
	2				
95	1				
	2				
96	1				
	2				
97	1				
	2				
98	1				
	2				
99	1				
	2				
100	1				
	2				



S	R	G	C	#	Remarks
26	1	"	"	11 1/2	Remnants
	2	"	"	23	Rocks
	3	"	"	5	
	4	"	"		
27	1	"	"	6 1/2	
	2	"	"	2	
	3	"	"	3	
	4	"	"	1 1/2	
28	1	"	"	6 1/2	
	2	"	"		
	3	"	"		
	4	"	"		
	5	"	"	23 1/2	
29	1	"	"		
	2	"	"		
	3	"	"		
	4	"	"		
	5	"	"		

S	R	G	C	#	Remarks
23	4	"	"		
	5	"	"		
	6	"	"	9	
	7	"	"		
	8	"	"		
24	1	"	"		
	2	"	"	3 1/2	
	3	"	"		
	4	"	"	18	
	5	"	"	14 1/2	
	6	"	"	9	
	7	"	"		
25	1	"	"	34	Sealok
	2	"	"	5 1/2	
	3	"	"	36 1/2	
	4	"	"	26 1/2	
	5	"	"	2	
	6	"	"		
26	1	"	"		

S	R	G	C	F	Remarks
30	1	"			
	2	"			
	3	"			
	4	"			
	5	"			
	6	"			
31	1	"			
	2	"			
	3	"			
	4	"			
	5	"			
	6	"			
32	1	"			
	2	"			
	3	"			
	4	"			
	5	"			
	6	"			
33	1	"			
	2	"			
	3	"			
	4	"			
	5	"			
	6	"			
34	1	"			
	2	"			
	3	"			
	4	"			
	5	"			
	6	"			
35	1	"			
	2	"			
	3	"			
	4	"			
	5	"			
	6	"			
36	1	"			
	2	"			
	3	"			
	4	"			
	5	"			
	6	"			
37	1	"			
	2	"			
	3	"			
	4	"			
	5	"			
	6	"			
38	1	"			
	2	"			
	3	"			
	4	"			
	5	"			
	6	"			

S 34

S 35

S 36

S 37

S 38

Remarks

F

1/2

F deep

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

Remarks

F

1/2

F deep

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

Remarks

F

1/2

F deep

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

Remarks

F

1/2

F deep

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

Remarks

F

1/2

F deep

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

Remarks

F

1/2

F deep

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

Remarks

F

1/2

F deep

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

Remarks

F

1/2

F deep

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

Remarks

F

1/2

F deep

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

Remarks

F

1/2

F deep

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

Remarks

F

1/2

F deep

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

S	R	B	C	F	Remarks
44	2	"			
	3	"	12 1/2		
	4	"	23		
	5	"	11 1/2		
	6	"			
45	1	"			
	2	"			
	3	"			
	4	"			
	5	"			
46	1	"		11	
	2	"	13		
	3	"	12 1/2		
	4	"			
47	1	"			
	2	"			
	3	"			
48	1	"			

S	R	B	C	F	Remarks
39	3	"			
	1	"			
	2	"			
	3	"			
40	1	"	5		front of hill
	2	"	48		
	3	"			
41	1	"			
	2	"			
	3	"			
	4	"			
42	1	"			steep section here
	2	"			below
43	1	"			"
	2	"			"
	3	"			"
44	1	"			" - bank

138  
109  
277

S	R	S	C	F	Remarks	S	R	S	C	F	Remarks
48	1	"				54	2	"			
49	<del>2</del>	"				1	"				
	1	"				2	"				
	2		29		flown	3	"				
	3		8		"	4	"				
50	1	"			"	5	"				
	2	"			"	5-5-7	6	"			
	3	"			"	1			152		
51	1	"				2	"				
	2					3					flown
	3					4	"				"
<del>52</del>	1	"			Sharp pointy head	50+	5	"			"
	2	"				200					200 day 19813
52	1	"									include
	2	"					1				flown
	3	"					2				"
	4	"					3				"
	5	"					4				"
53	6	"					5				same hole
	1	"				57	6	"			Good building
							7	"			

S	R	S	C	F	Remarks	S	R	S	C	F	Remarks
57	1	"			Good patching	61	1	"			
	2	"			"		2	"			
	3	"			"	62	1	"			
	4	"			"		2	"			
	5	"			"		3	"			
	6	"			"		4	"			
58	7	"			"		5	"			in gutted floor
	1	"			"		6	"			"
	2	"			"		7	"			
	3	"			"		8	"			
	4	"			"		9	"			
	5	"			"		10	"			
59	1	"			"		11	"			
	2	"			"		12	"			
	3	"			"		13	"			
	4	"			"		14	"			
	5	"			"		15	"			
60	1	"			"		16	"			
	2	"			"		17	"			
	3	"			"		18	"			
	4	"			"		19	"			
61	5	"			"		63	"			

15th August

Van

$$\begin{array}{r} 109 \\ 198 \\ \hline 315 \end{array}$$

S	R	S	C	F	Remarks	S	R	S	C	F	Remarks
63	1	"	"	"	Seed for Diet	69	1	"	"	"	Rocky Junct
	2	"	"	"	"		2	"	"	"	
	3	"	"	"	22 1/2 Swag	70	3	"	"	"	1 M. Marten's Fin
	4	"	"	"	19 1/2		1	"	"	"	
64	5	"	"	"	Point of Hill	71	2	"	"	"	
	1	"	"	"	"		1	"	"	"	
	2	"	"	"	"		2	"	"	"	
65	1	"	"	"	33 1/2		3	"	"	8 1/2	
	2	"	"	"	25		2	"	"	"	
	3	"	"	"	33		3	"	"	"	
66	1	"	"	"	"	72	4	"	"	"	16 1/2 Swag
	2	"	"	"	"		1	"	"	"	
	3	"	"	"	"		2	"	"	"	
	4	"	"	"	"		3	"	"	"	
67	1	"	"	"	"	73	4	"	"	"	
	2	"	"	"	"		5	"	"	32	
	3	"	"	"	"		6	"	"	"	
	4	"	"	"	"		1	"	"	"	
	5	"	"	"	"		2	"	"	"	
	6	"	"	"	27 1/2 Swag		3	"	"	"	
68	1	"	"	"	"		4	"	"	"	
	2	"	"	"	"		5	"	"	"	
	3	"	"	"	"		6	"	"	"	
	4	"	"	"	"		7	"	"	"	
	5	"	"	"	"						
	6	"	"	"	"						
69	1	"	"	"	"						
	2	"	"	"	"						

Almond

S	R	S	C	F	Remarks
76	1	"			seed ground for seeds
77	2	"			
77	1	"			
	2	"			
	3	"			
	4	"			
	5	"			
	6	"			
	7	"			
	8	"			
78x9	9	"			
	1	"			
	2	"			
	3	"			
	4	"			
	5	"			
	6	"			
	7	"			
	8	"			
	9	"			
	10	"			
79+	11	"			

S	R	S	C	F	Remarks
73x	8	"			seed ground for seeds
	9	"			Plot
	10	"			
	11	"			
	12	"			
	13	"			
	14	"			
74x	15	"			
	1	"			
	2	"			
	3	"			
75x	4	"			
	1	"			
	2	"			
	3	"			
	4	"			
	5	"			
	6	"			
	7	"			
	8	"			
	9	"			
76+	10	"			



S	R	S	C	F	Remarks	S	R	S	C	F	Remarks
87+	1	"			Soil ground	90+	1	"			Soil ground
	2	"			"		2	"			
	3	"			"		3	"			
	4	"			"		4	"			
88+	5	"			"	91+	5	"			
	1	"			"		1	"			
	2	"			"		2	"			
	3	"			"	92+	3	"			
	4	"			"		4	"			
	5	"			"		5	"			
	6	"			"		6	"			
	7	"			"		7	"			
	8	"			"		8	"			
89+	9	"			"		9	"			
	10	"			"		10	"			
	1	"			"	93+	1	"			
	2	"			"	94+	2	"			
	3	"			"		3	"			
	4	"			"		4	"			
	5	"			"	95+	5	"			
90+	6	"			"		6	"			

S	R	C	F	Remarks
97	6	"	"	seed ground
	7	"	"	"
	8	"	"	"
	9	"	"	"
	10	"	"	"
	11	"	"	"
	12	"	"	"
	1	"	"	"
	2	"	"	"
	3	"	"	"
	4	"	"	"
	5	"	"	"
	6	"	"	"
	7	"	"	"
	8	"	"	"
	9	"	"	"
	10	"	"	"
	1	"	"	"
	2	"	"	"
	3	"	"	"
	4	"	"	"
	5	"	"	"
	6	"	"	"
	7	"	"	"
	8	"	"	"
	9	"	"	"
	10	"	"	"
	1	"	"	"
	2	"	"	"
	3	"	"	"
	4	"	"	"
	4	"	"	"

S	R	C	F	Remarks
95	4	"	"	Seed ground
	5	"	"	"
	6	"	"	"
	7	"	"	"
	8	"	"	"
	9	"	"	"
	10	"	"	"
	11	"	"	"
	12	"	"	"
	13	"	"	"
	14	"	"	"
	1	"	"	"
	2	"	"	"
	3	"	"	"
	4	"	"	"
	5	"	"	"
	6	"	"	"
	1	"	"	"
	2	"	"	"
	3	"	"	"
	4	"	"	"
	5	"	"	"
	18	"	"	Swamp

S	R	S	C	F	Remarks
99	5	104	3	"	Good ground
	6		1	"	
	7		2	"	
	8	105	3	"	
	9		1	"	
	10		2	"	
100	11		3	"	
	1		4	"	
	2		5	"	
	3		6	"	
	4		7	"	
	5	106	7	"	
	6		1	"	
	7		2	"	
	8		3	"	
	9		4	"	
	10		5	"	
	11		6	"	
101	12		7	"	
	1		8	"	
	2		9	"	
	3		10	"	
	4		11	"	
	5		12	"	
102	6		1	"	
	7		2	"	
	8		3	"	
	9		4	"	
	10		5	"	
	11		6	"	
	12		7	"	
103	1		8	"	
	2		9	"	
	3	107	10	"	
	4		11	"	
	5		12	"	

S	R	S	C	F	Remarks
99	5	104	3	"	Good ground
	6		1	"	
	7		2	"	
	8	105	3	"	
	9		1	"	
	10		2	"	
100	11		3	"	
	1		4	"	
	2		5	"	
	3		6	"	
	4		7	"	
	5	106	7	"	
	6		1	"	
	7		2	"	
	8		3	"	
	9		4	"	
	10		5	"	
	11		6	"	
101	12		7	"	
	1		8	"	
	2		9	"	
	3		10	"	
	4		11	"	
	5		12	"	
102	6		1	"	
	7		2	"	
	8		3	"	
	9		4	"	
	10		5	"	
	11		6	"	
	12		7	"	
103	1		8	"	
	2		9	"	
	3	107	10	"	
	4		11	"	
	5		12	"	

Number of samples  
Done 115

S	R	S	C	Remarks	S	R	S	C	Remarks
1077	3	"	"	Seed ground	111	7	"	"	Seed ground
	4	"	"			8	"	"	
108	5	"	"		112	9	"	"	
	1	"	"	brush maple flr		1	"	"	
	2	"	"			2	6	6	tree
109	3	"	"			3	14	14	"
	1	"	"	"		4	18	18	"
	2	"	"	"		5	"	"	
	3	"	"	"		6	"	"	
110	4	"	"	"	113	6	"	"	
	1	"	"	"		1	"	"	
	2	"	"	brush		2	"	"	brush
	3	"	"			3	"	"	
	4	"	"		114	5	"	"	
	5	"	"			1	"	"	
111	6	"	"			2	"	"	
	1	"	"		115	4	"	"	
	2	"	"			1	"	"	19 1/2 Sugar
	3	"	"			2	"	"	4
	4	"	"			3	"	"	
	5	"	"			4	"	"	
	6	"	"			5	"	"	



S	R	S	C	F	Remarks
127	1	"	"	"	Good ground
	2	"	"	"	
	3	"	"	"	
	4	"	"	"	
	5	"	"	"	
	6	"	"	"	
	7	"	"	"	
	8	"	"	"	
130	1	"	"	"	
	2	"	"	"	
	3	"	"	"	
132	1	"	"	"	part of hill
	2	"	"	"	
	3	"	"	"	
	4	"	"	"	
	5	"	"	"	

S	R	S	C	F	Remarks
124	1	"	"	"	good ground
	2	"	"	"	
	3	"	"	"	
125	1	"	"	"	
	2	"	"	"	
126	1	"	"	"	
	2	"	"	"	
	3	"	"	"	
	4	"	"	"	
127	1	"	"	"	
	2	"	"	"	
	3	"	"	"	
	4	"	"	"	
	5	"	"	"	
128	1	"	"	"	
	2	"	"	"	
	3	"	"	"	
	4	"	"	"	

$$\begin{array}{r} 32069862- \\ \underline{648} \\ 59 \end{array}$$

$$\begin{array}{r} 27 \\ \underline{2} \\ 29 \end{array}$$

S R S C F Remarks S R S C S Remarks

on good ground

1337

6

7

8

1

2

3

4

5

6

7

1

2

81

End of Ditch

Reading

29 47-

at Once

Sight

29 70

210 feet

to Stake

marked

to the west of Ditch

689

30 feet

Spade

level of Ditch

Above Mill

Sight - 240

S R S C F Remarke

S R S C F Remarke

66,100  
 66  
 390  
 398  
 120  
 40

1893 Miles

Date	Description	Miles	Page
April 27	Albala Ditch	1	
May 3	Williams & Bushnell	8	128-7
May 5	Soldier Mine	12	1413 126-337 11
" 11	Blane Mine	16	1295 53335
" 18	Co Road to Jones Gap	17	1296 54523
" 23	W. C. Johnson Co Road	20	128-4
June 12	Phil. Mills	29	127-6 128-2
" 26	O. H. Bassell	36	128-7 128-7
July 17	Cook & Lamm	40	402027
" 20	Phil Demonte	45	128-7
" 25	Co Road through	46	1286
" 27	" " J. 2482	49	5-970
" 30	Belling	51	Proving Chas. M. B. Adl.
" 31	Mills & Proceary	52	1286

North West End  
 with light - Com  
 29.60 on ground of Phil  
 29.84 at Crank

29.60 - 12.60  
 16.35  
 2.21  
 29.46 - 12.89  
 29.69 - 11.69  
 22.0

33-  
 35-  
 175  
 1635  
 220  
 725

53.33  
 53.06  
 227  
 13

9.65  
 6.60  
 21.60

53.19  
 31917000  
 159585000  
 5319  
 159571000


1850  
 10  
 1840  
 1875  
 1840  
 35

2000  
 32000  
 2000  
 12000  
 10000  
 22000  
 2000  
 3600  
 400

from Spring to bank  
 on the 30th Down

M. D. Briggs says 25.75  
 with in  
 Holliston

6500  
 3300  
 9800  
 1320  
 1316  
 15  
 33  
 32



H. L. Leonard  
 Watson in the  
 Richardson  
 Claims Mill  
 from Post # 416