# Field Book #118

FB #118 Thiel's Book 4

| T & R | Sec(s). | Page | For/Title | Date |
|---|---|---|---|---|
| T 0-0 | | 3 - 4 | Fred W. Fish | 3/3-11/44 |
| T 0-0 | | 9 | D.J. O'Brien(?) | ? |
| T 0-0 | | 13 | Whipple Lbr. Co. | 5/26/44 |
| T 0-0 | 4 & 5 | 24 - 25 | Allen Ottinger | 8/16-17/44 |
| T 0-0 | | 26 - 27 | Hilda Thril | 8/25/44 |
| T 0-0 | | 29 | Russell Loyd | 9/30/44 |
| T 0-0 | ? | 51 | I.W. Haines | 1/28/45 |
| T 0-0 | | 60 | D.A. Lovelace | 2/15/45 |
| T 0-0 | | 70 - 70 (66?) | Willard McKay | 4/3/45 |
| T 0-0 | | 72 - 73 | Roscoe Van Cleave | 4/22/45 |
| T 0-0 | | 75 | Various Orig. BT info. | ? |
| T21-4 | 30 | 48 - 49 | Clarence Anlauf | 1/8/45 |
| T21-5 | ? | 7 | Stephens Rentz | 4/27/44 |
| T21-5 | 31 | 8 | J.O. Brun | 4/28/44 |
| T21-5 | 32 ♥ | 30 - 31 | Russell Bros. | 10/4/44 |
| T21-5 | 28 & 29 | 39 | Ernest E. Wooley | 10/19/44 |
| T21-5 | 31 & 32 | 50 | Alvin Cooper | 1/14-21/45 |
| T21-5 | 32 & 33 | 54 - 56 | Alvin Cooper | 2/4/45 |
| T22-3 | Lane Co. | 40 - 41 | S. Lindroth | Oct. 1944 |
| T22-4 | 34 ♥ | 32 - 36 | H.W. Kissling | Oct. 1944 |
| T22-4 | 35 & 36 | 42 | Broady/Thompson | 11/18/44 |
| T22-4 | 34 & 35 | 57 - 59 | W.C. Thorp - F. Creson | 2/8-10/45 |
| T22-5 | (Drian) | 10 | Guy Simmon | 5/7/44 |
| T22-5 | 8 | 11 - 12 | C.M. Sawyer | 5/7/44 |
| T22-5 | 17 | 16 | Ralph Ferguson | 5/31/44 |
| T22-5 | ? | 19 | John O'Brien | 8/5/44 |
| T22-5 | 18 | 37 | Sandlin (Real Estate) | 10/23/44 |
| T22-5 | 2 & 11 | 38 | Kissling | 10/25/44 |
| T22-5 | 31 ♥ | 46 - 47 | Herman Miller | 12/23/44 |
| T22-5 | 17(?) | 61 | H. Goodmanson | 2/22/45 |
| T22-5 | 12 & 13 | 64 - 65 | Wilson & Davis | 3/1945 |
| T22-6 | 11/12 ♥ | 5 - 6 | Morningstar Est. | 4/1944 |
| T22-6 | 34 | 17 - 18 | Wallace Cook | 6/21/44 |
| T22-6 | 14 & 15 | 21 - 22 | Vernon Goodrich | 8/7/44 |
| T22-6 | 33 | 76 -81(?) | Diagram of Gov. Lots | ? |
| T22-9 | ? | 62 - 63 | Dare Kingery | 3/4/45 |
| T23-3 | 5 (Lane) | 66 | Willard McKay | 3/25/45 |
| T23-4 | 4 & 5 ♥ | 14 -15 | Daugherty | 5/27/44 |
| T23-4 | 1 & 2 | 42 | Broady/Thompson | 11/18/44 |
| T23-4 | 2,3,10,11 | 45 | John Cook | 12/6/44 |
| T23-4 | 10 ♥ | 68 | Alvin Baldwin | 3/31/45 |
| T23-5 | 3(?) | 28 | Bragg (Shutrum's Sub ?) | 8/31/44 |
| T23-5 | 6 ♥ | 46 - 47 | Herman Miller | 12/23/44 |
| T23-5 | 3 | 69 | Ed Newby | 3/29/45 |
| T23-6 | 12 & 13 ♥ | 67 | Floyd Wattson | 3/26/45 |
| T24-5 | 8 | 52 - 53 | Ervin Rice (♣See M12-57) | 1/31/45 |
| T25-5 | ? | 23 | A.F. Stearns | 8/16/44 |

Denotes Government corners set & BTs marked or re-marked.
Denotes that the survey is similar to , or the same as the map number given.

**This is a rough index for the field book**

FB118=

OFT BK 4

1.75
1.25 Hogan

One acre

208.71 Sq ft

434
422
856

240
50
240
50
580

246
50
240
50
240
50
836

60
20
40

320
90

FB 118 = OF TB 4

102 10/12 10 18/10 · 1/8

12
9
5 21 in 4 1/4
5
21 1/4

60 4 1/4 in
120 8 1/2
180 12 3/4
60

Survey Cb 4 bears S 89° E
N - S line Cl. line
bears N 0° 30' W.
at 8.40 Cl. Cir. iron
pipe 2" x 30"
SE. cor of Cl. same pipe

2

1625
50
875

66 | 550 ( 8.33
528
220
198
220

6.50
4.21
650
1300
2600
2 | 2736.56
1368

8.33
20.
16.60

20.00
13.33
6.67

16.60
1.37
15.29

833
421
412

667
412
1334
667
2668
2 | 2748.04
1374

15.50
7.49
8.06

Fred W. Fish
Gorewold Lbr Co. 3

Gorewold Lumber Co
Mar. 3rd 10 A.M. 1944
Begin at N.E. cor of Highway
Lot No 41 N. 176.6 ft. West
1200 ft. & East side of
Fir St. South 176.6 ft
across highway.
Begin at N.W. cor of Lot
4 West 12.00 ft. & old
line. North 4 cor. 1 ft.
Begin at iron pipe &
ore. cor. East from 4 cor.
325 ft. North 50 ft.
at 325 E. of 4 corner
South & Road bdry 69
ft. set post for cor.
Corner White fence bears
S 34 W 48½ ft.
This cor bears S 79° E 332
ft from 4 sec. cor
South 10 ft + 69 = 79 ft.

Goldsworld. Lbr Co Cont.

from peg on N. side-w road East 960 ft. to East side of Fir St.
I went to Sec Cor and moved cor South 69 ft. + 31 which should have been + 41 ft. at the point 100 ft. iron bolt 14 x 24" in rock road. and marked a wh. oak 22" S 57 W. 120.5 ft picket fence cor. brs S 70 W. 58.8 ft (Var used 24°)
Concrete Block 8"x8" set on N. & S line 50 ft. from cor. Cor bears S 71° E 343 ft of 1/4 sec. cor.

Deed Bay 3-28th '44. $42.10



Sec 11 Tp 22 S R 6 W.

Apr. 19 1944

Begin at the N.E corner of S E 1/4 of N E 1/4 of sec 11. South. Var 21° dec. started from fence post 2 v.o.o No trees or old corner to be found. Cord South.

Apr. 25th Elev. 201°
old oak post in place.
S. from N E Cr of 11
maple post 20.0 ft
Marked fir 36 N 34 W 17 ft
" " 18 S 28 E 23 ft
6.00 maple post on peg Hill side Marked
fir 10 N 84 W 12 ft
maple 5 N. 15 "
(½ dau & 6 — dec)

6 Var. 21°  3.00 stake.
Meas acre. 82 chains
8.00 top of steep incline
20.10 per stake on flat
~~210~~ Dispatch South
2.00 very steep dense
4.50 more moderate
14.80 stake on S side of HW
on bank (14.80)

Vernon Goodrich
(adm).

Walter Fergerson

$26.00

99
12
11

132

7

Stephens Rents
April 27 1944
Begin at the ¼ sec cor oak by
fence survey on West sect
of sec T. 27 S R. 5 W.
Run East (Var 21°) an old blazed
line bears South at 20.10
Moved an old pitch stake
N. 1 W. and marked a fer 20
& 41 Li 2 lks maple 16 N 44 E 25
Run line North did not
chain (Var 22°) intersected
East of ¼ stake 30 links
Reblazed South to corner on
true line
at ¼ cor on North marked
fer 24 & 9 W. 111 Laurel 16 & 27
& 131 feet

$10.00

J. J. O'Brien

Apr. 28th 1944

Beginning 1353 ft. S 30¾ W. of the N.E. cor. of sec 31. T. 2 S. R 5 W. thence S 30° W. along West side Compton Rd. 155 ft. S 62° E. 96 ft. N 32 E 153 N. 60 W. 97 ft to beginning.

S 13¾ W 5.15 (2-10 ft) cor
N 44° W = 79 ft. N 20 ½ W
N 2° E 6 cor fence post 96 ft.
N & W cor marked Chincapin 10 in
brs S 17¼ E 104.5 ft. (8-33)
set cor N. 30 ¾ E 20.50

$9.00

J. J. O'Brien

Begin 30° 45' W of the N.E. cor of 31 20.50

S 62 E 745
W 32 W 245

10

Guy Simmons
May 7th 1944.
City of Drain

Former Drain bldg
Bldg 281 ft SE cor of
Cold Brick 60 ft across
Street 339.8 ft. turned
right angle
460 + 60 + 3 across
& to 523 ft cor & block
Guy Simmons cor-
ner

Totem
INN




$5.50

6 m

11

Sawyer P m
May 7th. 1944
Sec 8 Tp 22 S R 5
W.

Beg in at the NW cor
of Horner Land
N. 50 E along fence
960 ft 14 to 54 fence on Sec.
line. North along fence
575 ft to a point which
bears South of the NE
corner of Sec 8. 28 ft.
following line of wire fence
to Lot.

| | | | Sho. |
|---|---|---|---|
| S. 48 | W. | 145 ft = | 2.18 |
| " 46½ | " | 500 | 7.60 |
| " 57¾ | " | 150 | 2.26 |
| " 47 | " | 125 | 1.88 |
| " 57¼ | " | 187 | 2.83 |

to fence corner from which
from which Sec 8 S 52½ W

12 Sawyer Dam

28 ft. S 47 E (steep desc.)
2.55 ft to 39" fence corner
from which a fir 26" brs. N.
68° W. 54 ft. = 81
S 39½ W 265 ft. 4.00
" 53½ E 80 " 1.21
to fence line
N. 46° E 97 ft to cor of
Horner land = 1.45 chs

Remeasure 5-9
Begin at NE cor
9.27 from & W. north
88.1 to fence corner

Horner
Wesley Morgan $11.75

Whipple Log Co 13
Dam Whipple
May 21 1944
Var 21°15'
Begin at ¼ sec cor
in tree on North side
of pre.
Run North 11.00
stream ( S.E. steep
ascent 20.10 cedar pork
Marked fir 24 & 32 W
23¾ ft on steep hill
E back from Cor
along S. slope 7.50 very
steep descent 20.10 maple
post in gulch S.W. NE
(no trees) South steep ascent
3.00 top along E slope
17.00 change to W slope
20.10 fir limb for post
cor stands near a stake
set by former survey on
E. W line $13.50

Daugherty
map 27 4 44

Begin at ¼ cor on
bet 4 & 5 Tp 23 S R 4 W
set a cedar post
marked for 20 N 82 W 30 lks
" " 22 N 45 E 74 lks

Encl 350 cedar post
South 28° W dist three
6.00 spring branch a SE
908 stake returned
S 62 E steep descr.
8.00 stream c & E
along S slope 29.50
opposite S 28 W 17.74 S 62 E
across Creek 1.00 cm
w/ Cr. 3.00 N 28 W
9.79 to cor

908 28 3 4 6
30 12 4 2 10
638 12 7 2 7

15

N 62 W to fence
cedar stake
for 10 N & 8 lks
B 62 E to Creek

Begin on stake
E ¼ cor. 32.00 ars
set a hemlock post
Mark'd Rombeck
N 42 W 11 lks
fir B 27 W 30 lks
Elk Cor. North 3.00
South 28° W 3.00
very steep ars 9.35
Set for stake
fir 8 in & 4 lks
N 62 W on & by my
did not chain Intermath
a little S of line ocean
to creek

18 hrs. # 26.0

16

Ralph Ferguson

Mach 31st 44

Beginnd a corner of fence described as follows 11.42 South & 8.70 East of the Interior Corner of W. N. Goodell Donn. on West side of old Eco Road.

South 5° West 6.14 = 405 ft. N 88½ W 1.30 chns to center of Elk creek thence Northwesterly downstream to a point N 88½ W of the beginn. corner thence E 88½ 3.66 chns = 241.6 ft. Cont 1.52 acres

Chg. survey 6.00
" 2 descriptns 3.00

17

Wallace Cook

June 21st 1944

¼ cor S. side of sec 34 Gov. pin North run 2½ chs 10.75 cr. L E ash 17.00 old house E of line 26.25 to old fence East 11.80 for stake Beginning line on N & S Mch 8.20 ash & cedar post marked W.C. for 10 N 50 E 17 for 20 & 75 W 50

5/4/9

Chg. $11.00

18

## Wallace Cook

Tp 22 S R 6 W




A. L. Lasuell $2.00
description SE 4 Tp 22 S R 6 W

19

51 / 27 / 82 — 52 / 28 / 84 — 4 — 48½

43

## John O'Brien

Aug 5th 44

4.82 for bn Cor to wire fence 4.82 − 6 = 4.76

Wash 2.84 to Ditch Cr.

Begin at wire fence by chicken house 8.82 E 20 links to West side of Co Rd.

at ¼ Cor on E. side of Co Road ½ in iron pipe

Marked T 16 S R 18 W.

" " T 2 N R 10 W. 17

South from Cor 100 Co road 5.06 center of Creek.

1380 / 1591 ft / 21 — 204 ft — 109 to Cor — 313 ft

750 / 1500 / 9.00

SE. Tp 22 S R 5 W.

Chas $9.00

20

4.82 Cor to wire fence
2.84 to Hitch Cr.
7.66

Vernon Goodrich adv. 21.
Morningstar Estate
aug 7 No 8th 1944

Begin at N.E. cor of sec 15
Tp 22 S R 6 E set 2½" iron pipe
Run East from corner
Var at beg. 21° 40.40 No
trace of trees line runs
along South slope 4 cor
stakes near top of spur
54° inter of Hedges N.E. & W
53.7 Elder Cr. & W. 58.0
~~Elder Cr. & W~~
Begin at the 4 cor of East
side of 14 stone in place
both old trees down Offset
West 40 ft North 1.0 Creek
35.00 offset East 40 ft North
40.18 ft of hill 40.27 ft
E & W line 44 lks. West
of temp corner At sec cor
drove 2 in pipe at the

22

Morningstar East

to corner from the East
drove an inch pipe.
At the intersection corner
Marked temp Cor. East 12
links - South 9 links
pipe by a pit 5 inches
marked pit for cor. on
North side.
No trace of marks to
be found two large
pit stumps near.

Charges — $19.00

23

A. F. Stearns

aug 16th 1944

From a fence post on W
side of Railroad right of
way N 63½ E 50 ft to a
fence on N side of rail-
road right of way thence
N 27½ W 15½ ft thence
S 85° W 2.67 chs to
through iron pipe
by wire fence

Bus fare & return to Oakland
.65

Chg. $3

2 of

Allen Ottinger

Aug 16th 1944

Description in Deed from Virginia Leonard Cogepwell & Cunningham

Iron S W cor & Cor of Secs. 4, 5, 8 & 9.




From Cor. Stone Cor. S 22 W 330 ft.

302.7 ft iron pipe S W cor.

Edm tree S 23 W 77 ft

W cor N 33 W 200 ft

South 70° 05' E 330. ft 25

Allen Ottinger

Aug 17th




The S W Cor of Sparks brs S 70° 05' E 330 ft from the Sec. Cor of 4-5 stone in ground.

From sec. Cor Edm Tree brs S 63° E 318 ft.

Chg. #4 50

26 Nilda Thiel

Aug 25th 1944

Begin on the East line 34 ft N. of center of Cr Thence S 50 W 2.50 Brick Cr 8.50 - 3.40 .30 to center of Post Cr West 91.70 ft to alder Tree center of Cr 8.10 .35 N 9.59 W 2.32 Cr S. .32 N 78½ W. 2.46 .20 to center of Cr S 61 W 1.55 Cr S. .60 N 83 W. 1.45 " .65 64½ " 2.10 " .45 S 34 E 108 ft to E & W line East to center of Cr. .25

N 1 E along ½ Mile 200 N 31½ E 336 to N & S line (46 and 1

47 / 23 / 70

61 / 30 / 91 / 85

54 / 27 / 61

27

Room for Cr S. & side Right of way 285 81 E to old fence

28

## Boaag.

Aug. 31st 1944

Begin at the S.E. cor. of Lot 11 Shoestrum addition measured N 2d along fence 150 ft. run West across field to East line of fence of Lasswell land. thence North 200 ft. to Co. Road

660

29

## Russell Loyd

Sept 30th 1944

Begin at a stake set for Lenny survey 330 ft West of SE cor of Lot 2 N° — and North 660 being a point in center of roadway West 330 ft. South 649 ft to Cl. line Returned to beg. point run North 132 ft.




86 00

Russell Bros.

Oct. 4th 1944

Begin at N.E. cor of sec 32 Tp. 21 S R 5 W. N.E. & W.W. trees standing. did not set cor. post.

East from cor. are 12 on top of ridge along S. slope

2 on 6 in stake at this cor found two old trees marked years ago cut in S.E. one found marks remarked old trees

for 36 N 30 E 22
" 15 S 28 E 41
cut in S.E. marked
T. S



South Var 2¼
dese 17.75 ft of
dese along on ridge
slope 2 on 20 cedar
stake on W slope
marked
a cedar 12 S 25 W 25
from this gave line East
to top of hill.
South from cor. about
7.00 or 8.00

$12.00

32

Var. 21° 30
4
20° 30

NE 34 fir 12 N 148 .15
" 10 " 20W 27
Laurel 12 S 52 " 55
" 6 " 20 " 39

33

H.W. Risling

Oct. 11th 1944

Began at ¼ cor in pole
of brush of E side of
Sec 34 Tp. 22 S R 4W
dist 5.00 County Road
& NE. Sec lies
along E & W mid point
1850 Co Rd C N.S. 22.50
Co Rd N. S. acc. 25.00
top along N. slope 40.10
cedar stake, orth by corner
survey. Cont. N 85 along
N slope 23.00 Stop N. dist.
20.22 stake on plat

at ¼ cor iron pipe
Sq fir 4×4×30
marked fir 24 N 40W
fir 24 W 70 & 34½ ft

North 10-13-44

Began ¼ cor dec
at 1.85 Enter E-W line
.15 west of Temp stake
12.00 ft of dec dec.
Stream E N W
20.20 fir stake
marked fir 4 N 60 W 5 ft
E dist from cor
along S. slope
4.00 ft Begin E Sec
10.00 fir limb stake on
W. slope
North dec ½ cr.

Oct. 16th

at center of Sec cut a
cedar stake
Witness corner 22 W S
cedar 11.85 & 27 ft
24
35 S 89½ E Var 20½

H. W. K

Oct. 16 '44

From 16 cor in center of dge. North steep desc 3.00 less desc, 20.10 per stake

maple 12 N 68 E 10

West S 89 W 3.00 top spur N.S along N slope 15.00 very steep desc 20.15 stake.

Oct 17

Cl. in N.

2 in boiler pipe for Cor 21 marked for 42 S 28 E. 41

North along W slope 2.50 steep desc 8.75 Abrams 10 C & P W steep ase S slope



20.20 maple post in thick brush & slope marked dogwood S 31 E 20

S 89 W ase. 3.00

Oct 18

1/32 Cor North 1/8 Cor. 2.40 Ybirch C W. dge S. slope did not measure. 20.05 per stake on old blazed line on steep hillside Maple 10 S 15 E. 16

Chg. 11, 1/2 13, 16, 17 & 18 5 1/2 days at 11.00 $60.50

2 (34 (7) 1/2) 29 14

37

3 H W Kissling

Tp. 22 S R. 42 W




Agr.
Sandlin (Real Estate)
Oct. 23rd 1944

Begin at a post on S. side of alley W 165 ft & E side of Street (Haney) & 20 John C Anna & Ex Rd West 50 across Street to NE cor of Bl. 4 Shelley add to Drain.
South 112 ft & SE cor
West 240 " " SW "
North 112 " " NW "
East 240 " " NE "

38

## Kissling

Oct. 25th 1944

Begin at the NW cor of Sec. 11 Tp. 22 S R 5 W. A large cedar stump bx. N.E. 12 ft. with old marks. East from cor Var 21° 4.00 top of ridge clear. 20.00 to Old line fence N & S. 22.50 ft. of clear. steep asc. 35.00 top of ridge steep clear. 40.42 Entered North of ¼ cor. 91 links Marks. found on N.E tree. S.E. dead.

#11,000

39

## Ernest E Woodley

Oct. 29th. 1944

Begin at NW cor of SEC 28 Tp 21 S R 5 W South Var 21° E dist 40.39 into E & W line South of Co Rd. E & W. No mark & old trees drive an iron pipe E of old gate post Marked a cedar 10 W of Cor. 57 which is on the old E & W fence line.

N.E. 32
for 12 N 60 W 15
Cedar 6 & 1/2 E 39
" 10 " 4 W 47

40 S Lindroth

Oct 1944

Begin at a point 605 ft
East of the ¼ Sec cor on the
West line of Sec. 19 Tp 22 S R
3 W for Trust

Marked Fir 14 N 47 W
9½ ft " Fir 16 S 4 E
25 ft " 53 470
X S. 72 E
X " 71 E 290
X " 41 E 437
X " 142 " 309
X " 78 26 E 214
X " 45 26 150 160
X " 82 " 242
X " 84 E 260
X " 81 E 157
X " 81 E 269

to wire fence 145 W
R Cor 8 in knee

41

Road from No 5

wire fence

S 89 E 64 250 ft
" 8 52 E 200 "
" 70 " 700 "
" 77 " 247 "
N 42 E 308 "
" 24 " 400 "
" 47 2 " 110

marked fir 15 S 80 W 45
N 80 E 530 ft

Highway
cedar post
on road 24 S 52 W 27

S Lindroth 13 oz

42 T.E. Broadway 40 6 — 23

# Elmer Thompson

Nov 16th 1949
" 17 & 18th.

Begin at NE. cor of
11 Tp. 23 S R. 4 W. of
North over 40
2 rods to cor Var 22
+1.30 cedar post
mon hafir 16 lks E & 8 lks N
Enter W of ¼ cor 15½ ft
from ¼ cor N. Var 21½°
40.49 & cor cor
Cedar stake found old
marks, no tree cor down
all trees dead stumps &
W'ly from cor Var 21°
23.15 dry stream c n
40.18 near top of ridge found
stumps of laurel brs S 73 W

37 to 49 21 40.48 20.30 40 49 21 40.48 40.21 43
19 4

110 instead S of 5-4½ W 110
from this point a chinkapin
12" North 110 These trees ap-
pear to be old bearing trees
Contr. West from ¼ corner

at ¼ cor N of 22 cor 10
cedar stake marked

Spr 8 N E 11½ lks
" 10 S W. 10½
Next dese 20.16 to
stake pr 36 N W 34 lks
North dese 450 lks of dese
Dist. 20.15 stake
marked pr 6" North 4½ lks
Next dese
N W cor Thompson
pr stake marked
W. 7 N 44 W 9 lks = .13

Nelson 17½ Thompson 33
3½ 20
14½ Broady 53½

at 750 W of ¼ Cor
run S. 20.26 (17½ ft)
(17.50 Tal 5)
at S W cor N with 9 ft.
marks H. oak N 8 E 53½
W with 4½ ft to (oak 24)

Elmer Thompson # 2000
J E Broady 2400
H Nelson 1000



John Cook.

Dec. 6th 1944
Begin at the NE. cor. of
sec. 10 Tp. 28 S R 4 E. of
old post in place,
remarked. the maple S W
from cor.
Run line West. Var 21°.
through timber, bush.
Interpolated 2 lks South
4 cor. post set for Cor.
Broady
From ¼ cor
give line North.

Co Survey. marked
for 23" N. 48 E ——
" 33 S 71 E ——
Chg. 11.00

Herman Miller

Dec. 21st 1944

Begin at 1/16 Cor. N. of the ¼ Sec. cor. bet. secs. 5 & 6 Tp. 23 S R. 5 W. drove an iron pipe 4 ft. lng x ½ diam. from a wh. oak 30" brs. N. 45° W. 99 links The oak Marked 1/16 S. B T.

Went to a bearing tree on Tp. line which bears S. 89¼ E. 5.87 of the ¼ Cor. Set 6 3/4 31. East from bearing tree 14.13 to a wh. oak post and Marked a fer 10. S 7° W. 0.6

staked to line S. ¼° W. Intersected E. of iron pipe 47 ft.



H. Miller

Dec 23rd (fir. 16 n 77 8 27 ft.)

Went to the S.W. Cor of sec 32 old stake by post & cor. of wire fence. Thence this Cor measured West along wire fence. 14.91 to a point South of cor oak by measuring from the West side of bearing tree 5.87 chs. from ¼ cor. Ah the 1/16 cor marked a fer as N. 57 E 9 ft. and set wh. oak post. Old stake was found set by former survey (19.27)

Returned to 1/16 cor on the South Measures North 1° E. 2.00 x at this point West 23 ± ft. and staked Line South to iron pipe. Line bears N. 1° 35' E from this corner

Var 1944 21° E 16.00

48 Clarence Mclaurt

Jan. 8th 1945.
Begins at ¼ cor on hill
20 rds East of SW. cor of sec
30 Tp. 22 R 4 W.
North 7.88 to R road key R+
W. thence N 53 3/4 E 5.60
to center of Co Road
N. 48 W 147 (98) center of
RR. 1.97 (130) 5.53
N. 34 W 5.80 on bridge
Creek N of bridge E. W.
Course of bridge N 51° W.

from fence East 2.70
East side of Co road

North from South RR Rail
North 1.80 center of RR
at 6.00 to stake
North 3.57 (7 Lks)

offset W 17 + 4 = 21
North 4.00

7.88
6.00
3.57
4.00
21.45

788
1.80
9.68
9.30
.38
.7

343 E
70 ft
52
25
70

1944 3

50 Alvin Cooper.

Jan. 14th 1945

" 21 1944 South.

Begin at ¼ cor. bet. 31. 32
T 21 S R 5 W. NE tree
standing cedar stake
by fence corner. Cor
on South slope Run
S 89° E along South slope
19 to change to East slope
30.00 1-14 Ps. #10.00
Begin and run East,
Jan. 21st
40.00 temp stake
40.80 W. Co rock Sc. nw
rather steep ase N. slope
59.80 stream c S. ase
80.00 temp cor. 8 3/4

1200
125
1325
1200

2¼
2
8 1/4

Jan 21st 8 3/4 ms.

51

29 14 43 58 29 8 1

I W Harris

Jan. 28th 1945

Begin at SW cor
of school Pl.
S 2¼° W 3.00 - 58 ft
87

on T line 3rd 58 ft
Var 21° 43½
N. 89° 30 W 14.29 ft
to fence corner.

At this corner marked
a Wh oak 20 N. 53 W
66½ ft.

925
500
1425 +3
14.28

(14.28)
14 43




Orig #10.00 Beac 3.87.

52 Evelyn Rice

Jan. 21st 1944

Begin at cor to secs 5-6-7-8 T4, 24 & R 5W N.W. & SE tree standing Bet stake from N.W. tree.

East 12.00 South 13.25
" 7.13 to center of old Highway 10.54 to Highway fence Highway fence N. 29 E.

fence E 77 E & P.H. 3.50 center of old Highway N 23 E 4.12 to line of old fence S 77 E to P.H. N 26 E 10.32 Form 4 cor 390 Cabin Cor C.S. 14. 4 1/2 to center line of old highway

352
150
17600
352
2 | 52800
26

305
550
15250
5250
2 | 167750
8380

acres
13.96
26
84
15.06
47
14.59
12.41
2.18 +

342
150
212

212
4.50
10608
848
2 | 954.00
47

10,54
1325
5270
2108
3162
1054
13.9.6550

(12.41) acres

53

Chg #1200

Alvin Cooper

Feb 4th 1945

Began at ¼ sec cor 32/33
Cedar post in place
S W lead
marked N W tree
South 49 lks & E 30 lks

49
19
2)30
15

5. 30 lks.

49
19
30
15 cen tie

+19

80.45
40.22
20.11

20.11 80.45 60.33 80.44
40.22 20.22 40.11 19
19 60.33 40.11 61
22½ 20.22 19 42
4½ 40.11 22½ 19
19 20.22 23
22½ 4½ 19
4½ 22½ 4

7½ 15 22½ 30

49 lks to set stone
41½ lks.



Alvin Cooper

49 lks 7½ lks
15 "
19 22½ "
30 lks 30 "

Center cor 1" x 18" pipe
in W side of Co road
marked pt 20 S 55 W 45 l
on W side of Co road

Roscoe Van Slyke
Begin at Corner by Co
Road N. 2.00 = 25 lks.
W 1.00 = 42 lks W 32½
North 3.00 do 35 lks
E on 32½ lks

12
2 – 2
14.2

38.12
14.02
24.10

Pd 4th lks 25.00

56

# A. Cooper

Feb. 4th. 1945

N. 1.50 + 9 ft
W. 32½ ft
N. 3.50 - 7 ft,

~~N 150. 14~~
N 164
350
400
9.14

38.18
36.14
2.04

2½ hrs. time
7 + 2 hrs.

57

# Thorp

February 8th 1945

Began at the ¼ cor of S bdry of sec 35 T5.2S R4W. cor of Yreka survey dist. 67.70 steam 12 L. W. dec. 1 " 6 " Std steep asc.

S 89° W. along S bdry 26.10 Co road & W. N E 28.00 ± of ridge 40.15 no trace of old line Runs S. 650 to ridge E. W 10.50 center of Co road E. W very steep. decln. 15.00 open fir 20.00 no trace of old trees. all destroyed by in opening

DRA cedar for sec. 18.48. from N W cor of Third

38 33 1/2 S 2 Thorp 1848 21. 89.48

West on Tp. line 20.12 19.74
set a cedar post in opening
Marked a few 16 & 66 1/2 ft
52 ft.
Feb 10th 45
Began at 1/4 cor. 34/35
South Var 21° east
6.50 top of ridge dese
17.00 stream C W very
steep ascent to cor.
at 19.74 set post (fir)
Marked 16 N 62 E 5 Lks
" for 14 L 5 1/2 W 17 1/2 ft
N 89 1/4 W west dese
17.00 Co road SW. NE
18.00 stream C W,
20.12 fir post
with fire N 15. W 13 1/2 ft
North 21 1/2 E.
85 Thence Co road
Set W.88.

W.C. Thorp - J. Greson 39

Chg 37
stream S 25 E Ecpd.
steep ast. (very steep)
8.45 top of ridge E. W
set staked on line 10.00




8th 7 1/2 9th 7 1/2 10 7 1/2 = 22 1/2
2 10 Paid $ 33.75

60

F A Lovelace

Feb 15th 1945.

250 / 10 — 198 / 36 / 234

734 ft N 2¾ W, 234 ft
to Stake East.

MD 35

234 / 198 / 460 / 234 / 726

198 / 36 / 234 / 234 / 189 / 94 / 45 / 8.05 / 1.05 / 15 / 14 / 83 / 7 / 15 / 2 / 29

460 / 284 / 176

S 87 ¼ E 2.56½ ft
N 2½ W 3-60 li
Drain 2 56½ ft

Oak 40 N 16° E 16 ft.
Ash 24 E 2.58 ft
B 2½ W 156 ft to fence

Chg 12.50

61

H. J. Goodmanson

Drain

Feb. 22nd 1945.

Begin at Cor. of Brick Alley on Main Street South 181 ft to Cor of Coal Brick at 240 ft Drain Brick Cor. Broad Marked West to West row of Blks West of Alley Drain South 150 ft to pin on Highway. East 100 ft N. E. Cor at an Ash tree by a tree supposed to be the ash Lot Corner.

Chg 6¢

62

## Dare Kingery

March 4th 1945.

Tp 12 S R 9 W.

Begin at a 3/4 in iron pipe on North side of Highway N° 38.

Line Fence North 23° 15' East South from iron pipe 93 feet across highway (S 23 1/4 W) 119 ft. A 25 ft Gather to water edge Begin North side road right-of-way S 75 1/2° E. 69.5 ft. to west line of Johnson Land. S 21° W 104.5 ft. to water edge + 35 ft. NW to stake 78.2 ft.

2 | 69.5 — 34.75

2 | 78.2 — 39.1

1.50

6 | 6 — 5 | 25 — 12.00

less plots

Time 4½ hrs.

63




70
79
2 | 149
74.5 ft
37
11.15 chns

119
104.2
2 | 223 1/2 ft.
112
111
1.68 chns

168
112
336
168
168
18.816
acre

Chg - 12.00

64 Davis

Jake Wilson

March 5th 1945

Begin at the 1/16 cor. North of the N.E. cor of sec 13 Tp. 22 S R. 5 W.

South Var 21°

11.30 Road C. E & W. 12.60 stream 10 W C 10 ask use very bushy to cor 20.18 Int. E of and old post.

March 7th

N E cor of 13. South on old line 3.50 stream C.W. 10.10 cedar post marked

fir 18 L. 54 W 49½

" 8 11.50 E 45

Return to sec. cor Jim Davis

Marked cedar 12 L 40 E. 08 ½. 84½ W desc. 3.90 stream C S. 5.00 road N & S steep use.

Wilson & Davis Cont'd 65

March 13th 1945

Begin SW cor of NE¼ of NE¼ of sec 13. stone set in ground cedar 15 brs S.E. North 1/16 cor Var 21½ east. set stone chain. Inter N. of stake on E & W line 20 ft. and moved line North 21 ft. to be on E & W line 1 by cm and blazed fir 40" on the west. 1/16 cor. marked marked fir 7 L W. 3½ ft. Returned to 1/16 cor. South of set, E. 50. 5.00 peg.

Mar. 28 5.70 road NE & SW 11.30 of SW. cor 20.10 fir stake marked 10 N 17 W 9 ft cor E of old fence 6 ft. Time 20 hrs + 4 = 24 $32.00

66-70

## Willard McKay

March 25th 1948.

Begin at stone marked B.S land very steep along side set for the S.E. cor. of Sec. 5 Tp. 23 S R 3 W. cor stands on N. slope. 2.00 ft of dese. 5.48 center of Co. Road C N. - S 950 center of River C N. - S. 11.00 W side of Woodard Road C. N. - S. 11.50 begin axe. 20.00 temp cor on Magnet line ascending 30.00 top dse 34.00 stream C N. axe 40.10 no trace of old bearing trees to be found. nothing could be found in a radius of 150 ft.

Pts from E. 140 - 120

## Floyd Nattson

Mar. 26th 1945

Begin S.E. cor of Sec 12 Tp. 23 S R 6 W. set wh. oak post. from N.W. bearing tree marks found other trees fallen and decayed new marks on standing tree cor stands on S. slope. West from cor. axe. 11.50 top of ridge dese 38.50 stream S W C.S. axe. 40.10 no trace of old bearing trees to be found set d fir post S.W. 18" fir dead mk. mark trees + cor stands on E. slope. West + S.W. cor of Sec. 12. found large stone in place N.W. tree gone Remarked S.E. tree

Chg $12.00

67

68 Tp 23 S R 4 W,

## Alma Baldwin

Mar. 31st 1945

Beg on N & cor of 15
North 19.93 ft wired fence
W bl from cor 12.00 cr N
ash 19.50 center of co road
19.95 set cedar post on
W side of Co. Road
Marked pr 30 N 7 W
W. 30 ft

North from cor Par 20 ½
through School Lot. at
3.44 chs. N side of school lot
along through pasture
26.80 stream C N E. 33.50
stream .25 W C W. 39.95
to curve fence 40.00 set a
cedar stake. Cor on W slope
Aspen 5.50 run line E.
13.75 Co road C N-S. 19.80.
The fence line brs a little W of
this point. Chg 42.00

69

## Ed Newby

March 29th 1945

East side of Bl 7
Townsite of
Beg on at N E. cor
Dr. McKay Office
set peg at S W cor of side
walk in front of Lots Anle-
rose Jr. property which
is 2 ft. from property
line thence West to inter-
section of Blks. 3. 4, 5 & 6
and set pt. 28 ft. and gave
line to Beg. on West.
Drive ½ rod pr bolt near cor
of Bldg. measured along East
side of Bl. 301.8 ft. to cor of
Newby Lot. 30.4¼ per Lot.

Chg 4.95

No. 66

# Willard McKay

Apr. 2nd 1945

Begin at ¼ cor set by Taylor N. Hemlock 10 S 20 E 4½ 7.50 Woodland road NW SE 1.00 offset W 5.00 North 2.75 to fence. N 11.25 Woodland road through flat.

2 x 6 cedar stake dse 33.25 top of ridge LNES dese. 20 15 set yew pole. South ase (2°)

At the cor. set by Taylor marked Hemlock 18 S 20 E 4½ ft. (S 11°) Apr. 3rd (S 38° E)

26.12 ark yew stake on flat top of ridge S 89° E Marked 2 fir 30 N 11 E 36.5 12.50 alteum 2 @ N. 20 no. cedar stake on E slope South did not chain.

at ¼ cor on South of 5 15 21 23 R1 from stake E 11.25 to pig

Var. used 21°.

Begin at old 1/16 cor run South 1° W. by line w/ fence on the North and with did not chain Intersected line 100 ft W of supposed corner.

700
375
11.25

2 @ 11.50 = $23.00
1 @ 12.50 = 12.50
$35.50
note. 100
36.50

Roscoe Van Cleave

Apr. 22nd 1945

Begin at iron peg on Westfield & Co. road North 2.25 iron pipe " 38 rods 12 ft peg marked W oak 12 & 36 Bs 64 ft. South 89° W. 120 rods to ft of Hill on east N. 30 E 12½ ft S 25° W. 11 rods iron Ford angle S. 33½ W. 34 rods 1 ft to an iron pipe marked fir 12 S 52 W 100 ft " " 10 S 80 W 104 ft N. 48 W 97 ft. to fence on E side of R.y-Way stake N 57 E Petream E 13 ft. S 30 E 3.17 S 11 E 130 ft S 29½ E 116 ft S 42 E 3.68 S E 70 ft South 68



to iron pipe West ft to E side of R.y-way

38 rods 12 ft = 9.68

64 / 32 / 96

11 / 8 = 24/34 = 8.5

16½ / 34 / 64

48.7 / 56 1½ / 52.5 (8.523

528 / 345 / 330 / 150 / 132 / 180

97 / 48½ / 145½

74 Wilson

fir 30 8 44 W 95
" 30 N 14 E 43
" 40 S 82½ W 130
maple 8 N 37 E 32

Thorp (L) 150

150

4½
3 2½
225
112.5
75

1 + 9½ 33.
2 12 19
3 19
4 26 38.
5 32 47½
6 38 57.
7 44 66½
8 50 76
12 51
19
84
94½
104 88

75

½ fir 14 N 82 E 90
" 14 S 73 W 56

⅔ oak 20 N 86 W 220
" 12 S 56 618

5 2½ 6
8 3 9
60 12

Tp 23 S R 4 W

4/9 fir 8 S 19 W 26
" 10 N 89 E 40

Tp 21 S R 5 W

37/33
oak 36 L 2° E 2.12
" 15 N 63 W 5.50 remarkable

Tp 23 S R 5 W

Wh. oak 30 N 78 W 235
" " 11 S 29 " 85
" " 10 N 41 E 1.56
" 8 S 30 " 180
N. on S bdry of 35 78.25
Star 19½

20. 26.20 Sec 35 T 26.20
20. 20.5
40.0 1.00

76 40.40 86.20 81.02
40 57 85.62 2025
2 | 80.91 2 | 171.82
2 | 40.45 85.91 241 41.76
20.22 60. 2088
2 42.00 44 2 | 52.24 26.10
40
122
20 | 41.76 120 26.10
2.618 24 10
26.25

26.10 Tp. 22 S R 6 W.
20.
5 4.2 N 89° 36' W.




66 614 130 85 366 77
396 780 42 219
160 240 219 241.5

11.42 Ac
870 E of Interior Cor.
S 5° W 614 = 405 ft
W 130 ft to Center of Cr.
thence N westerly down
Creek point 366 ft of
beginning point thence
East 366 152 acres

From NE cor
S 5° W 82 ft.
" 5 " 94 " 405
196 176
229

366 = 241.5 ft.

Ralph Ferguson
Miller NW 16 N 7 E 27 M

78 House Lot

Wh. ash 22 & 37 Wt.
120.5 ft.
325
162
487 6 H.S.
9450
455
13.50. 20. 42
8050
40 15
207
96 48 144
15 10 15
155
78
233
140
9320
3
2 3 2 3 2 3 

80

80 alley 20

60 ft street

Railroad R/W 400

North 176.6 ft

West

E from ¼ cor 325 ft
North 50 ft. (S 69 ft
to N side of Co Rd.)
from ¼ cor S 798 332
ft
NE cor white house
bears S 34° W 482 ft
South from road 10 ft +
East on road 960 ft.
to N + S fence (69+10=79)
From Wauregan N 1200 +
30 to center of road 760 ft to
center of R.R. track S 100 ft
S 117 to center of Co road
160 center S on road

81

Section 2 Center creek NE 61

N 80 W

Section 24 N 42 E 31

S 22 E 64

80.70