


DOUGLAS COUNTY SURVEYOR'S OFFICE

ROMEY WARE, COUNTY SURVEYOR

COURTHOUSE ROOM 105-A
ROSEBURG, OREGON 97470
(541) 440-4272

July 28, 1998

To whom it may concern:

The old Field Books of O.F. Thiel, PLS #4, have been in the office of the County Surveyor for a number of years (the exact number is unknown to me). They have recently be plotted and index cards made for them.

I began going through them in the fall of 1993, when time allowed it. Due to a recent court case it was determined that it was important to plot them the best that we could. Not all of the surveys are plotted, some pages are extemely hard to read, and others are hard to follow.

Jean H. Crawford
Survey Technician
D.C.S.O.

FB #113 THIEL BOOK 10

Page	For:	Date	T - R	Same as
1-2	David Grenof	1899	T27-7 Sec. 24	Vol. 2 Pg 72 *
3-5	County Survey	1899	?	
6-7	Martin Butler	1899	T27-5 Secs. 7 & 8	Vol. 2 Pg 74 * Survey #9
8	James Richards	1899	T25-6 Sec. 22	Vol. 2 Pg 74-75 Survey #10
9	James Richards	1899	T25-6 Sec. 22(?)	
10-12	Bridges & Kent	1899	T22-5 Sec. 5	Vol. 2 Pg 75 * Survey #12
13-14	Domico Perini	1899	T21-4 Sec.11	Vol. 2 Pg 76 * Survey #13
15-20	County Rd. Surveys	1899	Scottsburg to Loon Lk Camas Vlly to Summit	Vol. 2 Pg 76(#14) Vol. 2 Pg 77(#15)
21	Fred Fisher	1899	T28-7 Sec. 27	Vol. 2 Pg 77 * Survey #16
22	James Byron	1899	T29-7 Sec. 2	Vol. 2 Pg 77 * Survey #17
23	Fisher & Casterline	1899	T29-7 Secs. 4/9	Vol. 2 Pg 77 * Survey # 18
23	Jas. Applegate Est	1899	T22-6 Sec. 13	
24-26	A Walker	1899	T22-8 Sec. 28	Vol. 2 Pg 79 * Survey #23
27-29	Robert Cook	1899	T23-4 Sec. 7	Vol. 2 Pg. 80 * Survey #24
30-32	Alex Wright/ Perini/Long/Waness	1899	T21-4 Sec.14	Vol. 2 Pg. 80 * Resembles #28
33-35	J.A. Tramel	1899	T21-4 Sec. 11	Vol. 2 Pg. 81 * Survey #29
36-37	Frank Kent	1899	T22-5 Sec.8	Vol. 2 Pg. 81 * Survey #30
38-42	?. W. Kirk	1899	T30-5 Secs. 20/28	Vol. 2 Pg 82 * Survey #31
43-44	W.B Clark A H. Church hill	1899	T25-7 Sec.21	Vol. 2 Pg. 82 * Survey #32

Page	For:	Date	T - R	Same as
44-45	Geo. B. Yale	1899	T25-7 Sec.21 ?	Condensed with Thiel's #19
46-47	H Germond	1899	T25-7 Sec. 30	Vol. 2 Pg 83 * Un-numbered
48-49	A. McKay	1899	T25-7 Sec. 16	Vol. 2 Pg. 83 * Survey #36
50	W.B. Clark	1899	T25-7 Sec. 21 (?)	Condensed with Thiel's # 19
51-53	P.A. Lindstrom	1899	T21-4 Sec.11	Vol. 2 Pg 83 * Survey #37
54-56	W.H. Rose	1900	T27-4 Secs19 &20	Vol. 2 Pg 84 * Survey #38
57-58	Re-establishment Of Government cors.	1900	T21-4	Vol. 2 Pg 261
59-61	Applegate/ Watkins/ Stockwell	1900	T22-4 Sec. 18	Vol. 2 Pg. 84 * Survey #39
62-63	Lee & Cutback	1900	T22-4 Sec. 17	Vol. 2 Pg 86 * Survey #40
64	PV Coffey	1900	T22-5 Secs 27/28	
65	Sam Jones & Jas. Haskins	1900	T22-5 Secs 7/8	
66-67	J.W. Dunbar & L. Ritchey	1900	T21-5 Secs. 31/32	Vol. 2 Pg 86 * Survey #42
68-69	Fred Whitbeck	1900	T25-7 Sec.25 T25-6 Sec. 30	Vol. 2 Pg 86 * survey #43
70	Geo. Stearns	1900	T25-5 Sec. 4 (?)	
71-73	Lee Barker	1900	T22-5 Secs. 28/29	Vol. 2 Pg 88 * Survey #44
74-75	Thos. J. Hall/ Ed Weaver	1900	T30-5 Secs. 19/20	Vol. 2 Pg 88 * Survey #45
75	Edwin Weaver	1900	T29-5 Sec. 32	Vol. 2 Pg 88 * Survey #46
76-77	Cleland Weaver	1900	T30-5 Sec. 6	
77-80	Douglas Co. RD Marvin Hill & Little Canyon	1900	T24-6 Sec. 29	Vol. 2 Pg 89 * Survey 47

Page	For:	Date	T - R	Same As
81	S.C. Miller	1900	T28-6 Sec. 29 (?)	Vol. 2 Pg 89 * Survey #51
82	School Dist. 116	1900	T28-6 Sec. 29	Vol 2 Pg 89 * Survey 352
83	W.B. Lamb & Geo. Short	1900	T26-5 Sec. 6	Vol. 2 Pg 89 * Survey #59
84-88	Do. Co. Myrtle Creek RD.	1900	T29-3 Secs. 16/21	Vol. 2 Pg 90 * Survey #60
89	J.L. Chaney	1900	T29-5 Sec. 27	Vol. 2 Pg 90 * Survey #61
90-91	D. McWilliams	1900	T27-5 Secs. 22/27	Vol. 2 Pg 90 * Survey #62
92	Gov. Corners Re-established	1900	T25-5 Secs. 10/11	Vol. 2 Pg 262
94	Jasper Fegle	1900	T22-5 secs. 28/29	
95-96	J.M. Stock	1900	T22-5 sec. 13	
97-98	S.J. Chenoweth	1900	T26-5 Sec. 7	
99	Fegle	1900	T22-5 Secs. 22/27	
100	J. Ritchey	1900	T21-5 Sec. 31	
101	Applegate & Braun	1900	T22-5 35|36 T22-6 2|1	
102-104	J.A. Johnson	1901	T21-5 Sec. 28	
105	Fritz Guggisberg ?	1901	T21-5 Sec. 28	
106	Wm Wise	1901	T22-5 Sec. 15	
107-114	Wm. Ward Est.	1901	T21-4 Secs. 19, 20,30	
115-117	Perkins & Bledsoe	1902	T21-4 Secs. 15&21	
119	Cook & Applegate	1903	T23-4 Secs 1|6 ?	
120	Bert Ross	1905	T21-5 Sec. 32	
130-131	Cook & Richardson	?	T23-4 Secs. 4 & 5	

133-136 Last 3 pgs are Re-established Corners found in Vol. 2 Pg. 261

FB113.ORI

FB #113 Thiel Book 10 **This is a rough index for the field book**

T - R	Sec.	Page/**Survey #**	For/Title	Date
T 0-0		2	County Survey	1899
T 0-0		72-75 ♣V 2 Pg261	Re-established Corners	
T 1-4		26 ♣V 2 Pg 261	Gov. Corner Renewals	1900
T 1-4	11	7 ♣V 2 Pg76 #12	Domico Perini	1899
T21-4	11	16 ♣V 2 Pg81 #29	J.A. Tramel	1899
T21-4	14	15 ♣V 2 Pg80 #28	Wright/Perini/Long/Waness	1899
T21-4	21/28	57	Perkins & Bledsoe	1902
T21-4	19,20,30	56	Wm. Wise Est.	1901
T21-5	11	24 ♣V 2 Pg83 #37	P.A. Lindstrom	1899
T21-5	28	53	J.A. Johnson	1901
T21-5	28	54	Fritz Guggisberg ?	1901
T21-5	31 & 32	32 ♣V 2 Pg86 #42	J.W. Dunbar & L. Ritchey	1900
T21-5	31	51	J. Ritchey	1900
T21-5	32	59	Bert Ross	1905
T22-4	17	29 ♣V 2 Pg86 #40	Lee & Cutback	1900
T22-4	18	27&28 ♣V 2 Pg84 #39	Applegate/Watkins/Stockwel	1900
T22-5	5	6 ♣V 2 Pg75 #12	Bridges & Kent	1899
T22-5	7 & 8	31	Sam Jones & Jas. Haskins	1900
T22-5	8	17 ♣V 2 Pg81 #30	Frank Kent	1899
T22-5	13	48	J.M. Stock	1900
T22-5	15	55	Wm Wise	1901
T22-5	22/27	50	Fegle	1900
T22-5	27 & 28	30	PV Coffey	1900
T22-5	28 & 29	35 ♣V 2 Pg88 #44	Lee Barker	1900
T22-5	28 & 29	47	Jasper Fegle	1900
T22-5	35 & 36	52	Applegate & Braun	1900
T22-5	39DLC	12	Jas. Applegate Est	1899
T22-6	1 & 2	52	Applegate & Braun	1900
T22-6	45DLC	12	Jas. Applegate Est	1899
T22-8	28	13 ♣V 2 Pg79 #23	A Walker	1899
T22-10		8 ♣V 2 Pg76 #14	Co. Rd. Survey(Scottsburg)	1899
T23-4	1|6 ?	58	Cook & Applegate	1903
T23-4	4 & 5	69 - 70	Cook & Richardson	1904
T23-4	7	14 ♣V 2 Pg80 #24	Robert Cook	1899
T24-6	29	39 ♣V 2 Pg89 #47	Co. Rd.	1900
T25-5	4 (?)	34	Geo. Stearns	1900
T25-5	10 & 11	46 ♣V 2 Pg262	Gov. Corners renewed	1900
T25-6	22	4 ♣V2 Pg74-75#10	James Richards	1899
T25-6	22(?)	5	James Richards	1899
T25-6	30	33 ♣V 2 Pg86 #43	Fred Whitbeck	1900
T25-7	16	22 ♣V 2 Pg83 #36	A. McKay	1899
T25-7	21	19 ♣V 2 Pg82 #32	W.B Clark/A.H. Churchhill	1899
T25-7	21 ?	20	Geo. B. Yale	1899
T25-7	21 (?)	23	W.B. Clark	1899
T25-7	25	33 ♣V 2 Pg86 #43	Fred Whitbeck	1900
T25-7	30	21 ♣V 2 Pg83	H Germond	1899
T26-5	6	42 ♣V 2 P89 #59	W.B. Lamb & Geo. Short	1900
T26-5	7	49	S.J. Chenoweth	1900
T27-4	19 & 20	25 ♣V 2 Pg14 #38	W.H. Rose	1900
T27-5	7 & 8	3 ♣V 2Pg 74 #9	Martin Butler	1899
T27-5	22/27	45 ♣V 2 Pg90 #62	D. McWilliams	1900
T27-7	24	1 ♣V 2 Pg24	David Grenof	1899
T28-6	29 (?)	40 ♣V 2 Pg89 #51	S.C. Miller	1900
T28-6	29	41 ♣V 2 Pg89 #52	School Dist. 116	1900

Denotes Government corners set & BTs marked or re-marked.
♦ Denotes pages that are hard to read or can't be read.
♣ Denotes that the survey is similar to , or the same as the map number given.


Thiel Book 10

T - R	Sec.	Page/**Survey #**	For/Title	Date
8-7	27	9 ♣V 2 Pg77 #16	Fred Fisher	1899
T29-3	16/21	43 ♣V 2 Pg90 #60	Do. Co. Myrtle	1900
T29-5	27	44 ♣V 2 Pg90 #61	J.L. Chaney	1900
T29-5	32	37 ♣V 2 Pg88 #46	Edwin Weaver	1900
T29-7	2	10 ♣V 2 Pg77 #17	James Byron	1899
T29-7	4 & 9	11 ♣V 2 Pg77 #18	Fisher & Casterline	1899
T29-8		8 ♣V 2 Pg77 #15	Co. Rd. Survey(Camas Vlly)	1899
T30-5	6	38	Cleland Weaver	1900
T30-5	19 & 20	36 ♣V 2 Pg88 #45	Thos. J. Hall/ Ed Weaver	1900
T30-5	20/28	18 ♣V 2 Pg82 #31	?. W. Kirk	1899

* Denotes Government corners set & BTs marked or re-marked.
♦ Denotes pages that are hard to read or can't be read.
♣ Denotes that the survey is similar to , or the same as the map number given.

This is a rough index for the field book

Field Book #113


BOOK # 10
FB 113 = OFT FB 10

1899-1904

County Surveys.

O. F. THIEL 1899.

Yoncalla, Douglas Co, Oreg,

Return in 5 Days to

O. F. THIEL, Co. SURVEYOR

Yoncalla, Oregon.

T 27 S
R 7 W.

1 David J Brent
Jan 5th 1899
Legin at the cor to Sec 19 30 24 25
West along fence bet S.W. 89° 25' W
Var. 20° 10' 39.96 ch oak pnt
for 1/4 cor old bearing tree stan-
ding dead partly down & remark
N. from 1/4 post, chac. through
small oak grubb and laurels
with scattering large oaks.
at 2.78 chs river donation
Claiborne 192 lks W of cor
21 wh oak pnt.
wh. oak 5 ins 85° E 16 lks
" 6 " 91° W 42 "
S.E. br tree of Sec cl.
dead and fallen marked
a laurel 7 N 67 W 82

David J. Brent
Jan. 13 1899

begin at cor to secs 19, 30, 24, 25
N. from cor
200 link of ridge, observing on
NW. slope small oak grubs.
+0.04 1/4 cor. set rock for cor.
N. from W. 1/4 cor. due on N. side
of ridge heavy oak grubs and
small laurels. at 25.42 chains cross
E. claim line ~~cross~~ W. of
S. E. cor.

Witnesses
Chas. Ditzer
W. Cogdal

2

County Survey
Jan 24 1899

S. from 1/4 post 11.12 Var 21° 30' E.
360 set cedar post
fir 30 N 70 E 73
thence S 41 1/2 E 29.80
~~S 73 E~~
set fir post
fir 9 S 74 E 9
" 10 S E 6
thence S 73° E 8.74
set ak post in clm line
cedar 24 S 28 E 59
thence S on clm line to
R.R 97.8 cent of R.R Cl 80 W
S 19.50 to S in cor N. from
S 20 E to ak on S bank 10 ft
cor 13.68 W of S E cor.
fir 24 marked
S 2 E 6.40 to clm mdp
fir post
fir 18 S 78 W 56

3

S 40 W 7.60 to fir 6 in
fir 4+ S 38 E 4.
S 31 W 7.84 to O. 30 in
S 42 W 24.50 to post
Locust fir 48 S 47 W 68
S 67 W 9.50 to post on
creek 13.44 5.93 N of pig
pen N. line cor of Lot 1/4 of
S 1114 W Dec 18
Ork oak 9 S 25 E 39
fir 60 S 76 W 13.

Jan 25-
Van 19 1/2 N 1 oak 1/4 to post (bet 11 & 12)
bet creek 11 and 12
N 38 W 8.45 cedar post
fir 6 N 35 E 9
N 21.87 fir post
fir 50 S 2 E 20

thence N 50 W 2 0.50
cedar
fir post 24 S 67 W 25
fir 24 S 22 W 37
N 9.00 fir post
fir 48 S 60 W 29

A Perini 3 days labor

Chamma
Dominico Perini
a "

No 3. March 6, 1899.

6

Martin Butler

Cloverdale addition to Roseburg. NW. NE beginning at L cor of the C.S. Braden donation claim, set a cedar post from which a bl. ok. 20" brs N 20° E. 0.61 thence E on N. bdy of claim 33.10 to NE cor of L set ok post from which a ash 12 D 31° W 87. Thence S on E bdy of said claim 584 to S.E. cor of lot No 23 set fir post. thence W on S bdy of lots 23, 22 & 21. 29.13 to a point 90 lks N of NE cor of lot No 11, thence S on E bdy of lots Nos 8, 9, 10, 11 13.47 to SE cor of lot 8 thence W 9.97 to S.W cor of lot 6, thence N to place of beginning.

March 6, 1899.

Martin Butler.

C.S. Braden D.C.

Cloverdale Addition

Blk 2 Cloverdale Addition

St. Loo. Street.

Street.

20 21 22 23

8 9 10 11

23 22 21

33.10

29.13

13.47

9.97

No 4. March 8-9, 1899.

8 James Richards.

Begin at a point 18.07 N & N.W. cor of Smith dau. and 7.84 S. of the N.E cor Hearst dau set stake thence S. 83° W 21.03 along in county road Thence S. 19° W. 10.53 to N line of Hearst dau. thence N 14 W 7.88. N 8° E. 1.37 S.E cor of school lot 6.75 N " " " " thence N 85° W on N boly of school lot. 380 to bank of creek. 480 middle of creek thence up stream N 2¼° E 808 thence E 20.50 to eastern boly of E Stephens dau. thence S 22.40 to S.E. cor of same. thence E 9.60 to N.E. of Hearst dau. Sold B W Stephens @ $22 per acre. (99.75 a)

No 5 March 9, 1899.

James Richards.

Begin at a point 50.15 S. of N.E cor Hearst dau set a rock 8 x 6 x 8, 37 lks W of centre of road along fence W through field on E. bank of creek set a pin stake and marked an alder 20 ins diam on west bank of stake being just south of line.

containing 2 acres deeded to Mrs. Mary F. Richards.

Chairmen
Ed Richards

9

No 6 March 27-28 1899.

10 Bridges & Stent.

Begin at the N.E. cor of sec 5 T.N. 22 E R.5 W. old post found, two fir bearing trees standing & two fallen. N on N bdy of sec 5. 0 cor 20.15 at 4.00 no trace of bearing trees found excepting fir stump reestablished same setting fir post Marked a dot chiseled 20 E 11 E 45; fir 14 N 14 W 20 S from 1/4 post & on top of ridge 20.87 set fir post

fir 20 N 40° E 23

" 30 N 47 W 42 W from 1/16 cor. 2.00 set fir post

fir 4 N 58° W 18

" 8 S 24° E 25

South from 1/16 cor 28.50 to top of ridge dash thence 4.00 set

Bridges & Stent.

rock 18 x 12 x 6 for cor in gulch E from rock. very steep descent along on S side of ridge 8.70 top of ridge 4.00 set fir post on N side of ridge ~~x maple~~ 12 S 70° E 22 fir 12 N 7° E 85 N. through hazel flat. 6.40 begin a very steep descent 2.00 set fir post. fir 24 S 54° W 42; fir 28 N 43 W 27 W from cor 7.25 bottom of canon 19.86 inter 1/16 cor 10 N of cor S from 1/16 descend S about 16.40 old line survey (E & W line) 18.15 steam 5 wide in bottom of canon 2.00 set alder maple post.


fir 36 N 46 E 60.

Chainmen

Frank Stent.

Arthur Rhodes.

11



12

No 7 April 13 & 14 1899. 13

Domico Perini Tp 21 S R 4 W

Begin at the cor to secs 10, 11, 14 & 15 secs as given post. E 11,14 & 15 secs as given post. E from cor. at 39.82 1/4 sec cor inter 24 d. of cor: Var. at cor. 20° 20' E- established by an ok. post E from 1/4 cor at 19.81 old cedar post for 1/16 cor. marked Pt. ok 20 N 85 W 72. North from 1/16 cor dese. 14.00 railroad fence 14.45 center of railroad track c W 14.95 center of countyroads c W 20.00 set Ok post. a wh oak 10 N 87 W 188 lks. (Var. 19 o'clock 20° 10').

North from 1/4 sec cor bet 11 & 14 desc on N slope of ridge 19.60 Paso creek c W 20.00 set a cedar post marked an alder 203.45 E 3 North from cor to secs 10, 11, 14 & 15 - 11.65 - Paso creek c W 6.00 center of

No 7. April 13 & 14 1899

Dominico Berini

County road, 7.91 centre of R.R. through scattering fir &c. 20.00 ait ok fract

marked a fir 20 S 5 E 8+ Ubs

" " " " 20 N 2 E 15 "

Thence E and along S slope of mountain 29.50 centre of R.R & S.W 84.50 centre of waggon road C N. 39.55 intersects 12 Ubs N. of cor. 41.20 centre of waggon road C N.W. & S.E. 44.75 centre of railway C N.W. 60.03 intersect 6 Ubs N of corner

14

No 8 County Road

from Scottsburg to Goon Lake.

April 18 to 22nd 1899.

Commenced at stone set in centre of Snelling & following said street S. 3.05 - laid off land 2.50 E Dago in apparent former road bed N 16 W. Thence following up River

S. 68° E	3.00	S	72° E	4.60	S. 22° E	1.80
S. 69 "	2.60	"	54 "	2.85	" 15 W	3.90
N 85 "	3.60	"	33 "	3.00	" 40 E	1.40
" 80 "	1.55	"	23 "	2.10	N 66 "	2.00
" 82 "	2.90	"	29 W	2.10	" 78 "	2.15
" 78 "	3.00	"	88 E	1.50	" 83 "	3.80
" 60 "	4.55	alder brook maple 14 N 82 W 107			" 9 W	2.10
9x a stone					S 88 E	1.20
S. 38 E	1.80	Thence			" 83 "	2.90
" 50 W	2.00	S. 88 E	2.60		N 39 "	2.30
" 14 "	2.45	N 83 "	1.50		" 4 "	1.20
" 20 "	1.50	S	75 W	3.25	" 54 "	1.60
" 12 "	1.80	"	32 "	1.15	S 42 "	1.60
" 6 E	3.50	"	65 "	2.25	" 46 "	1.70
1.80 stream E &c		"	14 E	3.40	" 22 "	1.80
S. 1 W	2.40	N	77 W	2.40	" 6 "	1.60
" 57 E	2.70	S.	36 E	2.15	" 9 W	14.30
" 25 W	6.25	"	27 W	3.75	" 45 W	1.50
" 77 "	3.25	"	7 "	3.00	N 70 "	8.30
" 18 E	1.00	"	7 E	3.60		
" 25 W	1.75					

15

County road from Scottsburg to Loon Lake.

Alder frost
fir 10 8 70 w
22
fir 24 7 10 e
24

County road from Scottsburg to Loon Lake

County road from Scottsburg to Lon Lake.

No 8 County road from Camas Valley to Summit. May 26th 99.

Begin at a point 26.00 N of the S.E. cor of Patterson donation claim a sawed fir post. cedar 10 S. 19 E. 160 cedar 10 N 14 E 90. Thence N on E bdry of said cl. through prairie 47.50 to stream c W. 80.25 N E. cor a rock imbedded 10 E. of cor. Thence

N 4° E.	350	N 65½ E	2.10	N 28½ E	2.20
" 31 "	225	" 67½ "	3.65	" 19 "	2.10
" 57 "	1.90	" 74 "	3.25	" 8 "	4.20
" 72 "	3.00	" 84½ "	2.30	" 6½ "	3.25
" 76½	2.20	" 83 "	2.60	" 14 "	3.20
" 57 "	2.30	" 76 "	5.30	" 35 "	3.05
" 49 "	0.70	" 84 "	3.40	" 21½ "	2.25
" 68 "	.85	" 79 "	8.45	" 19 "	3.00
		N 75 "	1.00	" 27½ "	1.65
cut fir post		" 40 "	2.60 fir post.		
fir 15 S. 19 W	20	" 24½ "	2.75	fir 26 S. 27 E	56
" 20 N 2 W	2.00	" 16 "	2.15	" 30 N 10 W	83
		" 2 "	1.95		
N 68° E	3.65	" —	2.75	N 27½ E	1.55
" 56½ "	2.25	" 18 E	2.35	" 30½ "	3.00
90 stream c W		" 49½ "	2.85	" 62 "	4.20
N 32 E	2.20	" 38 "	2.65	cut cedar post.	
				fir 24 S. 62 E	29
				" 22 N 18 "	23.

No 9. April 27 1899. 21

Fred T. Fisher

Begin at the cor to secs 27, 28, 33 & 34 Tp. 28 S. R 7 W. The S. W bearing tree standing S. E. 90 E trees being Cut down but stumps remaining from which it ash stake. S. 17.70 E. 6.60 Thence S. .50; Thence E 1.15; Thence N. .50; Thence W 1.15 to place of beginning

Grabeyard Survey

No 10. James Bysom April 28.

Set an iron pipe at the cor to secs 2, 3, 34 & 35. Tp 29 S. R 7 W and through prairie; 9.50 stream 10 wide c W enter timber on N E. slope of hill 3.50 top of ridge dive into gulch 3.50 bottom of gulch c E. 40.15, no trace of bearing tree to be found; cut a fir post. E. from

No 10. James Byron Cont.

Tp 29 S R 8 W

1/4 sec. Cor dec on E slope 10.00 chains 10 links E N. along ridge top of grubbed 20.00 set ash stk. 1 pit. Wh. ok 30 S. 70 W 32.

No 11. Fisher and Courtline.

April 28th 1882

Begin on blazed line E of 1/4 cor sec 4 of Tp 29 S. R 7 W. Traces line W to 1/4 cor. line bro. N 88° W. found the N. & S. bearing tree standing but dead and gone cut down. Unestablished same set a rock stone 15 x 12 x 6, Wh ok 34 N 73 W 24 Wh ok 7 S 4 W 2.50 d. from 1/4 cor (cor lands in grain field) 12.10 top of ridge ok top 17.00 ft of hill 17.50 steam E W 20.00 set an ok stake bl. ok 8 N 60 E 87 links from N 55½ E 25 — W from 1/16 cor. 2.50 [illegible]

4.00 chains N E through ok grubs 15.50 top of ridge for and heavy ok grubbed along on N side hill. did not run at this cor as had disputed lands.

No 12. Jas Applegate East.

Begin at the interior cor of the Thos Stillwell dec. set a fir post. old witness trees standing South through prairie as ok on N slope 21.50 enter small fir and ok timber 25.40 set a fir post on dec line, and marked a fir 16 N 85° W 46 bl. ok 4 S 75 E 3. At the mi cor of el set a wh. ok post for cor.

Surveyed May 8 94

Ch. A. Merriwether B. Hunter

No 13. A. Walker. Var 20°50'

24 June 22 to 24th 1899.

Begin at the N.W cor of the Wm Hathaway Don cl. fir marked and a cor had fallen but bearing trees standing set a cedar post Thence S through field 28.50 stream c Nw. 35.40 old Military Road c Nw & SE. 39.25 present traveled road 47.10 fir tree marked cor a tree had fallen 78.40 stream 4 links wide c Nw enter heavy underbrush. 56.15 trail c E & W 45.60 intersect 70 N of cor tree and bearing trees standing Thence run E without chaining 36.00 as per old survey set a rock 20x16x8 for cor old bearing trees standing. Thence N 5.00 old tree marked bs post standing but dead. fir bearing standing but other bearing tree fallen Thence

A Walker 25

Jy 22 of Rnw.

East. ascend an Nw slope 21.50 top of spur c Nes descend along on side of ridge 30.00 along on top of ridge 41.00 Left N of cor. set a fir post the NE bearing tree standing and marked. other tree fallen cor stands on summit of ridge. Thence North.

slip descend on N slope, 9.50 ft of slip descend gulch c Nw gradual asc along on N slope large fir timber, hazel and dogwood 22.00 enter a fern flat 35.00 top of ridge c Nw. & SE. begin a very steep desc on NE slope heavy underbrush 75.40 cor of cl 43. ok post standing and also under bottom Myrtle

A Walker

26

run N bet cls 43 & 44 to
R bank of river crossing
crossing old bearing trees
washed away:
At 23.72 N from SW cor of
claim 44 set a fir stake from
which a dbl bl ok 15 N 2° E 3
thence run E across cl, on
E bdry set fir post fir 16 N
26 W 1.66 Inter 20 N of cor,
At 4480 from SW cor of cl 44
set wh ok stake from which a
wh ok 8 R 40 E 207 thence E
across cl. set fir stake a fir
fir 36 N 8 E 7 fir 6 N 63 W 31.
Cor stands on N side of ridge
10 lks N of N W cor of cl 44 claim E
across claim set a fir stake
with no bearing trees.

No 14 Robt. Cook

27

June 28, 29, 30.
Begin at the cor to s2cs
1, 12, 6 and 7. set a fir post, old
bearing trees standing except
S.E. tree gone. Th. 23 Rs 3 & 4 W
E. from cor. set fir post.
across on W side heavy hazel and
arrowwood brush, 8.00 top of
ass. slope, close on E slope. 30.00
Adams Creek comd. S W
40.75 inter S. of cor. 2.00.
Old bearing trees dead, one
standing 24 a stone 12 x 10 x 10
for cor marked a fir 36 N 43 E 80
" " " 40 N 59 E 50
South from 1/4 cor
Along on W slope heavy undergrowth
9.00 enter prairie 17.00 leave prairie
19.25 Adams Creek comd. S W slope ass
28.40 top of ass. slope 38.00 top

No 14
28

Robt. Cook

A spur. 3940 enter large fir tbr
deac 43.00 stream c Cor. 4660
stream c W 5725 stream 7 wide
c NW. begin a stub acc. 6000
set a stone 20x16x12 for cor
fir 16 S. 21 W 20
Chincapin 7 S 42 E 34. cor stamped
on N side of top of ridge
(6/28). W from cor. 50 begin deac
1010 stream c N 2860 Adams
Creek c N begin a stub acc
on Sde. slope 41.25. Intersect 7th line 3.00
N of cor set an ok stake without
bearing trees. Cont. W from cor
heavy fir and cedar timber
4000 set temp cor. Begin at
the 1/4 sec cor bet. 1-12 thence
through forarie 48 leave prairie
5990 enter E 80 W line 28 W of temp cor
set fir post and marked a fir 50 ins
d. 52 W 49.

14

Robt. Cook

29

Chainmen
Wm Marks and
Jos Simpson.

Survey No 15
Oct 9-10 1899

Alex. Wright.

Begin at the 1/4 sec cor
bet secs 13-14 a wh Mk post
W. from cor. Var 21° along
on bench lands for tbr under-
brush. had ammoved minemaple
small fir 9.30 stream c N. 20.10 set
cedar post for 1/16 cor. a chincapin
20 N 63° E 46 21.70 stream c N
2280 crowd c on. use Mineapple tbr
40.55 set cedar post for cor sec
fir 48 d. 84 E 33
" 36 N 24 W 55

No 15

30 Alex Wright

October 9 1899.

Tp. 21 S. R. 4 W. Var. 21°

Begin at the 1/4 post. bet. secs 13 & 14 set by Collier. old bearing trees slanting – West from cor large fir 8 inch fir 8 inch ammond 9.30 stream E N. 20.10 set a cedar post. marked a chmica pir 20 N 03 E. 46. 21.70 stream E N. 22.70 wagon road E N. along through timber. 40.20 set a cedar post. for cor in centre of sec. on hill. fir 48 S. 84 E. 33

" " 36 N 24 W 55

Cont. W from cor. at 81.00 intersect. 18 S. of 1/4 post. set a pen. post. close to a small branch – Chainmen –

Ernest McReynolds

Wes Lima.

No 15

A Wright & D. Perin.

S. from post. in centre of sec. runs. along on ridge of hill large fir and cedar th. 20.00 set a cedar post. on marked. hemlock & N 68 E 17. cedar 7 N 27 W 17.

Thence E. from cor. along on N side of mountain heavy small fir and hazel brush. 20.00 set limb post. then commenced at post. set by Collier 20.00 S. of 1/4 cor. bet secs 13 & 14. Thence run N. (ash ok post set by Collier) cor stands on E side of hill in opening slope and 7.40 top of ridge. Co. line slope. Dec on N.W. slope. through old slashing. 20.06 intersect limb post 8 N of cor. 20.03 set cedar post marked pir 20 S. 20 W 2; pir 18 N 15 W 32.

No. 15. 32

Wright and Long.
Var. 21° Oct. 9-99.
Begin at cor established in centre of section 14. Thence N. dist large fir heavy hazel and arrowwood dist not measured through intervale E. of 1/4 post bet. 11 & 14 78. Correct back on true line.

Wright & Vanasse.
Oct. 10 1899.
Begin at 1/16 cor set W of 1/4 cor bet 13-14. North from cor. close along an East side of chain cross strain. dist not meas. line intersected N. & S. cor set for Survey No 7.
Chainmen
Lee Long, Ernest McReynolds

No 16

J. A. Tramel
Oct 11, 1899. 33
Section 11 Th. 21 R. 4 W.
Var. 21° 30'
Begin at the 1/4 sect cor. (from stone) bet 11-12. N. from cor. through slashing 17.00 wagon road cr. 40.20 inter W. of sec. cor. re-established by setting cedar post by large stone. at. 20.10 S. of section cor. set a stone 16x10x6 marked a cedar 7 S. 5 E. 17.
N. from cor. var 21° 30'. along an inch land through large fir heavy underbrush fir hazel and arrowwood. 12.00 begin to descend. 17.15 spring ash and vinemaple flat 19.96 set a cedar post 21.10 leave flat. 35.00 leave fir thr enter opening. ~~clay~~ clay clear.

No 16 34

J. A. Tramel

along on S. slope. 38.00 desc
mile rod to 39.77 set a cedar
post for cor. marked an
alder 12 S. 9 E 2.31 - Thence -
South slope desc. 3.50 set a
cedar post dh alder 10 N 43 E. 73.
Thence South 54 1/4 E. through
prairie 11.50 stream cr. 15.42 cedar
post for cor. marked a cedar 14
S. 53° E. 3.1 Thence S. 7.50 set a
temp cor.

Begin. at a cedar post set
20.00 N. of 1/4 sec cor bet 11 & 14
set for survey No 7 - Thence
North 1.25 Centre of Co road
1.95 centre of R.R. track slope asc.
8.50 bf. of slope asc. enter heavy
small fir tbr (young fir thicket)
12.40 wagon road E & W. 20.00

No 16

J. A. Tramel.

set a fir post for 1/16 cor. and
marked fir 40 S. 23 W 27.
cor stands in small branch at
opening. ~~Thence through~~
~~prairie~~ Cont N. through
prairie (pasture) 38.00 begins
slope asc. to cor. 40.10 inter 18 E
of cor. Go back to 1/16 cor on N. & S
line. Thence East.
through pasture 12.45 intersect
a N & S fence cor. set a fir post
and marked. mh ok 20 N 49 E
73; mh ok 18 N 87 W 2.67

Chainmen
Geo Long
Alex Wright.

35

No 17.

Frank Stent.

Oct. 17 & 30 1899.

Tp. 22 S. R. 5 W Sec. 8.

Began at the N.W. cor of section 8. only two bearing trees standing the S.E. being dead but standing. S. 80 W tree alive other bearing gone. established cor from two trees by setting a cedar post. (did not search for N.E. bear. trees) on account of heavy brush and long distance. marked 10 inch a fir for N.W. bearing tree. bears N 45 W. 20. Cloudy weather prevented taking sun Var. used 20° 25' — East —

27.5 top of spur slight descent 9.00 pt of desc. fern opening, 19.90 set a cedar post in branch for cor. marked a fir 36 N 29 E. 25. — South — Chainmen Johnson and Fox.

No 17.

Frank Stent.

slight asc. through heavy fir and hazel brush. 5.50 into slashing. begin here Oct 30. through slashing 13.42 leave slashing 18.70 cross fence. 26.65 cross fence 29.00 top of ridge. desc 34.00 begin a slight desc. at 40.00 set limb post. — West — along on S hill side 3.50 wagon road in gulch, asc on E side of hill. at 20.02 intersect S.4 N of cor. one of the old bearing trees fallen and the marks burnt of the other but correspond in description set a willow post. marked a fir 12 N 9 W 83 for witness tree. corrected back. set a fir post for S.E. cor of Stent land and marked. ab. ok 20 N 46 W 48. fir 30 S. 27 W. 49. Washing.

No 18.

38. C. W. Kirk

Oct. 25 - 26 1899.

Tp. 30 S R 5 W.

Begin at the S.E. interior cor. set a river stone 15×8×6 inch Var at this cor 20° 10'. - West - 8.43 chains set 8 S. of cor. old bnd tree cut down but stump plainly and marked. set a river stone 12×10×8 for cor. cor stands N of fence. - North - through field 17.00 set limb stake. did not finish until next day on account of river.

Commence at interior cor run W 15.10 to W brig of C.W. Kirk land. - South - 18.80 and W 15.00 set limb post. South on W line 7.60 ~~to cor on river~~ ~~through~~ through prairie 13.50

No 18

C. W. Kirk 39

enter ok and fir timber 14.25 begin a very steep asc. 30.00 top of hill, desc. 43.00 set limb stake ft of desc, finished next day. Oct. 26th

Begin at the N.E. cor of Cl 44. set a river stone 14×8×6 for cor. - W set - 450 offset N. 1.25 5.00 ch. B.B. of river west. 3.90 Ditch and river ~~cor~~ to flag. 3.32+86 to limb post set at 17.00 witness W of limb stake 2 lks. running W from interior cor. Thence W 15.00 offset N to E cor Cl 44 continue like W through field 15.00 gravel bar of river witness tree gone. no bnd trees of original contract

No 18

L. M. Wirth

formd, ab 28.50 W from N.E. cor of Cl 44, set a cedar post and marked a bl. ok 50 N 10 W 129

— South —

Through field 355 to stake set from running W from peg set at 17.00, 8.50 leave field enter brush slight ascent 12.65 top of hill 20.55 enter stake set W from intersection E & E. of stake. 21.15 enter Co road E. & W. 21.80 begin to ase. 24.00 enter small laurels. 40.00 set a bl. ok post marked a bl. o/s 24 & 62½ W 104. cor stands on ridge — thence —

— West —

desc on w slope. 76.0 leave laurel Thicket, enter field

No 18

L. M. Wirth

10.00 set a bl. ok post marked a bl. ok 26 & 62 E. 257 Begin on W. line where post preceding stood and cont line S. 0° on along W. hill side 0.50, 1.00 enter 1.12 E of run, cor stands on S.W. slope on ground on hill, set a laurel post, and marked a new white oak tree a bl. o/s & & 87½ E 15 old tree standing but nearly dead. Thence

— East. —

along on S. hill side small pin laurel and ok timber 9.00 ledge of rock 12.50 enter small prairie ase through prairie 30.21 enter E bk of cor.

No 18

C. M. Dirk.

set a blk. oak post and bearing tree standing E. from d. E. cor of Cl. 47 4.75 top of ridge S. 7 W. S. disc on E. slope. heavy mixed fir timber 2-30 cu ft hemlock post.

Chainmen
W. J. Osborn
T. E. Weaver.

No 19. W. B. Clark
A. H. Churchill.
Dec. 15 1899.
T. 2 S. R. 7 W.

Begin at the N.W. cor of sec. 21 set a fir post Var. 20° — South — stk. and md. on N. slope. 4.50 top of spur. stk. disc. 6.75 down E. stk. and large fir timber 11.50 top of ridge very stk. disc., rocky; 20.00 set a rock 16x8x6 for cor at ft of stk. disc. marked a fir 5 N 60 W 27. did not measure S. to 1/4 post on account of cor. standing in mill pond. but set stakes E. on line.

E. from 1/16 cor. 3.10 enter county road E. & W.

19 W. B. Clark
& A. A. Churchill Cont.
through prairie, 12 cs
enter leaky balm thicket
2000 marked c with fir for
cor. fir 22 N 5 W. 28.

Chainmen
A. S. Black
J. S. Lemmond.

No 20.
Geo. B. Yale
Dec. 15 1899.
Begin at the N.E. cor
of S. W 1/4 of NW 1/4 Sec 21
Tp. 25 S. R. 7 W. being
N.W. cor of Churchill Cond.
dese from cor. 2.90 Cogon mud.
C N & 5.30 E. B. of Hubbard
Creek, across Creek 2.00

No 20
Geo. B. Yale, Cont.
through large pr tbr. in
river bottom 2000 set a
iron post .50 S from bank
of river, marked c
mapes 18 N 8 W 43
" 28 S. 5 2 E. 33.
Run line South from cor.
to pt of mountain

Chainmen
A. S. Black
J. S. Lemmond

No 21.

H. Bermuda.

Dec. 16 1899.

Heavy rain and brush prevented from going to 1/4 post but ascd 29.82 Zn 25 E. R. 7W. 00 commenced at new post set by U.S. Surveyor, thence 20.00 W to 1/4 cor. South —
50 N bank of Hubbard Cr. dist across 2.60. begin to use. dense growth of small fir 1.00 set a new post and marked a fir 36 N 66 W 16. Cont south through scattering fir timber 20.00 new post. fir 20 N 78 E 12.

— West —

dense through large and small fir timber 9.70 - begin a

No 21 —

Cont'd

clump dec. 12.00 to 1/4 cor. 13.10 R. B. of Hubbard Cr. offset S. 0.50 W 1.50 set flag on opposite side of cr. Crossed and went to flagged set on E. + W line and run E. 20.00 set a new post for cor. without bearing trees in cor. of ground.

Chainmen
Samuel Hibbard
Milt. Bermuda.

A. McKay & Lawrence
Sec. 18 / 1899. Var 20°.
Begin at the 1/4 sec cor
between secs 16 & 21 Wilsons River
standing rest a rainbow line.
18 x 8 x ⊙ for cor.
North
acc through farm 2.30
hole fence E & W. through
field 4.50 bch of rise close
towards river 7.00. close
12.75 enter small fir timber
20.00 a bl. ok post.
bl. ok 16 S. 25 W 4
fir 8 S. 30 E. 27
Continue North.
27.75 rail fence E & W.
34.15 stream E W. through
heavy small fir and wh ok
gully. 40.00 wh ok post.

a fir 12 N 67 W 18.
bl. ok 5 N 28 E. 15.
Cont North to River.
clearing. 48.00 wagon road
E & W. 48/34 rid a wh ok post.
on bank of River and marked
a fir 8 S. 44° E. 20
" " 15 S. 6° W 53.
Thence run W from centre
of sec 16 to River.
Close. 4.00 stream E N. 11.20 fence
15.10 fence N & S 15.25 stream E W.
15.50 wagon road E N & S 18.20 rid
wh ok post on bank of River
marked a fir 20 S 6 W 90.

Chainmen
A. H. Churchill
J. S. Lennard.

No 23

N. B. Clark.

~~Begin at~~

Dec. 18 1899.

Begin at the NW cor of Sec 21. Var 20°

— North —

Very steep desc on N & slope 12 rods to steep desc along through heavy large fir timber 2000 Ext. a cedar post on gulch. and marked a 4in 24 & 45° E. 38. Thence Run line E. to River with out chaining about 2,50 to River.

Chainmen

J. S. Germond

A. McKay.

No 24

A. P. Lindstrom

Dec 26 & 27, 1899.

Begin at the 1/16 cor act for Survey No 16 sec 12 Tp. 21 S. R 4 W Var 22½°

West from center of sec, heavy small fir timber 4.70 old wdgn road N & S along on bench land. 25.00 begin a steep desc. on NW slope. Heavy under brush maple ammarrod. 39.70 into South of 1/4 post. 80,

Dec 27

Begin at 1/16 cor act for survey No 16 Var 21°30'

— North —

Very steep desc through prairie. 160 pole fenced. Runs 5.15 into heavy small fir & cedars 7.50 top of steep

No 24 52

P. A. Lindstrom Cont.

area along on flat grad. ually ase. large firs
20.70 Centerline E of 1/4 cor.
— West —
5.25 top of ridge step disc
14.50 wagon road c Lo. NW.
17.00 old rail fence 19.00
Kendalls house N 1.25 W
through clearing 21.00 enter brush. 31.30 stream ft N
disc. 40.31 intersect S. side
cor. 26 old post fallen oak
a new cedar post.
— South —
2.00 begin a step disc
12.50 ft of step disc. through heavy oak grubs. Through flat
20.00 stream c Lo. 23.50
enter large firs thr. area

No 24 53

P. A. Lindstrom

35.50 top 40.34 to 1/4 cor.
only the N.E. tree standing
and marks badly decayed
remarked scribe set cedar
post. and marked as fir 40
S. 45 W 61.
Begin at 1/16 sec cor on
line of sec 11
South
3.20 cedar post marked as
fir 12 T. 32 E. 13
" 6 S. 18 E. 14
East
12.50 cedar post. marked as
mk ok 20 S. 57 W 73.
North
to 1/16 cor set per survey No 16.
Chainmen.
Alex Wright
Geo. Dramel.

No 25

W. H. Rose.

Jan. 2-3rd 1900

Begin at the NE. cor of Wm Willis Cl. 45 ~~which is a large stone~~ Tp 27 S. R 24 W 2 & co 19 & 20 which is a large stone. Var 20°

— West —

On N. bdary prairie 1,000 stream Lv. 17.61 post set by Briggs 17.63 set cedar post 32.62 post By Briggs 32.69 set cedar post 47.65 Briggs cor. 52.15 set cedar post. 64.00 N fork of Deer Creek C. N W. bridge across in County road. road follows down the cor. 70.57 to stone set for Nav. cor of Cl. 45.

No 25.

W. H. Rose Cont'd

Begin at the SE. Cor of Cl. 45. a stone formerly set. bearing trees probably cut down heavy laurel and ok. grubs. along on N. slope of hill. 17.58 Briggs cor. N. 8 lks. 17.63 cedar post. a laurel 4 & 6 5 W 25. dec. 25.50 ft. Steep slope more gradual 30.05 Centre of Co road NE. Sw. course dec. 32.69 set cedar post marked a Wh ok 6 & 8½° E. 26. " " " " " N 35° W 34. Briggs cor N. 10 lks. 34.00 wagon road bridge a stream C & E. Co. NW. 47.66 Briggs cor N. line follows Co. road to cor. ~~70.57 Sw cor of Cl. 45.~~ ~~which is a large stone~~ ~~Notes 4 d of cor.~~

No 25

W. A. Rose Contra

5215 cu ft. blk post.
70.48 intersects 4 D. of cor
which is a large stone
at the S.W. cor. the flagg
at NW cor of Cl 45 bears
N 1½° E. Co Road follows
line from N. to S. at 17.63
W of S.E. cor flagg on ft
posts alle of Claim bears
N.

Chainmen.
W.L. Moore
W. Hollis.

6/18 1912 { Chainmen
C P. Barnard
W.L. Moore.

56

No 26.

57

Establishing corners to
secs 11, 12, 13/14 in Tp 21
S. R 4 W Sec 28 1899.
Begin at the 1/4 sec cor
bet 11-12. Var 21° E.
South,
descend from cor. small
fir timber 19.97 pig W 30 lks
set by Collier. 21.50 ft S elect
desc. 26.00 ft S of desc. enter
stream. 30.60 stream 3 wide E
N 40 3 1/20 centre of Co road.
32.19 centre of R.R. track E
NW S.E. through field 40.00
at limp post.
Commence at the 1/4 sec
cor bet secs. 13 & 14. desc.
5.50 dry gulch E N.E. desc
on N side of hill. no

No. 26

Contd

blazes to be found. along line. 10.80 trail S10°W. NE. 17.00 leave large and small timber. enter opening to cor. 4022. Intersects 18 E. of temp. post.

Begin at the 1/4 sec cor. bet. 12 & 13 which is a large stone set by Co. Surv. Collier, in prairie. run N at 39.91 intersect 12 N of temp. post. from 1/4 post bet. 1 & 14 was run and measured under survey No 57 and 15, at proper distance set cedar post marked a cedar B.T. 71 N 46. no other trees near.

Chainmen Alex Wright
Leo. Trunnel.

58

59

No. 27.

Applegate & Stock

Jan. 9 1900

Begin at the 1/4 sec cor bet. 18 & 19. Tp. 22 S R 4 W. Var. 20°20' old post standing in proper place set by WR Thiel set a new fir post.

North

along on flat. through small fir. 5.00 wagon road NE & SW. Gradual rise on East 19.25 top of ridge between Elk and Thief creek. Lay NE. dose heavy fir and hazel brush. 24.00 top of dose. leave heavy brush. on bench land heavy small fir. thr. 41.00 set temp post 49.00 top of rise NW SE. on E side of hill 57.10 wagon road Surv. NE. 60.00 temp post.

27

Applegate & Block Cor.
7.50 to S. ridge, very
steep desc. Rocky hazel brush
78.00 ft. of steep desc. and
to cor. 80.21 entered E of Hy.
post, 14 witness trees stand-
ing est & fir post.
20.05 est wh ok post
fer 18 N 20 E 10
" 28. S. 11 E 22. 40.10
Centre of sec. est, a
wh ok post, marked a
fir 22. S. 21° E. 55.

Chainmen
Austin E. Jones,
W. F. Ledles.

No 28.

B.C. Mathews & Applegate
Begin at Centre of sec.
18 Ft. 22 & B 4 W.

— East. —

desc. 3.80 top of desc descs
on E. slope; hazel and small
fir timber. 2.00 cedar post
marked a fir 40 S. 33 E. 60.

— North —

desc. 3.75 stream E. E. inlet
opening 9.30 wagon road E & W
18.00 stream 25. 14.00 road runs
E & W. 20.05 est & wh fir
post, and marked a fir 36
N 65 W 42.

Chainmen
A.E. Jones
W.F. Dales.

62

No 29.
Lee & Cuttack.

Begin at the N.E. cor of sec 17. old witness trees fallen but Leo tree which had no marks. but D.E. tree formd marks on bng. 98- marked D.E. and marked a wh. fir 30 N 17 E. 42. set a cyent post. Var. 20. 20'

— North —

ase ennold fir 1.7 N wgne road. D.E. nat. ase on S slope 19 no ents opening 2 wgns. Temp post. 21.5 fence E on ents field 26.5 fence E on leave field 39.89 intersect 26 mile 1/4 cor. old witness trees standing but dead and dicayed. set a fir post. and marked B.

No 29
Lee & Cuttack.

fir 60 N 10° E 80
" 30 S. 28. W 174.
Cor stand on top of ridge 19.95 set a wh. ok post marked a wh ok 10 N 32 W 35 fir 20 S. 75 E. 11.

— West —

asc hemlock cedars thicket 6.75 field 13.7 N leave field enter young fir thicket. 14 on marked B fir 8 14 chn.

Chainmen
A. E.
Bert. Stuck

63

Jan 10 1900

No 30.

P. V. Coffey

Jan. 12 1900

Begin at the 1/4 cor
bet. Secs. 27 & 28 Tp. 22
S. R. 5 W. set a fir post.
Sec. bearing tree gone
— North —
Run line without
chaining across on E
side of Lots 8 & 9.
did not set any corns

No 31.

Sam. Jones & Jas Haskins.

Feb. 19, 1900.

Begin at the 1/4 sec cor
(set for Survey No 17) bet
secs 7 & 8 Tp. 22 S. R 5 W.
North Var. 20° 27'
axe on S.E. slope large
fir timber 6.00 top of axe
gradually dec 2.00 set
temp. cor 33.40 stream E
30.00 stream S.E. axe
40.19 inter W of post set for
Survey No 17. 20.09 set
fir post A. marked a
fir 6 S 22½ W. 42
" 36 N 49 W 63.
Run line W to top of ridge
dec not chain.
Chainmen } J. O. Buntin
Wm Bidwell

No 33.

J. W. Dunbar & L. Ritchey
Feb. 23-24 1900.

Begin at the 1/4 sec cor bet. 31-32 Tp. 21 S. R. 5 W. NE. bearing tree standing but others gone. set a Cedar post and remarked standing witness tree. Var. 20°20' E

South —
desc through small firs and hazel. 670 ft of desc wagon road E & W. 7.00 chains 8 wide E & W. acre. 10.00 begin a steep ascent. 16.25 top along on W side of ridge large fir and cedar timber small fir and hazel 20.00 set temp post. 40.90 intersect Tp line 85 lks E of cor. old bearing

trees all cut down but three stumps standing NW. stump having all old marks. set a cedar post and marked B.
Cedar 10 N 26° E 44
" 16 N 27 W 200
Maple 28 S. 26 W 66
fir 28 S. 13 E 87.
North on true line
Var. 19° 54'.
20.45 set a Cedar post and marked B
fir 10 S. 8 E 52
" 12 S 19 W 26.
40.90 to 1/4 Sec cor.
Chainmen
Levi Hunt
Burt Ross.

No. 33.

Fred Whitbeck

68 Mar. 8 & 9 1905.

Begin at the NE. Cor of the Cadwallader Cl. No 37.

West to Cor thence South 17.10 to a stone thence West. 45.00 no trees of old bearing trees to be found, having been grubbed and cut down. Set a stone 15x8x6 for cor marked a bl. ok 7 N. 57 W 20

" " " " 7 S. 66 E 45.

Thence run S. and set a stake without bearing trees old ones being cut down.

Begin at the S.E. cor of sec 24. two old bearing trees standing cut small peg in field. — West — through field. 40.20 into N of ditch, old bearing trees being

No. 33.

Fred Whitbeck.

gone. I reestablished from meander cor, on the NE. witness tree to this standing cut fir post marked a bl. ok 36 N 82½ W 1.17

" " wh. " 8 S 3½ W 1.40

— thence North from 1/4 post 2.00 leave field enter ok grubs. 3.50 stream c Dv. 5.40 wagon road. 6.35 set a wh. ok post on S. C line. marked a wh ok 8 N 34 E 21

" " bl. " 36 N 88 W 38.

18.65 set a stone 8 x 6 x 4. Marked a wh ok 30 N 10° W 231.

— West —

5.30 stream c S. 7.70 grain field 14.10 leave field 15.35 stream c S. 20.00 stone 18x6x6. marked fir 16 E 4

" " 18 S. 57 W 37.

Chainmen { My self — Frank Emrich

No 34.

Leo J Kearns.

In the City of Oakland

March 19 1900.

Begin at the S.E. cor of the Chamberlin property.

North 16½° E. 21. ft.

~~West~~ ~~S.W.~~ 68½ W. 224 ft. thence S. 61½ E. to place of beginning (221) 16.

70

No 35.

Lee Barker 71

March 20 & 21, 1900.

Begin at the 1/4 sec cor. bet sec 28 & 29, Tp 2 S. R. 3 W. old trees standing bears ~~N~~ and ~~E~~ corresponding with bearings set a fir post. Var. 19°

— North —

3.75 top disc. 11.30 stream c E. through prairie. 17.70 Hayhurst wagon road. 20.10 set a cedar post marked a wh. ok 8 N 7 W 27

" " 5 S. 61 E. 24. Var 18° 12'.

23.25 stream c SE. 30.00 stream c SE. 40.27. to a large stone agreeing in measurement and direction from stumps of old witness trees 20 x 18 x 12

Marked new bearing trees

No 35 Contd. 72

Wh ok 8 L. 86° E. 248 Cor.
" " 6 " 41 W 83.
" " " N52½W 90 Cor.
Lb. " 10 N-E. 409. Cor.
West from 1/16 cor.
Var. 18° 12', through opening
14.00 enter ok grubs. 17.20 stream
C&E. 18.75 stream C&E. enter
thicket of small pin. 22.80
brush to Hayhurst 40.00 —
42.46. to picked fence. 153 d of
March 21. (1/16 cor)
Begin at 1/4 sec cor bet 20
& 29. bet stone 10x8x5 old bear-
ing trees standing.
West.
294 to picked fence Thence
measured along picked
fence fence bears S. 2° E.

No 35 Contd

20.00 wh ok stake
marked. a blk 3 N 61½W 52
Continued South. 39.50 New a
wire fence. E. & W. 40.00 ex.
40.20 to hg ex by Com Thos. Applegate
cedar post. East. (Survey.
294 cedar post and
marked. a blk 7 N 25 E. 72.

Chainmen.
Oran Swearinger —
John Fegle

73

No 36.

Thos J Hall & Ed. Weaver.

April 2 & 3 1900.

Begin at the 1/4 sec cor bet secs 19 & 20. both bearing trees standing set stone 12×8×6 for cor and marked 1/4 S.E. tree

Var. 20°. Tp. 30 S. R. 5 W.

Offset W. 2.50 chns.

North 10.00 offset W 2.50 in prairie (offset on account of river) 15.00 centre of Co. road SW. NE. 20.90 to N bdy of Yucaipa. offset E. 5.00 to begin true line and set a stone 10×6×5 marked pine 10 N. 24.

" double lines 12 S. 12 E. 14.

Thence N on Dec. line. along on S. hillside 13.50 top of ridge disc. 20.00 stone 14×6×6 a B.O. 28 N 50 E 137. 21.00

wagon road C. R. & S. enter field 38.50 bank of Limpgua set laurel post. without bearing trees old witness tree washed away.

Chainmen { Samuel Ball. A. W. Pratt.

No 37.

Edwin Weaver.

April 3d 1900.

Begin at NE cor of Cl. 43. set cedar post. old witness tree cut down. Run S. without chaining on W bdy line of Cl. 42. Intersect 6.00 W. of SW cor of sec 33 being same as cl line. duration cor 1.98 N of sec on top line.

Chainmen Sam. Ball

A.W. Pratt.

No 38. 76

Cleland Weaver.

April 4th 1900.

Begin at the interior cor on E side of Bailey Gen. in sec 6 Tp. 20 S. R. 5 W. at a fir post. Var. 20° E. Offset N. 50 a mnd birch. Thence North - 2.10 centre of railroad E & W. asc open hillside 14.25 at cedar pig. Thence went to 1/4 sec cor on N bdry of sec 6, both bearing trees standing bus NW & SE should be 4/2 lks dist inst due 12 set a fir post and run S. 10 W. 20. 1.87 intersect dim lin 2.03 E of post at from running N. 2 rods to Chas Cor. at which point set a post for cor.

No 38 Cont.

77

Begin at the 1/4 sec cor on N bdry of 6 and run S. 89° E. 4.25 to Ream C.D. close open 22.80 to board fence running N.S. on supposed dim lin.

Chainmen: W. H. Pratt.
Geo. Shambaugh

No 39.

Survey of County Road at Masonville and Little Canon.

April 14 1900.

Begin at a point on Co road leading through Green Valley to Oakland, also near junction of said road with Cedar Lodge Canon and Umpqua River road. At this point I set a cedar

post in mound of stone
from which
a wh oak 36 N 62½ E .82.
" " " 20 N 11. E 1.82

Fence.

N. 9° W	6.00
" 44½ "	3.30
" 58 "	1.75
top of hill.	
N. 52½ W	
1.05 stream cl.	
	1.45
S. 83° W	2.50
N 72 "	2.80
N. 44 "	1.00
S. 71 "	2.00
" 85 "	4.00
N 66 "	1.25
" 21 " at 2.00 cross	

supposed E & W sec line at 2.50 stream cl.

	2.50
S. 48° W	4.50
" 66 "	3.00
W	1.00
N 38 W	1.75
S 86 "	3.00
" 82 "	2.00
" 67 "	3.00
" 70 "	1.60
" 75 "	3.00
N 70 "	2.50
S. 35 "	1.75
" 74 "	1.00

N. 45° W	2.00
" 78 "	.60
S. 23 "	1.60
" 52 "	1.50
N 86 "	1.50
" 35 " 3.00 to N cl.	
board fence.	
bet. Vanarbey & Patterson	3.00
N 58 W	.28
to sec line bet. 29-30	
36.13 N of ¼ post	
	2.00
N. 32 W	1.00
S. 87 "	1.40
N 56 "	1.20
S. 57 "	1.60
N 79 "	1.50
" 37 "	3.25
S. 82 "	1.20
1st Mile.	

Cedar post.
wh ok. 10 S 26° E. 26
" " 12 N. 32° E. 82

S. 82 W.	.80
N 57½ "	2.50
" 79 "	2.00.
W. -	2.00
N 50 W.	1.50
N 48 "	1.70
" 70 "	3.25
" 62 "	1.50
" 29 "	1.20
" 45 "	1.25
" 72 "	1.50
" 61 "	1.50
" 74 "	1.50
" 39 "	1.90
N 61½ "	3.15
1 mi +	27.25

No 39 Contd.

at terminus of road.
at stone 20x16x8 in W side of present Co road. from which
a fir 26 N 19° W 19.
" " 40 S. 30½ E. 2.74.

W. B. Griffith
Viewers A. J. Chapman
J. P. Starr.
Chairman S. S. Goff.
J. C. Hutchinson.
Maker. Jasper Shook.

No 40
J. C. Miller.

May 4th 1900.

Beginning at the cor to secs. 28, 29, 32, & 33. Tp. 28 S. R. 6 W. old witness tree standing remarked S.E. tree set a cedar post.
West from cor.
desc. 11.16 centre of railroad
C N 6° W

No 41.
School Dist 116
on S. C. Miller Land.
May 5th 1900.
Beginning at a point
31.00 chns. West and 26.25
chns North of the S.E. cor
to sec. 29 Th 28 S. R. 6 W.
at which point I set a
white river stone 10x10x6 for
S.E. cor of school lot thence
S 84° W 2.50 river stone 10x5
x5 in mound of wh gravel.
North 6° W. 2.00 river stone 10x
5x5. W. 84° E. 2.50 stone 14x12x7
marked with a cross. White stone by
side. S. 6° E 2.00 to place of
beginning. Cont 1/2 acre.
S. C. Miller and
myself Chairmen.

No 42.
W. B. Lamb - Short.
June 8th 1900.
Beginning at S.E. cor of
Hills Dom. Cl. Var 20°
East.
asc. heavy brush. 16.50
trail N. & S. 18.25 ash gouge
26.50 Intersect S. of 1/4 post.
set wh ok post. on slight hill
side. Thence North. Var. 19 3/4°
3.25 top desc. slop desc. 38.90 ft
of sloh desc. and stream C Nw.
inlet opening 40.60 set stone
18x12x5 from which
bb. ok 26 N 79 E. 42
" " 18 S. 71 W 117.
J. A. Nichols & Chairmen
W. A. Lamb

No 43.

84 Myrtlecreek Road.

June 19th 1900.

Beginning at a point 11.66 chns. W of the 1/4 cor bet secs 16 & 21. T 29 S. R 3 W. The bearing trees being down. I reestablishes the cor from NE trees laying on ground properly marked. set a vine maple post. and from which an alder 18 N 11½° E 15. Chy 6 S. 36 W 13. Commencement of road. I set a cedar post 3x5x48 ins. from which a double cedar 18 N. 12° E. 3; a fir 20 S. 36 W 86.

N. 40 E.	1.28	N. 28 E	5.30
" 45 "	7.70	" 23 "	7.00
" 28 "	2.55 a stream c S E.	" 63 " 20 to a point 50 S of post	

Set by Bruce (1/16 Cor)	var. 20	to a point	9.60 S. of 1/4 cor bet secs 15 & 16.
N. 63 E	6.50	N 57½ E.	2.90 a barn S.
enter Range fir and cedar tbr.		N 57½ E.	6.25
S. 73° E	2.60	" 73° "	6.25 Ashley house N. 50.
descending.			
S. 88 E. at 45 cm tree w cor		N 73° E.	7.22
Course S.		set a stone	18 x 10 x 8 from which a fir 36 N 78 E 3.10
S. 88 E	5.35	" "	20 " 24 " 6.05
" 82 "	2.25		
N. 77 "	3.70		
S. 87 "	3.70		
N. 78 "	3.85		
" 82 "	3.40		
" 39 "	5.40		
" 61 "	4.00		
" 76 "	4.50		

N 73° E		2.50
" 27 "		12.15
" 37 "		6.00
" 25½ "		3.15
" 34½ "		2.00
" 46½ "		3.20

No 43 Contd

N. 21½ E 4.90
house N. 1.00
N. 50° E 1.00 spring branch C. & E.
2.75 a branch S. of road
N. 50° E. 5.65
S. 70 " 1.25
N. 70 " to Sally's C. S.
" " " 6.10
" 53 " 6.00
" 36 " 6.85
to ore line bet 10 & 15.
E. of ¼ Cor.
N. 25 E. 3.05
" 37½ " 2.00
" 29 " 5.20
" 23 " 3.80
" 26½ " 3.85
top of rise.

N. 57 E. 1.25
dead wh. fir pointed
a fir 40 E 17
" " 6 N. 37 W 30

N. 37° E 3.25
N. 34 " 5.00 branch C. S.
N. 34 E. 7.00
" 22½ " 2.25 a house N. 80
N. 22½ E 2.25
" 36½ " 1.50 branch S. of road.
N. 36½ E. 5.30
" 10 " 7.00
" 31½ " 7.80
" 11½ W 5.70
ascending
N. 1° E 2.05
top of rise.

No 43 Contd

N. 37° E 3.65
" 57 " 3.40
" 29½ " 6.95
to dead fir 26
N. 10 E 5.40
to wh. fir 20
N. 4° E 3.40
" 47 " 5.50 supposed a cedar 2"
N. 47 E. 5.80
to wh. fir 16
N. 33 E 3.10
" 11 " 2.60
N. 35 " 2.90
cedar 18 x 14 x 8
fir 40 N. 60 W 80
" 8 S. 60 " 40

along field of J. C. Sellers

N. 35 E 3.10
" 20½ " 2.90
" 34 W 1.90
" 12 E 15 branch C. & E. and Allen's house near.
N. 12 E 5.70
to dead fir 40
N. 10° E. 6.50
N. 01° " 6.40
" 41 " 2.20
to a point supposed to be 55.20 chains W of ¼ cor Corner bet 22 & 23 T. 2 N. R. 7 W
of ¼ cor bet 1 & 2 Smith Myrtle Creek C. S.

No 43 Cont'd.

at the terminus of road at a cedar post from which a engar pine 40 N 62 W. 1.31. fir 20 S. 38 W. 2.40

Viewers { Jas. Newlon. J. B. Bowman John Dick

Chainmen { A. L. Eddy. Lloyd Chaney

Axeman A. Sellers

Surveyed June 19th to 21st 1905.

3 mi 28 11 chs.

17 5 chs E and 33.70 N of S.W. cor of sec 2.

No 44 J. Chaney

June 22nd 1905.

Begin at the W.C. cor of the L. Wright Cl. No 45. a small stone supposed to be the cor but does not agree with original field notes in distance or direction but did not change the same on account of interfering with previous surveys.

Run S on E. bdry. asc hill. 13.25 top and ret peg. desc. on S. slope. 26.50 ret peg for P. E. cor. J. J. Chaney. at 40.20 a gate. 1.80 E. of 1/4 cor. Run S. to S.E. cor of Cl. ret cedar pig. Run line N from 26.50, 30.25 to S.W. cor. Chainmen { W. A. Newton J. Bayless.

90

No 45

D. C. McWilliams

June 25 & 26 1900.

Begin at the NE. cor of
Sec. 34 Tp. 27 S. R. 5 W.
Var. 19°. — West —
ascend heavy underbrush
40.60 intersect 1/4 cor. set
ash post. 21.90 log and
trail E & W. S. desc on NW.
slope. Heavy ok grubs. at
20.00 set chestnut post
marked a bl. 20 S. 62 W 54.
Begin at 1/16 cor. E of 1/4 cor.
set a chestnut post and
marked a willow 68 S. 61 E 40
" an ash 10 N 40 W 37
Var. 18°30' cor stands S.
of a fenced run north from
cor. without chaining
to Deer Creek.

45 Contd

Sh

Thence begin at a 1/16 cor
set by Lincoln 20.00 N and
2.00 W of NE. cor of Sec
Var. 18°
South from cor. through
field 17.00 centre of County road
NW. SE. 27.75 R. bank of Deer
Creek E & W. steep and heavy
underbrush 4.00 set wh oak post
marked a bl. oak. 14 S. 29 W 30.
" " pin. 16 N 35 E. 27.
E. from cor Var 18½°.
40 spring branch E. 4.00 log. desc
through wh ok grubs. 2.00 set wh
ok post. mk ok 5 S. 35 W 26.
" " 4 N. 15 E 40.
North 7.40 to bank of Deer Cr.
Chainmen Rev. Reagan.
D. C. McWilliams

No 46

Sec Cor. Re-establishes
1/4 sec cor bet 10 & 15
25 d. B 5 W. alone 20 x 15 x 5
for cor from which a
Wh oak 24 brs S 42½ E. 152
for 20 brs S 85 W. 1.19

No 47. Jasper Fegle.
Nov. 8 1900.
Tp. 22 S. R. 5 W.
Begin at the 1/4 sec cor bet secs. 28 & 29 as per survey No 35. Var 19° E. Run S. 500 heavie. timber descend through orchard at 2.00 set limp cor. Then bet at cor to secs 28 & 29, 32, 33. two old bearing trees standing set stone in mound of stone North from cor, sleep desc. 490 wagon road in gulch c N & desc at 20.40. inter E of limp Cor 10 lks. at 20.20 a set. fir post.

No 48
J. M. Stock 95
Nov. 9. 1900.
Tp. 22 S. R. 5 W.
Begin at 1/4 sec cor bet secs. 13 & 14 E. bearing fallen, and dec. tree and down but old marks found on log. Var. 20° E. set a cedar post and run E from cor. through garden 5.00 fence N. 20 lks. 14.25 bank of creek course S.W. 1400 to set N 2.50 E. 6.10 to N & S. line. so S. to N banks of creek. - thence steep asc hill brushy 20.00 set post near summit of hill. marked a fir 6 SE-22 fir 8 N 11° W 37. - thence 70 top of hill desc. 1250 gulch c Cr. asc hill 1700 top

No 48 Cont'd

enter a small fir timber 88.75 ~~stream~~ C.E. 40.10 E.N. a stone 12x8x8 for cor 75 N of stream marked Cedar 6 S.37 E 24 Wh. fir 5 S. 33 W 19. Thence North as hill, heavy brush 1560 E.N. stake on blazed line & 4 W. but afterwards found this not to be cor. line. Thence traced line W with trees but did not find cor. to 1/4 sec cor ~~continued~~ W. to sec cor. Thence S. to 1/4 sec cor with land chaining

98

49.

S. J. Ainsworth
Nov. 23rd 1900.
Tp. 26 S. R 5 W.

Begin at 1/4 sec cor on W side of sec 7. S.E. bearing trees being gone ex 8 in fir post. Run E. down cr. by board fence running across section desc all up hill. 16.30 centre of Co. road. 20.15 centre of Camas Creek 26.30 centre of Co. road to Oakland. 29.40 E side of right-of-way of O. & C.R.R. 34.29 E Cor Section 7 T.2.S. Thence North along fence 9.20 to Co. road; thence N. 38° W along centre of Co road 6.85 Thence N. 12° W. 3.77 along right-of-way; Thence N.

No 49 Cont'd

S. 10 W 3.82, Thence S. 18 W 5.50, thence S. 28 W 4.02 to NW corner J.A. Hansens land, Thence E 64½ E. 1.85 Thence S 32 W 4.00 Thence S 64½ E 7.05 up stream Thence N 5° E 3.40, Thence N 45 E. 3.05 Thence North 3.40 thence N 23° 45' E 7.25 Thence N 9° 15' E 3.78 Thence W 3.50 to place of beginning

Var. in this S 20° 10' E

Containing 16.11 acres

98

No 50
de Fegle.
Nov 27 1900.
Ft 22 B 5 2d

Begin at the scribed ¼ Sec on bet Secs 22 + 27 No old marks remain to be found except stump of large fir. Set blk oak post from stump of Mar tree marked scribed 10 N 67° W 45 Var. 21° E - South — asc hill brushy, 10.30 trail E + W 10.40 top of hill 20.00 set blk oak marked fir 8 N 74 W 19 " " 6 S 10½ E 20 on South hillside. Thence run line N with Var 20° 40' to intersection of Coffey land and marked fence post, per line

99

No 37

J. Ritchey

Dec. 19. 1903

Sec. 31 Tp. 21 S. R. 5 W.

Begin at the S.E. cor of S W 1/4 of NW 1/4 at a stake Var. 20° E. thence E. 6.00 to top of hill cor post wh. oak 16 N 71 E. 9 thence N 4 1/2 E. 2.40, thence N. 2.50 a bl. oak 24 N 39 W 20. thence N 4° E 2.56, thence N 14 1/2 E. 3.95 thence N 31 1/2 E. 10.80 to E & W fence, thence N 3.40 to S side of Co. road. line runs to this point on top of ridge. thence N 25 1/2 W 5.90 along Co road. thence N 55 1/2 W 3.50 thence N. 30 W 3.00 thence N. 58 W 6.75 thence S. 74 W. 1.25 to a point 2.10 S and 20.75 E of the N.W. cor of Sec. 31, two old bearing trees standing. to this corner

No 38

Applegate & Brown.

Dec. 24 1903

Bgs 23 N. 22 E. Bgs 5 W.

Begin at a stone set by Wm Thiel for N.E. cor of the Lindsey Applegate Cl. W on N line 20.22 to S.W. cor of E.L. Applegate Cl. thence N. 9.74 to a point 24.60 E of 1/4 cor for Tp. 22 S.R. 5 W. thence N ascending hill on Cl. line 40.55 w/in E of stone set for N.W. cor of Cl. thence Begin at 1/4 cor 164 acres 35.32 S. 20.08 to Cl. line thence W 15.60 to N.W. cor of Cl.

No 53 Contd

4650 log. slip desc bushy. 59.95 cr dogwood post on W mountain side. for 30 S. 60 E. 13; for 24 N 55 E. 12

— North —

3.00 chram c bd. asc heavy timber — 21.05 to E & W line maple post. blb for 12 S. 30 E. 36; for 24 N 21 E. 28

— East —

asc for open'g. 935 — log 2.00 no trace of old bearing trees to be found. cr maple post.

— North —

slip desc 6.00 ft of desc. 35.00 very steep desc into gulch 40.20 for post. maple. 18 & 7° E. 31.

No 54 Smith Guggisberg.

— Smith —

2.00 from NW cor of 28 T. 21 N. R 5 W. cr & wh for post. no marked wh for 8 N 2 E 28; for 10 N 47°

— East —

from NW cor of 28. 24.00 centre of creek 50 C.D. along in field 34.50 centre of magn meadow Smith River. N.D. 40.20 enter N of 1/4 cor. 43.00 bot of hill 49.0 chram C.D. 50.28 cr for post.

No 53.

J. A. Johnson.

Jan 26 1901.

Var 20½° E.

Begin at the NW cor of sec 28 Tp. 21 S. R. 5 W. a fir 36 diam for post

— South —

10.00 creek 20 c E

40.60 ¼ cor Var by old line 20½°

— East —

steep hill 12.50 cr. c N slip asc. 25.00 bot of hill slip dsc brushy 46.00 stream c NE 50.25 stream c NE 65.00 ft. of mountain 71.10 S. bank of sandy 80 c SE. 77.10 County Road c SE 75.00 ft limb pine bearing trees to ¼ cor cut down. Then I began at the NE cor of same section at a cedar post

No 53 Contd.

— South —

heavy brush and large tbr. 40.25 set limb peg. cont S. to sec cor. 44.25 Centre of sec. E. 50.00 leave Co. Road. 58.75 begin slip asc of hill 17.00 bot. desc 26.50 stream in canon c E. 71.50 bot 81.10 to cor. set cedar post all old trees gone except NW tree marked cedar 10 L. 41° W. 47. Cont S. Var by line 20¼° E. desc into canon 8.00 stream c E. very slip asc 18.00 bot. 20.00 lt. oak post near edge of timber marked fir 12 N. 47 W 132; fir 18 N 80 E. beg.

— West —

asc. small fir timber 4.40 board fence NW. SE. through pasture 26.00 leave cane enter heavy small fir timber asc

No 55.

Wm Wise.

Tp. 22 S. R. 5 W.

Jan. 28, 1907.

Begin at SW. cor of SEC 15 — Var. 21° 35' E. — East — 320 land of Lyons claim. 1740 wagon road to crain. 19.95 — an alder for post near branch (6 in), Var. at Cor. 18° 40' E.

— North —

up cr. bkn heavy brush. 2.00 fir 10 for cor. Wh. OK. 16 N 63 E. 11 on 1/4 cor bet 22 & 23 old lines gone marked fir 30 S. 64 W 43 fir 10 S. 49 W. 50. Brush 3.23 to cl Cor. Var. by 19¾° E. Thence N on cl. line without chaining to cor of SE. Fegle land.

No 56

Wm Ward Estate.

Nov. 18 to 27, 1907.

Begin at the 1/4 cor bet secs 19 & 20 Tp. 21 S. R. 4 W. fir post marked fir 16 S. 29 W fir 18 N 41 W 30. W. from cor. Var. 20° E. heavy growth tbr. Lose 8.50 inter cr. bkn. heavy brush 12.90 Pheasant cr. 16.00 leave bkn; 16.40 Co Road cr & S. also Lose 20.00 fir post

1/4 North from cor.

.70 begin dese. along on NE. slope. 4.20 stream c NE. 8.40 Co road Lose NE. 11.35 Pheasant cr. SE. E. follw. up cr. bkn. 20.00 fir post

E. from cor.

1/4. dec NE slope, heavy small fir and hemlock. 20.35 ext temp fir post.

Wm. Ward Estate Ctd

North from 1/4 cor bet 19 & 30 Dense growth small fir tbr. asc. 950 etream 2 c dw. 2,00 Inter. E. of limp fir post. 07 set fir post marked — fir 28 d. 28° E 87, " 8 N 54 " 33. — thence S limp same cor. heavy small firs & hazels. 7,70 etream 2 c dw. deep asc. 14,50 log + 75 pd. wagon road, N. S. desc. 2,00 limp fir post. cor. desc. 32,00 leave fir tbr. 33,10 Co road c W & dw. enter field 38.35 N side of R.R. Row. 40,00 limp fir post in field.

Begin at SE. cor of sec. 19. cor stands in Co. road.

11/20. Wm Ward Estate.

all old trees cut down, but stumps of SE. tree with marks and stumps of other trees remaining, marked — fir 24. N. 87½ W. 206 fir 4 N 48 E. 05. — North 1 var by true 20° E. offset E. 50 thence N. 9,00 offset W. 50. set peg, heavy brush through cr. bottom, 1240 cr. 40 c W. 14,50 same c SE. 16,00 same c W. 16,00 ends field. 2,00 set fir post in field 43 lks E. and 32 N of peg set on E. 91 lk. bank.

11/20 South from 1/4 sec. cor. bet. 19 & 30 desc. small firs. Var. 20° 50' E. 11.25 Co road c W & dw. enter heavy firs & hazels. 14.70 wagon road c NW. SE. Cr. bottom.

No 56 ✓

Wm Ward Est.

1900 Pheasant Cr. 25W c & E. 2400 vine maple post marked WhFir 24 N 11 E 30, 24.25 same Cr. NW. 26.20 Pass Cr. 40 W. E. N. heavy vine maple and fir: 44.80 Center of P R. track E. N. 31° E. leave Btm, heavy alder and fir; hazel and dogwood 6000 fir post marked Cedar 20 S. 58 W 45; fir 7 N 5° E 94.

East

dep asc brushy N slope. 1875 enter old field. 2600 leave same, enter fir timber. 40.26 intersect N of an old post. 15 lks.

No 56

11/21 Wm Ward Estate

Begin at N.E. cor of sec 20 dogwood post. South from Cor. Var. 21° E. 225 cr. trib. E. N.W. asc N slope 2000 dogwood post + 158 ft. fir 24 S. 32 E. 29; Chincapin 28 S 87 E 26

West

11/21. heavy brush, 1200 begin desc 570 ft desc for flat. 800 leave same enter heavy hazel. 1475 creek runs N & S. alder desc 1985 fir post 60 fir 38 S 69 E 16; fir 5 N 15 E. 24.

South

Var. 21° E. 1700 top 2000 fir post fir 48 S. 22 W 35; maple 15 S. 24 E 61.

West

800 top of ridge desc. desc. 1350 board fence, 19.90 NW cor of barn S. of line 12 lks.

11/25 Wm Ward Estate

20,50 enter brush 24.00 desc to hill 32.50 cut limb post. heavy fir maple. Hegal

11/25 Begin at NW cor of Cl 37 old bea. trees standing set cedar post. E. on N bdry of Cl. desc heavy brush. 11.75 leave same, prairie 17.00 enter field, and blm 21.45 centre of RR. C.S. 40 W. 22,30 Pass creek. C.R.W. 22.50 cedar post old tree gone marked — fir 16 S. 60 E. 67; fir 10 S. 5° E. 1,18

— South —

2.10 same cr c DE. 3.25 Co road C E & W. 5.00 cam cr. c N. 7.75 leave brush, field 11,50 enter brush, cor 15.18 inter E. of temp post. 40 marked wh fir 10 S. 74 W 13; Maple 10 S 24 E 37 Cent South. 25.50 top of spur + 100

11/26 Wm Ward Estate

31.00 Stream 1 c W; 39.00 top; + 75. 46.25 Into W 12. set fir post.

— West —

.75 begin desc; 3.00 fir flat. and desc 20,00 rail fence; ft desc-125 27.43 desc cor brs. S. 8,87. fir post. fir 20 N 88 E. 6; fir 40 N 46 W. 40.

— South —

from NW cor of Cl — marked fir 12 S. 60 E. 24; fir 10 S. 10 W. 6. S to 40 acr line. set fir post. 1.10 E. of temp post. marked fir 10 S. 15 E. 7; fir 14 N 23 E 23.

East from NE. cor of sec 19. 19.80. thence N. 45 chains E. 20.00 yew post. W side of cr. fir 30 N. 70 E. 14 fir 10 S. 13 W. 45.

11/27 East on N bdry of Cl without chaining to bridge's land.

No 56.

11/07 Wm Ward Estate.

North from N.E. cor of sec 20. 10.15 Co. road c
NE. 10.75 - enter field 14.85 -
centre of R.R. c N 57° E. 18.00
Pass Sec. & rd. (20 wide).
20.00 set peg.
— N from peg —
13.00 set cedar post on line
of fence running S. from
post - marked -
wh. oak. 40 N 20 W 1/2.
Corrected line N from this cor
to New cor of Cl.

Chainmen
{ J. H. Mumpower
{ Wm Skidmore

No 57.

Perkins 3d Blakeway.

Jan 8th 1902.

Begin at NE. cor of sec 28
Tp. 21 S R 4 W. Var. 20¼° E.
— North —
A sc. S slope. 40.00 Inter W of cor
50 lks. set dogwood post. on E
slope. 48.50 stup desc N slope.
52.50 Ha. flat. Var. used N of 1/4 cor
19° 54' E. 60.00 limb post. 80.95 Inter
W of 40 lks. set ash fir post, all
but one old witness tree gone
marked hemlock 18 W 13;
cedar 12 N 78 W 12; old S.O. tree stump
standing, Cor stands on stup NE.
S 89° 45' W. bet secs. 16 & 21.
Var. 19¾° E. asc E slope. 16.60 top
of ridge c N & S. stup desc
20.15 dogwood post - marked -
maple 10 S. 62 W. 48.

No 57
Cont'd.

~ South from 1/16 cor. ~
Var. 19¾E. along W slope 10,70
gulch C W 12,30 stream 1 C N.W.
asc; ~~begin~~ 2v 15,50 begin very
step asc. 20.00 dug wood post
marked fir 40 N 25 E. 43.
N 89° 45' E. step asc 5.00
top desc to cor. set fir post
marked fir 24 N 3 W. 68; cedar 48 S. 65 W 42
1/9). North bet. 15 & 16 Var 20°
by old line 50 stream 1 C E. asc
400 top, 8.70 stream 3 C E. 14.50
top; 20.00 hemlock post
hemlock 8 & 40 N.9; fir 8 S. 77 E. 13,
N. 89½ E. Var. 20°.
15.10 Big Sandy Cr. 25 W. C S. up
asc 20.20 fir post. marked ~
fir 35 N. 67 W. 10; fir 12 S. 17 E. 24
Cor stand on W slope.

116

No 57
Cont'd.
S. from 1/16 cor.

117

Castle and Applegate
Oct. 26 1903

Begin at 1/4 sec cor betw sec 1 and 6. Tp. 23 S. R 4 W.
Var 22°. set cedar post.
old trees gone found letters on two trees marked
double cedar. d. 21g. 18 ins diam
" " d. 81/2 Ed. 3 ft diam
runs d. from cor without chaining intersected 3 lks E of 1/16 cor.
From 1/4 cor. West. set stakes line on S. side of Sierra land across valley bears N 89° W.

Bert Ross aug 29th 1905

Tp 21 S R 5 W.

Ver. 20°

Begin at S.E. cor of sec 32 post in place Hemlock from cor. ase. 17.90 very steep and E slope 20.00 dogwood post marked pr 20 S 75° W. 27 lks. North from cor. Var 20½. 4.50 very steep asc 14.00 ft. stream E NE. 20.00 cedar post marked pr 6° S 30 E 19 West from cor. 12.25 top steep desc. 17.00 canon. 20.00 cedar post, gone line South

120

121

125

124

1957

1958

Beginning at a point 3.50 chns E. of 1/4 sec cor bet secs. 4 & 5 Tp. 23 S R 4 W. running thence S. 62° E 36.89 thence S. 28° W. 9.08 chns thence N 62° W. to the East line of W.E. Thompsons land thence following said line North to S line of S.E. 1/4 of the NW. 1/4 thence E to place of beginning containing 40.00 acres more or less, all lying in secs. 4 & 5 Tp. 23 S. R. 4 W. Will Mer. Douglas Cer. Or.

Cont'd Richardson

Nov. 29 1904

From 1/4 cor. bet secs. 4 & 5 Tp. 23 S. R 4 W. Cor. N. from W. 6.24 dec. cedar post in prom.

S. 62° E. dec. to creek 8.75 chs dec. bluff 9.12.50 center of Elk Creek & W. dec. 18.75 to bot of brod. dist bank dec. to cor. 22.00 Elk Cr. & NW. 22.72 cedar post 27.75 top spur 30.50 Elk Cr. & dist bank as & at 8 cor of claim set land post 3 marked 1/4 C. 1/4 4 S. 43 E 12 Lonart 6 W. 38

62 / 28 / 90

900 22.50
900
2025.00 acres.

66 | 600 / 12
792 | 7200 (9.04
7128
2800

1500
12
3000
2772
792 | 18000 (22.72
1584
2160
1584
5760
5544
216

165 | 6000. (36.
495
1050
990
60

165 | 15000. (8
1320
1800

Tally 3 2 4 1/2 1/2 1/4 3 1/2

4

132

Reestablished Corner

having fallen, set a Cedar Post and marked it
40 L. 45 M 61.
Desert.
Alf. Wright
J.A. Torrell

133

Level

4/10 in.	5	Fall with transit at a distance of 1 chain.
8/10 "	6	
1 2/10 "	7	
1 6/10 "	8	= 4/10 " to rod.
2 "	9	= 1/2 in to rod.
2 4/10 "	10	= 6/10 " " "
2 8/10 "	11	= 7/10 " " "

Reestablished Corners

134

1/4 sec cor bet secs 7 & 8 Tp. 22 S. R. 5 W.

Set a rolled stone and remarked Hy. S.E. bes on the old marked trees burned off, and S.W. tree fallen and decayed. Marked a fir 12 N 9 W S.B.

Present

Levi Kent.

John Hankins

"

1/4 sec cor bet secs 10 & 11 Tp. 21 S. 18 4 W.

Remarked the N.E. tree marks being nearly totally destroyed by decomposition. The bches bearing tree

Reestablished Corners

135

1/4 sec cor between secs 4 & 9 Tp 29 S. R 7 W.

The old bearing tree being dead and the S.W. tree fallen old notes call for ~~S.~~ both trees S.W. should be a wh. ok Tr W which standing, set a sandstone 15 x 12 x 6. marked a wh. ok 7 S. 4 W 2.50, wh. ok. 34 N 73 W. 244.

Present.

F. F. Fuller & J. B. Castline

1/4 Cor bet. sections 6 & 7 Tp. 23 S R 4 W.

Sandstone 12 x 10 x 10 marked

afr 26 S 43 E 80

" 40 N 98 80

old trees dead and decayed.

Robert Cook & witness

Levi Austin

Tp 20 S R. 4 W 1936

Reestablished 1/4 post between
sects 2 - 11
cedar post
fir 20 N 44 E 25
cedar 12 S 2 E 32
L. Perini
E " } witnessed by.
T M C. M. Collins

1/25/99

Tp. 22 S. R. 5 W
1/4 cor bet sects 5 & 32.
marked a dbl chincapin
2 pin O 11 E 45
fir 14 N 14 W 30
done in presence of
Frank Kent
Arthur Rhoades
Brookhead
March 27 '99.