

# DOUGLAS COUNTY SURVEYOR'S OFFICE

ROMEY WARE, COUNTY SURVEYOR

COURTHOUSE ROOM 105-A
ROSEBURG, OREGON 97470
(541) 440-4272

July 28, 1998

To whom it may concern:

The old Field Books of O.F. Thiel, PLS #4, have been in the office of the County Surveyor for a number of years (the exact number is unknown to me). They have recently be plotted and index cards made for them.

I began going through them in the fall of 1993, when time allowed it. Due to a recent court case it was determined that it was important to plot them the best that we could. Not all of the surveys are plotted, some pages are extemely hard to read, and others are hard to follow.

Jean H. Crawford
Survey Technician
D.C.S.O.

FB #115 Thiel's Book 12 **This is a rough index for the field book**

| T & R | Sec. | Page | For/Title | Date |
|---|---|---|---|---|
| T 0-0 | | 5 | Woolingberg Bros. | 2/8/11 |
| T 0-0 | | 18 - 20 | Roscoe Green | 3&4/1911 |
| T 0-0 | | 33 | Munn | 4/26/11 |
| T 0-0 | | 34 - 35 | Frank Brown (Harvard?) | 4/27-28/? |
| T 0-0 | | 38 ♦ | W.A. Porter | 5/30 6/2 |
| T 0-0 | | 53 | Jasper Fegle | 3/25/12 |
| T 0-0 | | 55 | J. A. Fenn (Ditch Survey) | 8/7-8/12 |
| T 0-0 | | 79 | Co. Rd. Survey Thru Thiel | July 1911 |
| T 0-0 | | 85 | Mrs. Wood | 6/16-17/21 |
| T 0-0 | | 100 | C.M. Henderer | 2/19-20/14 |
| T 0-0 | | 119 | S.H. Brawn | 5/4/17 |
| T 0-0 | | 122 | ? | 7/22/18 |
| T 0-0 | | 149 | Not in Douglas County | |
| T 0-0 | | 155 | Not in Douglas County | |
| T 0-0 | ?♥ | 42 | Bert Davis | 11/27/11 |
| T 0-0 | ?♥ | 44 | E.H. Dunean(?) | 12/18/11 |
| T 0-0 | ? ♥ | 56 - 57 | John Hanson | 5/1912 |
| T 0-0 | 6 | 31 | Humphrey | 9/19/10 |
| T 0-0 | ♥ | 132 - 133 | J.B. Hetrick, Etal | 11&12/21 |
| T19-5 | 3 & 4 | 125 | F.M. Henderer(Nightwander) | 10/16/19 |
| T19-5 | 9 & 10 | 125 | F.M. Henderer(Nightwander) | 10/16/19 |
| T21-4 | 7 & 18 ♥ | 146-B&A | Chas. Turpin | 8/27/33 |
| T21-4 | 7 | 148 | John S. Cline | 7/10/22 |
| T21-4 | 16 & 17♥ | 156 | Roy Beebe | 6/9/24 |
| T21-4 | 17 | 131 | C.R. Lawrence | 7/5/21 |
| T21-4 | 20 | 54 | Comstock Cemetery | 4/1/12 |
| T21-4 | 20 | 80 | W.H. Lawrence | 4/22/13 |
| T21-4 | 30 & 31 ♥ | 46 - 51 | S.S. Thomas, Etal | 3/1912 |
| T21-4 | 30 ♥ | 152 | Robt. Anlauf | 3/20/23 |
| T21-4 | 31 & 36 ♥ | 145 | N.M. Ohrling | 5/23/22 |
| T21-5 | 5 ♥ | 106 - 109 ♦ | Mumpower Bros. | 11&12/15 |
| T21-5 | 12 & 13 ♥ | 146-B&A | Chas. Turpin | 8/27/33 |
| T21-5 | 24 & 26 | 73 - 76 | Leona Mills Co. | 1/1912 |
| T21-5 | 25 & 36 ♥ | 46 - 51 | S.S. Thomas, Etal | 3/1912 |
| T21-5 | 25 ♥ | 138 | Stewart Bros. | 5/31/19 |
| T21-5 | 25 ♥ | 144 | Walter Skidmore | 5/22/22 |
| T21-5 | 28 | 11 & 12 | J.A. Johnson | 1/23/07 |
| T21-5 | 34 | 102 | Mumpower Brow. | 6/29/14 |
| T21-5 | 34 & 35 | 151 | Kinney & Jamison | 12/14/22 |
| T21-5 | 34 | 154 | J.J. Kenny | 3/30/23 |
| T21-5 | 35 | 82 | F.M. Hendorer(?) | 7/1/13 |
| T22-4 | 19 & 20 ♥ | 27 - 28 | R. Booth | 2/8-10/11 |
| T22-4 | 20 & 29 ♥ | 150 | J.E. Stepnson | 9/1922 |
| T22-4 | 29 & 30 ♥ | 27 - 28 | R. Booth | 2/8-10/11 |
| T22-4 | 30 & 31 ♥ | 128 | Pres. Turpin | 11/5/20 |
| T22-4 | 30 | 139 - 140 | Jas. Toner | 10/3/21 |
| T22-4 | 31 | 58 - 59 | F.C. Alten | 5&8/1912 |
| T22-4 | 31 | 83 | F.C. Alten | 7/13(18) |
| T22-4 | 32 ♥ | 70 | F.C. Alten | 12/4/12 |
| T22-4 | 32 | 71 | F.C. Alten | 12/12/12 |
| T22-4? | | 101 | E.P Drew | 12/22/15 |
| T22-5 | ? | 126 - 127 | J.H. Kruse | 1/1920 |
| T22-5 | 4 & 9 ♥ | 64 - 65 | Chas. Schappers | 6/1912 |
| T22-5 | 5 ♥ | 146 - 147 | Walter Skidmore | 6/29/22 |

Denotes Government corners set & BTs marked or re-marked.
♦ Denotes pages that are hard to read or can't be read.
♣ Denotes that the survey is similar to , or the same as the map number given.

| T & R | Sec. | Page | For/Title | Date |
|---|---|---|---|---|
| T22-5 | 8 | 62 - 63 ♦ | Thos. Krewson | 6/5/12 |
| T22-5 | 8 ♥ | 67 - 68 | Mrs. M.J. Perkins | 10 & 11/12 |
| T22-5 | 8 or 17 | 82 | L.E. Edwards | 7/12/13 |
| T22-5 | 10 ♥ | 66 | Beimers & Kelly | 8/22/12 |
| T22-5 | 16 | 45 | IOOF Cemetery, Drain | 1 & 2/12 |
| T22-5 | 17 & 18 ♥ | 52 | W.H. Lykes | 3/19/12 |
| T22-5 | 17 & 18 | 136 - 137 | Coyle (?) & Davis | 2/9-11/22 |
| T22-5 | 19 ♥ | 37 | Smith & Saucer | 5/15/11 |
| T22-5 | 24 ♥ | 41 | Boothe, Baker & Seals | 11/7/11 |
| T22-5 | 27 & 28 ♥ | 118 | Vanda Coffey | 8/4/16 |
| T22-5 | 29 & 30 ♥ | 13 - 17 | S.M. Wilcox, Etal | 3/28/11 |
| T22-5 | 31 & 32 ♥ | 13 - 17 | S.M. Wilcox, Etal | 3/28/11 |
| T22-5 | 31 | 43 | Ohlsen & Francis | 11/29/11 |
| T22-5 | 31 | 120 | W.W. Love & Miller | 8/30/17 |
| T22-5 | 31 ♥ | 158 | A.D. Cole | 3/5/25 |
| T22-5 | 33 | 36 | M.W. Strawn | 3/13/11 |
| T22-5 | 33 & 34 | 103 | Road Survey by Germond | ? |
| T22-5 | 34 | 123 - 124 | Survey Home Place | ? |
| T22-5 | 36 | 130 ♦ | Benj. Huntington | 11/6/21 |
| T22-6 | 13 & 12 ♥ | 157 | Kent & Wisegaroer(?) | 9&11/24 |
| T22-6 | 13 & 24 ♥ | 157 | Kent & Wisegaroer(?) | 9&11/24 |
| T22-6 | 13 & 14 ♥ | 157 | Kent & Wisegaroer(?) | 9&11/24 |
| T23-4? | | 101 | E.P Drew | 12/22/15 |
| T23-4 | ? | 110 | Langdon & Pringle | 2/15-16/? |
| T23-4 | ? | 111 ♦ | Pringle & Cybird(?) | 2/17/16 |
| T23-4 | 8 & 9 | 129 | A.C. Wilson (Mining Claim) | 6/1921 |
| T23-5 | 3 | 1 | Orig. Surv. of Yoncalla | ? |
| T23-5 | 4 & 9 | 40 | L.M. Woodward | 8/8/11 |
| T23-5 | 4 & 5 | 97 | E.L. Smith | 11/25/13 |
| T23-5 | 4 & 5 ♥ | 112 - 113 | Crow Applegate & ___ | 2/25/16 |
| T23-5 | 5 | 72 | W.A. Porter | 1/6/13 |
| T23-5 | 6 ♥ | 30 | Ohlsen | 3/31/10 |
| T23-5 | 6 ♥ | 114 | O.W. Ohlsen | 3/31/10 |
| T23-5 | 6 | 116 | Humphrey | 9/19/10 |
| T23-5 | 7 ♥ | 2 | Claude Devere(?) | 1/18/10 |
| T23-5 | 8 & 9 | 97 | E.L. Smith | 11/25/13 |
| T23-5 | 8 & 17 ♥ | 104 | Pond & Arrow by Cain | ? |
| T23-5 | 14 | 69 | Co. Road Survey | ? |
| T23-5 | 14 & 15 | 81 | J.D. & Geo. Wilson | 5/21/13 |
| T23-5 | 16 ♥ | 98 - 99 | Geo. S. Wilson | 2/17/14 |
| T23-5 | 16 ♥ | 128 | W.W. Wilson | 1/29/20 |
| T23-5 | 19 & 20 ♥ | 60 - 61 | C.F. Prior | 5/24/12 |
| T23-5 | 29 & 30 ♥ | 60 - 61 | C.F. Prior | 6/5/12 |
| T23-5 | 29 ♥ | 117 | G.F. Prior | 5/24/12 |
| T23-5 | 31(?) | 29 | Thiele & Castor | 3/14/10 |
| T23-5 | 31 & 32 ♥ | 115 | Thrile & Castor | 3/14/10 |
| T23-5 | 42(DLC) | 39 | Dr. Carter | 6/1911 |
| T24-5 | 5 & 8 | 105 | Isador Rice | 10/14/14 |
| T24-5 | 18 ♥ | 24 | L.H. Buell | 4/14/11 |
| T24-5 | 33 | 121 | A.J. Dear | 1&2/1918 |
| T24-5 | 35 | 84 | Ralph Cocheran | 4/13/21 |
| T25-5 | 4 | 3 | A.F. Brown | 1/24/11 |
| T25-5 | 5 (?)♥ | 3 & 4 | D.E. Vernon | 1/25/11 |
| T25-5 | 17 | 153 | Sutherlin(Sidewalk grade) | 3/27/23 |

)Denotes Government corners set & BTs marked or re-marked.
♥ Denotes pages that are hard to read or can't be read.
♣ Denotes that the survey is similar to , or the same as the map number given.

| T & R | Sec. | Page | For/Title | Date |
|---|---|---|---|---|
| T26-4 | 3 & 4 | 77 - 78 | Beckley Bros. (M 4-69) ♣ | 2/7/13 |
| T26-4 | 8 & 9 | 77 - 78 | Beckley Bros. (M 4-69) ♣ | 2/7/13 |
| T26-5 | 30 | 7 | Louis Dumbleton | 3/6/11 |
| T26-6 | ? | 143 | E.E. Labrie | 5/26/22 |
| T26-6 | 16 & 17 ♥ | 141 - 142 | James Coaper (?) | 5/6/22 |
| T26-6 | 20 & 21 ♥ | 141 - 142 | James Coaper (?) | 5/6/22 |
| T26-6 | 25 | 7 | Louis Dumbleton | 3/6/11 |
| T26-6 | 25 | 21 | Louis Dumbleton | 4/3/11 |
| T27-5 | 19 | 25 - 26 | J. Jurcher(?) | 4/15/11 |
| T27-6 | 13 | 6 | Nuner & Andorie | 2/23/11 |
| T27-6 | 18 | 32 | John Daniels | 4/25/11 |
| T28-6(?) | 2 | 22 - 23 | R. Green | 4/6/11 |
| T30-4 | 2 & 3 ♥ | 93 - 95 | T.B. Dean | 11/13/13 |
| T30-4 | 10 & 11 ♥ | 96 | __ Chaney | 11/14/13 |
| T30-4 | 15 & 16 ♥ | 92 | Carl Dietsch | 10/16/13 |
| T30-4 | 22 ♥ | 87 - 89 ♦ | John Perdue | 9/24/13 |
| T30-4 | 22 ♥ | 90 - 91 | Perdue & Worley | 10/15/13 |
| T32-5 | | 8 - 10 | Jaeguse(?), Etal (Ditch) | 3/4/11 |

♥ Denotes Government corners set & BTs marked or re-marked.
♦ Denotes pages that are hard to read or can't be read.
♣ Denotes that the survey is similar to the map number given.

FB 115 by O.F. Thiel (Thiel's FB#12) 1907-1941

| Page | For/Title | T & R | Date |
|---|---|---|---|
| 1 | Orig. Surv. of Yoncalla | T23-5 Sec. 3 | ? |
| 2 | Claude Devere(?) | T23-5 Sec. 4 | Jan. 18, 1910 |
| 3 | A.F. Brown | T25-5 Sec. 4 | Jan. 24, 1911 |
| 3 & 4 | D.E. Vernon | T25-5 Sec. 5 (?) | Jan. 24/25, 1911 |
| 5 | Woolingberg Bros. | ? | Feb. 8, 1911 |
| 6 | Nuner & Andorie | T27-6 Sec. 13 | Feb. 23, 1911 |
| 7 | Louis Dumbleton | T26-6 Sec. 25<br>T26-5 Sec. 30 | Mar. 2/6, 1911 |
| 8 - 10 | Jaeguse(?), Etal<br>Ditch survey | T32-5 | March 4, 1911 |
| 11 & 12 | J.A. Johnson | T21-5 Sec. 28 | Jan. 23, 1907 |
| 13 - 17 | S.M. Wilcox, Etal | T22-5 Secs. 30\|29 / 31\|32 | Mar. 25/28, 1911 |
| 18 - 20 | Roscoe Green | ? | 3/30 & 4/1 1911 |
| 21 | Louis Dumbleton | T26-6 Sec. 25 | April 3, 1911 |
| 22 - 23 | R. Green | T28(?)-6 Sec. 2 | April 6, 1911 |
| 24 | L.H. Buell | T24-5 Sec. 18 | April 14, 1911 |
| 25 - 26 | J. Jurcher(?) | T27-5 Sec. 19 | April 15, 1911 |
| 27-28 | R. Booth | T22-4 Secs. 19\|20 / 30\|29 | Feb. 8-10, 1911 |
| 29 | Thrile & Castor | T23-5 Sec. 31 &32 | Mar. 14, 1910 |
| 30 | Ohlsen | T23-5 Sec. 6 | Mar. 21 & 31, 1910 |
| 31 | Humphrey | T ? - ? Sec. 6 | Sept. 19, 1910 |
| 32 | John Daniels | T27-6 Sec. 18 | April 25, 1911 |
| 33 | Munn | ? | April 26, 1911 |
| 34 - 35 | Frank Brown | ? (Around the old Soldiers Home/Harvard?) | April 27-28 ? |
| 36 | M.W. Strawn | T22-5 Sec. 33 | May 10/13, 1911 |
| 37 | Smith & Saucer | T22-5 Sec. 19 | May 15, 1911 |

| Page | For/Title | T & R | Date |
|---|---|---|---|
| 38 | W.A. Porter | Can't read | 5/30 6/2 |
| 39 | Dr. Carter | T23-5 DLC 42 | 6/15-16/11 |
| 40 | L.M. Woodward | T23-5 Secs. 4/9 | Aug. 8, 1911 |
| 41 | Boothe, Baker & Seals | T22-5 Sec. 24 | Nov. 7, 1911 |
| 42 | Bert Davis | ? | Nov. 27, 1911 |
| 43 | Ohlsen & Francis | T22-5 Sec. 31 | Nov. 28-29, 1911 |
| 44 | E.H. Dunean(?) | ? | Dec. 18, 1911 |
| 45 | IOOF Cemetery, Drain | T22-5 Sec. 16 | 1/31 2/2-3, 1912 |
| 46 - 51 | S.S. Thomas, Etal | T21-4 Sec. 30 & 31<br>T21-5 Secs. 25 & 36 | March 1912 |
| 52 | W.H. Lykes | T22-5 Secs. 17 & 18 | March 19.1912 |
| 53 | Jasper Fegle | ? | March 25, 1912 |
| 54 | Comstock Cemetery<br>Survey of Cemetery | T21-4 Sec. 20 | April 1, 1912 |
| 55 | J. A. Fenn<br>Ditch Survey | ? | May 7-8, 1912 |
| 56 - 57 | John Hanson | ? | May 9-10/13, 1912 |
| 58 - 59 | F.C. Alten | T22-4 Sec. 31 | 5/22-23/1912<br>7/21/1912 |
| 60 - 61 | C.F. Prior | T23-5 Secs. 19\|20 / 30\|29 | May 24, 1912<br>June 5, 1912 |
| 62 - 63 | Thos. Krewson<br>**HARD TO READ** | T22-5 Sec. 8 | June 3/5, 1912 |
| 64 - 65 | Chas. Schappers | T22-5 Secs. 4 & 9 | June 19,24-25/1912 |
| 66 | Beimers & Kelly | T22-5 Sec. 10 | Aug. 21-22, 1912 |
| 67 - 68 | Mrs. M.J. Perkins | T22-5 Sec. 8 | Oct. 26, 1912<br>11/15,16,19, 1912 |
| 69 | Co. Road Survey | T23-5 Sec. 14 | ? |
| 70 | F.C. Alten | T22-4 Sec. 32 | Dec. 2-4, 1912 |
| 71 | F.C. Alten | T22-4 Sec. 32 | Dec. 12, 1912 |
| 72 | W.A. Porter | T23-5 Sec. 5 | Jan. 6, 1913 |

| Page | For/Title | T & R | Date |
|---|---|---|---|
| 73 - 76 | Leona Mills Co. | T21-5 Secs. 24 & 26 | 1/22,23,25,27/1912 |
| 77 - 78 | Beckley Bros. | T26-4 Secs. 8\|9 **Similar to M 4-69** | Feb. 5-7, 1913 |
| 79 | Co. Rd. Survey Through O.F. Thiel | ? | July 1911 |
| 80 | W.H. Lawrence | T21-4 Sec. 20 | April 22, 1913 |
| 81 | J.D. & Geo. Wilson | T23-5 Secs. 14 & 15 | May 21, 1913 |
| 82 | F.M. Hendorer(?) | T21-5 Sec. 35 | July 1, 1913 |
| 82 | L.E. Edwards | T22-5 Sec. 8 or 17 | July 12, 1913 |
| 83 | F.C. Alten | T22-4 Sec. 31 | July 20, 1913(8) |
| 84 | Ralph Cocheran | T23-5 Sec. 35 | April 12-13, 1921 |
| 85 | Mrs. Wood | ? | June 16-17, 1921 |
| 87 - 89 | John Perdue **Hard to read** | T30-4 Sec. 22 Runs lots of lines | Sept. 22-24, 1913 |
| 90 - 91 | Perdue & Worley | T30-4 Sec. 22 | Oct. 14-15, 1913 |
| 92 | Carl Dietsch | T30-4 Secs. 15 & 16 | Oct. 15-16, 1913 |
| 93 - 95 | T.B. Dean | T30-4 Secs. 2 & 3 | Nov. 11-13, 1913 |
| 96 | __ Chaney | T30-4 Sec. 10 & 11 | Nov. 14, 1913 |
| 97 | E.L. Smith | T23-5 Secs. 5\|4 8\|9 | Nov. 24-25, 1913 |
| 98 & 99 | Geo. S. Wilson | T23-5 Sec. 16 | Feb. 16-17, 1914 |
| 100 | C.M. Henderer | ? | Feb. 19-20, 1914 |
| 101 | E.P Drew | T22-4 Sec. 31 | Dec. 22, 1915 |
| 102 | Mumpower Brow. | T21-5 Sec. 34 | June 29, 1914 |
| 103 | Road Survey by Germond | T22-5 Secs. 33 & 34 | ? |
| 104 | Pond & Arrow **Cain's survey** | T23-5 Secs. 8/17 | ? |
| 105 | Isador Rice | T24-5 Secs. 5/8 | Oct. 14, 1914 |
| 106 - 109 | Mumpower Bros. **Very hard to read** | T21-5 Sec. 5 | Nov./Dec. 1915 |

FB 115 by O.F. Thiel (Thiel's FB#12) 1907-1941

| Page | For/Title | T & R | Date |
|---|---|---|---|
| 110 | Langdon & Pringle<br>**Smudged & Torn** | T23-4 Sec. ? | Feb. 15-16, ? |
| 111 | Pringle & Cybird(?)<br>**Smudged - Hard to read** | T23-4 Sec. ? | Feb. 17, 1916 |
| 112 - 113 | Crow Applegate & ___ | T23-5 Secs. 4 & 5 | Feb. 23-25, 1916 |
| 114 | O.W. Ohlsen | T23-5 Sec. 6 | Mar. 21/31, 1910 |
| 115 | Thrile & Castor | T23-5 Secs. 31 & 32 | March 14, 1910 |
| 116 | Humphrey | T23-5 Secs. 6 | Sept. 19, 1910 |
| 117 | G.F. Prior | T23-5 Sec. 29 | May 24, 1912 |
| 118 | Vanda Coffey | T22-5 Secs. 27 & 28 | Aug. 4, 1916 |
| 119 | S.H. Brawn | ? | May 4, 1917 |
| 120 | W.W. Love & Miller | T22-5 Sec. 31 | Aug. 20/30, 1917 |
| 121 | A.J. Dear | T24-5 Sec. 33 | 1/24,25 2/8 1918 |
| 122 | ? | ? | July 22, 1918 |
| 123 - 124 | Survey Home Place | T22-5 Sec. 34 | ? |
| 125 | F.M. Henderer<br>(Nightwander) | T19-5 Secs. 4\|3 / 9\|10 | Oct. 15-16, 1919 |
| 126 - 127 | J.H. Kruse | T22-5 Sec. ? | Jan. 1920 |
| 128 | W.W. Wilson | T23-5 Sec. 16 | Jan. 29, 1920 |
| 128 | Pres. Turpin | T22-4 Sec. 30/31 | Nov. 3/5, 1920 |
| 129 | A.C. Wilson<br>Mining Claim survey | T23-4 Secs. 8 & 9 | 6/8,10,14/1921 |
| 130 | Benj. Huntington<br>**Edge of Page torn -** | T22-5 Sec. 36<br>**hard to read** | Nov. 4 & 6, 1921 |
| 131 | C.R. Lawrence | T21-4 Sec. 17 | July 5, 1921 |
| 132 - 133 | J.B. Hetrick, Etal | ? | 11/28-29/1921<br>12/5-6/1921 |
| 134 - 135 | Blank | | |
| 136 - 137 | Coyle (?) & Davis | T22-5 Secs. 17 & 18 | Feb. 9-11, 1922 |
| 138 | Stewart Bros. | T21-5 Sec. 25 | May 31, 1919 |

| Page | For/Title | T & R | Date |
|---|---|---|---|
| 139 - 140 | Jas. Toner | T22-4 Sec. 30 | Oct. 3, 1921 |
| 141 - 142 | James Cooper | T26-6 Sec. 17 | May 2-6, 1922 |
| 143 | E.E. Labrie | T26-6 Sec. 29 | May 25-26, 1922 |
| 144 | Walter Skidmore | T21-5 Sec. 25 | May 22, 1922 |
| 145 | N.M. Ohrling | ?¼Cor. Secs. 31 & 36 T 21-4 | May 23, 1922 |
| 146 - 147 | Walter Skidmore | T22-4 Sec.5 | June 27-29, 1922 |
| 146-B&A | Chas. Turpin | T21-5 12\|7 T21-4 13\|18 | Aug. 27, 1933 |
| 148 | John S. Cline | T21-4 Sec. 7 | July 10, 1922 |
| 149 | Not in Douglas County | | |
| 150 | J.E. Stepnson | T22-4 Secs. 20 & 29 | 9/15 & 21/1922 |
| 151 | Kinney & Jamison | T21-5 Secs. 34 & 35 | Dec. 13-14, 1922 |
| 152 | Robt. Anlauf | T21-4 Sec. 30 | Mar. 20, 1923 |
| 153 | City of Sutherlin Grade for sidewalk | T25-5 Sec. 17 | Mar. 27, 1923 |
| 154 | J.J. Kenny | T21-5 Sec. 34 | Mar. 30, 1923 |
| 155 | Not in Douglas County | | |
| 156 | Roy Beebe | T21-4 Secs. 16 & 17 | June 9, 1924 |
| 157 | Kent & Wisegaroer(?) | T22-6 Secs. 14\|13 13\|24 | Sept. & Nov. 1924 |
| 158 | A.D. Cole | T22-4 Sec. 31 | Mar. 5, 1925 |

# Field Book #115


BOOK #12
FB 115 = OFT BOOK 12
RECORD
SURVEY
OF TRAILS


FB 115 =
OFT Book 12
W Mecham
Marshall
Rec gr. 26'

# Original Survey of Jamalla

Beginning at a point 1524 feet S 38° 04' E of the N.W. cor. of S.A. Burt Claim land claim No 48 S. 23 T.R 5 E. erecting 3 c 4 thence N 85° 20' E 1330 ft. thence S 4° 40' E running with and 30 ft westerly from the center of main track of O.C.B.R.R. 1460 thence S 85° 20 W. 320 thence N 4° 40' W. 1130 ft to place of beginning. Streets 60 ft wide Alleys 20 ft wide which is 80 ft. Front is 50 ft. 1st & 4th are 30 ft. alleys 20 ft. lot 60×120

From N.W. cor of town N 85° 20' E 1510 ft. to a point 150 ft E of R.R. track S 4° 40' E 1460 ft S. 85° 20' W 1190 20' W. 1460 ft S. 85° 20' W 1190 ft N 4° 40' W 320 ft S 85° 20' W

Edwards Lewis

Jan 18 1910

Cor [illegible] Corner

Found stone B&C X 15 X 7

10 ins under ground no mark

on it. Iron Pipe each side X on top

marked a. wh oak 20" brs

N 37 E 2.10 N 89½ E 31.95 chs

S 4° 40 E 11.35 pts to SE

Lot 1 in Bl 1 Langs add

Generals



A. F Brown

Jan 24th 1911.

The ¼ sec cor bet 4-9 Tp 25 R 5

W. stone in ground 0.8 N 6 bearing

tree standing The SE cor of Block

M bears N 36½° E 3.68 lks (Var 20° 30' E)

From SE cor of Bl M the ¼ cor brs S

57° 41' from line on East side of Bl. M.

From NW cor Bl M ¼ cor brs S 21° E

Angle from same 64½°

From NW cor of Bl M ¼ cor brs

S 19½° E

DE Vernon

Jany 24, 25, 1911.

Begin at the ¼ sec. cor bet

sec 5-32 Tp 25 S R 5 W, a post

standing in place, I.W. tree (a

bl oak) standing, other gone

Offset from cor South 38½ lks.

Var. used run N 89½ E

10,00 set peg 12,00 offset R 1.3 lks

20,00 chns. set peg. Eq. wire brs

30,00 set peg in blazed [illegible]

# J.E. Vernon

37.17 chs West 5.75 chs
East 2.83 + 21 to fence, S 1½° E
according to Co survey 13.00 chs
to cor of Davis fence. A this cor
Thornton Abstract calls for a wh
oak 24" brs S 57° E 184 (true cut down)
marked C.L.B.T.

Jan 28th.




T. 25 S R. 5 W.

Creek takes off lot 1 7/10 acre
and lot 2 1/4 acre.



# Woolenberg Bros.

Feb 8th 1911.

S.W cor of J W Hamilton
lot line E bears N 34½° E 181.8 ft

Line along sidewalk brs S 61° E
240 ft; measured along said
240 ft across S end 158 ft.



Riner & Andover
Feb 23rd 1911

Begin at N.E. cor of Huntley Bros. Claim No 56 Tp 27 S.R. 6 W. offset N. 10 ft. and measured South 1310 ft. to north side of street. Thence S. 40 ft. set post. Board fence on the line of survey of East side of Riverside Add.



Louis Dumbleton
March 2nd & 6th 1911

Beginning a a point 7.31.18 W. N. 32½ W. of the ¼ sec cor. on the East side of sec 25 Tp. 26 S.R. 6 W. (both ash trees standing) from which a white oak 24" diam. brs. N 23° W. 85 feet and marked BL 38 BT. this is the Sec cor. of Block 38, thence N. 53½° E. 850 ft. to a point from which a white oak 12" brs. N 40 W. 25.2 ft. thence N 36½° W 200 ft. thence S 53½ W. 850 ft. thence S. 36½° E 200 ft in Sects 25 & 30 Tp. 26 S.R 6 W. In this survey found cor stakes of the N.E. & S.E. of Bl 38. Var used from bearing trees 21°
21 43.16

# Ditch Survey.

J A Reagan et al.

Dec. 24 th 1911. Var 21½°
Began at the cor in S side of
Cow Creek Cor set by Rodgers
220 vrs W. of E. cor of sec 19.
Th. 328 lks. run N 41½° E
to south side of ditch 5.00
S 85½ E 3.67; S 68° E 4.25 to E
end of headgate. size of headgate
7 ft wide. Creek 40 lks further.
Beginning run N 48° W 3.70
N 13½° W 4.00 - 40 to ditch along N side
dry water
N 75½ W. 2.96 N 86 W 3.00 N 65 W 4.32
ditch N. 12. N 60 W 4.20 Co road NE. SW
5.50 ditch N 12. N 69½ W. 4.60 N 85 W. 4.00
d n 12 d n 12 d n 12 d n 12
S 73¾ W 2.00. N 83¾ W 4.17 N 73 W 2.80
d n 10 n 10 n 10 n 10 n 10
S 79° W 195' S 50 W 4.00 S 11½ W 3.00 S 77 W 2.50
n 12 n 10 n 10
S 26 W 4.80 new house work W S 25½ W 1.30 S 63¾ W
n 10
1.70 S 52½ W. 45 Co road E & W. cross ditch
again N South side of ditch 2.60 Var 21° 12'
S 22½ E 4.73 see line fence E & W 5.10
S 5½° W 1.10 S 61¼ W 2.10 N 89 W 2.50
S 61¼ W 2.65 N 71¼ W 4.15 S 33½ W 5.75
S 62½ W 3.03 to Plain 2.78 S of ore cor.



# Ditch Survey.

S 82½ W 4.20 S 57 W 1.90 S 86° W 7.10. S 64½ W
n 12 n 12 n 12
3.70 S 49¾ W. 2.90 road. N & Co road about. S 42 W. 6.90 road S 32½ W 3.00
n 12 n 12 n 12 n 15
S 17 W 2.00 S 58½ W 1.80 S 27 W 5.60 S 47 W 5.60
n 12 n 12 n 20 n 15
S 9½ W 1.30 S 13 E 2.25 S 22½ W 2.00 S 61 W 5.90
n 12 n 10 n 12
S 82½ W 3.50 N 86¾ W 1.50 S 35½ W 5.20
n 15 n 12 n 15
S 15 W 4.10 S 36 W 5.25 S 61¾ W 2.20 S 50½ W
n 15 n 15 n 10
7.20 N 76½ W 2.50 N 61 W 2.00 N 86¾ W 1.60
n 10 west north n 20
S 50½ W 2.10 S 32 W 3.20 home N. do not
S 56½ W 4.70 S 43 W. 180 home N & S barn North.
n 10
2.80 N 75½ W. 37 Co road E & W. 6.60 S 33¾ W
n 15 n 10 n 20 n 10
2.50 S 57½ W 2.75 S 79 W 146 wire fence
n 10 n 20 n 10
on ele line. 4.28 N 76 W 3.10 N 67 W 2.10
d n 20 n 20
S 66½ W 3.80 S 60¾ W. 50 home S. 3.10 S 42 W
n 10 n 10 n 15
1.30 S 44½ W 1.90 N 83½ W 2.50 N 45½ W 2.00
n 10 n 10 n 10 n 10
N 83 W 2.20 S 74 W 4.50 N 72½ W 1.00 S 71 W 4.40
n 10 05 n 15
S 55½ W 3.80 S 65 W 1.40 S 32½ W 5.60
n 10 n 10 n 10 n 10
S 70 W 1.00, N 72½ W 1.40 S 41 W 2.50 S 61½ W
05 n 05 n 10 n 10
4.40 S 82° W 4.50 N 67 W 1.40 Redfield's home
05 n 10 n 10
South S 62 W. 3.50 S 44 W 3.75 S 33 W 2.90
n 10 n 10
S 61½ W 2.25 South 1.70 S 24° W 4.40 South
center
20 cents Co road E & W. 1.00 S. 17 W
5.20 S 51 W 2.40 S 10 W 1.60 S 42 W 1.60
S 7 W. 2.40 S 32 W 2.40 S 71¾ W 2.40
N 22 W Co & End ditch

Post 36 lks N 87½ E 46.6 from cor. along brook fence Var. by fence 20. stamp of bl. oak N.W. 1.25 from cor on hill on claim line run South from this cor of lot 2 7.71 thence S 38 W. 61.
Run E from SW cor of lot 2 20.00 and North to ditch line 2.73.

Survey by McCulloch beginning about 100 ft North of South line of Sec. 19. and ending at a point 16.20 chns E. of SW cor. ¼ sec 19.

Agreement by Melvina Eliff & Cow creek Irrigating Co.



J. A. Johnson
Jan 23 1907.
Begin at cedar post at NE cor of sec 28 Tp 21 S R 5 W. Run South desc hill. 40.25 set peg. 50.25 leave Co road 50.75 - begin steep asc. 57.00 top of steep asc. 66.50 stream C. E.

Begin at NW cor of sec 28 fir 36" for cor.
South from corner. 10.00 center of creek asc hill. 40.60 ¼ Cor. Var 20½°.
East from cor.
desc hill. 12.50 cr. C N. steep asc 28.00 top of hill. steep desc 46.00 stream C N.E. 50.25 stream C N.E. steep hill side. 65.00 ft of hill 71.10 S. bank of little Sandy. 72.10 wagon road. 75.00 set peg.

West from ¼ cor. 57.95 Marked pine 36" Lake 13


Jesse Applegate
Historical Marker
Quarry
DeVore
Mountain
East
T22S R5W
Page 13
Page 14
Page 15
Page 16
Page 17
= Section Line
SCALE 1:24 000
KILOMETERS
METERS

# L. M. Wilcox

Mar. 25

| | | | | |
|---|---|---|---|---|
| 1° | 28' | 35.7" | 59.03" | |
| | 8 | 57.1 | 31.18" | (8 |
| 10 | 37' | 46.8" | 57.1 | |
| | | 44 | | |
| 10 | 38' | 30.8" = 1. P.M. | | |

Begin at 1/16 cor. N of 1/4 cor bet 29-32. Run North Var. 19¼°
dist 5.00 leave tree 9.90 stream
W. 12.50 enter fir thicket 15.00
steep asc. 20.00 fir post
marked fir 20 N. 79 E 14.
" " 20 S. 12 W. 27.
West 20.00 temp cor.
Begin at N¼ cor of 3 N Var. 18°06
E. 24.75 begin asc. 10.15 dist post
fir 10 N 20 W 17 fir 18 S. 75 E 30
Cont E. 20.00 fir post. Enter E. 10 and
N. 20 of temp cor. marked.
fir 22 N 28 W 4 laurel. 16 N 42 E 16.
Begin at S.E. cor. of N.W. ¼ of N.W. ¼
Run E. Var. 19¾ 4.70 begin a very steep
asc 11.40 top along W. slope 30.70
top along on W slope 37.00 very



steep desc on E slope. 40.00 fir post
marked a wh. oak 25 lks. N 33½ W 87
Run S. 89¾° E. Var. 20° 37'
along on steep E slope 60.5 deep gulch
& Elder very steep asc. 11.20 top dec
heavy second growth fir. 20.00
dogwood post marked
fir 36. S. 76 E. 35 fir 6 N 29 W. 29
Cor. stands on E. slope.
run line North no chaining
Ent. a little W of ¼ cor. North
from ¼ cor. 3.00 steep desc
20.00 1/16 cor. at 20.35 set fir
stake marked fir 8 S 33 E. 04

Begin at ¼ cor bet. 29-20 run
E. 40.70 enter W of cor. 30 at 40.35
set stake by road.
Marked wh. oak S. 46° W 46

¼ cor. bet. 30-29 marked new
bearing trees old one cut down
West along road fence

J. C. Johnson.

fir 24" N 15 E 12
North from cor. 21.05 to
line maple post
Sob. fir 12" S 30 E 36.
" 24" N 21 E 28.



Mar. 24. 25. 26 27 28 1911.

J. M. Wilcox etal.
Pp. 22 S. Rod.

Begin at 1/4 sec. cor bet secs 29 & 32. S.E. tree gone remarked Wh. (white oak) Var. used 21° run N 89 1/2 W. 19.90 temp post. 39.97 inters S. of sec. cor. 42 N.E. found and cut & marks. other trees dead. at 19.98 set stone 6x6x10. marked.
fir 12 S 63. E 13. Wh oak. 20 N 57 W 42
North from cor. Var 20 1/2 through small fir & oak grubs up and down hill 14.10 leave tlr. 15.00 wagon road. E & W. pt. of hill 20.00 fir post. marked. Wh oak. 6". N 57 W. 83
Var by N & S line at 1/16 cor 19 1/4°
6.70 wagon road. N E & W. osc. 9.70 enter fir tlr. ase hill. small fir and oak tlr. 19.99 fir post
fir. 8 N 14 W. 7. S 4° W. 14.
on west hill side heavy small fir tlr.

1961
3 14
1953

4005 N.E. cor. of J. Ahlen.
measured S along wire fence
40.47 to stone East from cor.
on claim line at 19.67 Inter
line bet. secs. 31 & 32 10.43 S. of
sec cor. run cl line E, to cot
old bearing trees both gone,
returned to cor. on sec. line and
set stakes on true line course

Run claim S. from interior
cor. 17.38 inter West of cor. on set
a cedar post. old trees standing

At. 1/4 cor. bet 30 & 31. set a
stone, old trees standing Run
North from cor. 4025 to E & W.
board fence set stone and marked
wh oak 15 N 50 E. 36
an ash 24 S. 58 64
measured E along board fence
19.83 J Ahlens wire fence
21.10. Begin at 1/4 cor. bet 29
& 30 measured West along



board fence 18.70 and set
large stone for N.W. cor of Lot
Wilcox and J Ahlens NE. cor
marked.
an ash 18" S 49 E. 54
a wh oak 6 S. 83½ W. 18

Run South. to claim line
and set a stone 3.14 chns E.
of interior cor. marked
a wh oak 12 N 10½ W. .50
" " " 8 " 67 E .71
Sec line is North 10.17

18.70
2194
40.02

20 20
21 34
18 68
40.02

# Roscoe Green.

March 30th 1911.

Begin at a post marked 44 on N side of Co road. Var at 11.20° board fence brs. N 8.10° E. measured N. along board fence. 660 + 66 + 11½ = 2nd stake. 660 + 66 + 21.2 to No 53. 660 + 66 + 31.6 to No 54; 660 + 66 + 39.8 to No 63 at No 63 Var 19.40 Line brs S. 8°37° W. set post S. of No 63 563 ft. Run S 52¾° E 3.00 back plagg shows N 57° W W angle 33¾ Var 19.58' at 2 pm. S 44° 55' E by angle needle 45° at 14.15 S bank of creek C NE. 20.14 to fence on N. side of road. S. 35.20 W by angle and needle 54½ 31.50 chains cr. C N. 32.00 chains and 62 ft. N 84 W by needle angle 7° 4.00 and 25.5 ft. to cor.

10½
9¾6

1400
4½
5600
700
6300



# Apr 1 1911.

Begin at NW. cor mixed stake & 1 ft. 8 at 13.00 and 31.7 ft to stake This line brs by needle S 56½ E angle 56°20'

S 44¾° by needle and 45°10 angle at 1.50 set S 50°10 40 ft to road. thence S 50 W. needle shows S 48 W back plag brs N 50¼ E by angle 1400 post. Var 19¾° 1 pm S 83½ W. by needle angle shows 84°10 4 chns and 10½ ft to fence

400
150
250

150 + 250 + 50 + 450 = 800
150
900
1050
250
1300
700
2000
1991

250
700
1754

S 2.50 + 50 N bank of stream + 7.00 ch. and 3 ft. − 9 to wire fence S 54¼ W by needle angle 54° 47' 14.41 chns post N 45 W by needle to post on hill. 5.00 cr NE 621 post post brs N 39½ E run down from cor on hill 625 + 5.00

11 25 / 450 / 6.75

11 25 / 621 / 1746 / 17.46 / 8.73 / 36 / 32

6 24 / 450 / 10 74 / 17.46 / 6 75 / 3 50 / 25 / 100 / 100

S 54° W along road 8.50 post S 84 W 1 ch 32 pt. 25.00 Ch pg 8.02 S 72 W 1.32 N 84° W 4.25

South along prec 52.8 pt post N 0 54 E 6 ch and 35.1 pt. to post E from post 8 ch. 38.4 pt to line






Lewis Gumbleton

Apr 3rd 1911.

Begin at the N.E. cor of Bl. 38. thence N 36½ W 50 ft across street 200 ft to N.W. cor of Block 33 thence N 56½ E 200 ft iron bolt. thence N 56½ E. 650 ft. thence S. 36½ E 200 ft. thence S 56½ W 650 ft to a point from which a wh oak 16" br. N 7 ft marked B.L. 33 B.T. thence N 36½ W. 200 ft.

Var 20° 40'

Run from S.W. cor of Bl 38 N 57½° E. 134 ft and N. 36½ W. 267.3 ft to point of beginning at the beginning point the ¼ sec cor bs. S 22¼° E.

Vars used. The beginning point is a pelins. N 22½ W. 10108 ft of the ¼ sec cor on E side of sec. 25. T 26 S R 650 W.

43560 / 13 0000 / 2.98 acres.
8 712
4280
39204
3 67

# R Green Apr. 6, '11

N from cor. on W cor 250 ft to NE 6.66 + 66 + 114 ft 15 chns. and 38.4 ft to post. 21. and 21 ft to post no 53. 31.47 chns 31.4 ft post no 54 40.00 48.8 ft to cor. The line N 9° 27' E

S 45° from cor on N line 11.50 cents of cor. to NE 14.00 chns 37.6 ft + 20 ft to cor by wire fence.

From wire fence N 45° W 4 chns and 46 + 34.3 ft to cor. @ 5.00 cr. 6 chns. and 49.8 ft to cor.

NW cor by line S 9° 27' W thence 56° 18' angle 65° 44'

Angle 54°33'
9 27
45.06

40 40
9 27
50.47

between cors. 2 chns. 19.7 ft.
4 Chns and 21 ft to cor.
S. 7 a/m 2. chns. 19.7

Total acreage 66.50 a




Begin point on N 1445.6 ft and East 266.4 ft. of cor to Sec 28 10 2 11
TP 208 R 6 E

L. H. Buell
Apr. 14th 1911

Begin at NE cor of sec 18 [illegible] R 5 W. Run S. 11.21 to a cedar post. run S. 89½ W. 270 Co road C N & S 40.25 [illegible] at ¼ cor bet 17-18 Var 22¾°. Run S. S.E. tree cut down S from 1/4 2.55 [illegible] W. 15 and 8. N of E-W line, corrected back.






J. S. Juncker
Apr 15th 1911

Begin at a bench mark [illegible] [illegible] [illegible] post. Thence S 05 E. by needle angle 87° 49' 218.1 ft.
~~S 28 W. to center of street ft~~
Thence S 72¾ E angle 81° 05' 182 [illegible] measured a sidewalk 151.1 ft
East from Bench mark 227 ft.
S 62° E 250 + 20.5 = 270.5.
S ~~77~~ W. angle 12° 04' 75 + 50.2 = 125.2

Begin at mark in center of Main & Kane St.
measured along on West or South side 182



| | | | | | | | |
|---|---|---|---|---|---|---|---|
| N 28 E | 15.71 | 133.32 | — | 70.89 | — | | |
| S 64° 15 E | 22.81 | — | 96.88 | 20.85 | — | | |
| " 28 W | 124.7 | — | 109.92 | — | 58.48 | | |
| N 71 " | | 23.57 | — | — | N 3.68 | | |
| | | 206.88 | 206.80 | 91.74 | N 54.16 | | |



R. Booth.

Feb. 8, 9 & 10 1910.

Begin at the cor to secs. 19, 20, 29 & 30 Tp 22 S R. 4 E.W. run North 80 chs desc of 1° slope 39.81 Inter. E. of 1/4 cor. 52 set post for 1/4 cor and marked a fir 14 N 67½ W. 27.

East bet 20 & 29 gradually descending toward creek. 40.30 Intersect S of 1/4 cor. 61 found old stake, bet both old trees gone marked fir 16" S 83° E. 14 fir 16" N 37° W 20

80.66 Inter S of sec. cor 1.02 corrected line back.

At 20.18 East of the 1/4 sec. Cor bet 20 & 29 set a fir post marked fir 10" S 7° W. 54 Run North from cor. Var 21° 20' E. descend obs rail fence on line, 13.50 stream 15 W. C W. at 20.00 Cottonwood post marked fir 8" S 39° E. 37. fir 8" N 52° W. 14 cor stands in gulch E & 10 E.

Return to 1/16 cor. E of NE. cor.

Forth.

of sec 30 and Run South.
Ten rods. 150 creek & W. sec
2000 set laurel post. marked.
a fir 6" N 60° W. .05
West —
20.05 to old rail fence

From the 1/4 sec. cor. bet 29.30
Var on top of hill N. of 1/4 cor by
line 21½°. Run West from
cor. 2.00 top of ridge desc
40.00 maple post. marked fir 16
E. 10.
Cont West to Tp. line no chaining
Inter. North of cor. 1.78 Var. 20¾°.
From the 1/4 cor. bet 30 & 31. North
Var. used 21° 30.40 S bank of Elk. cr.
& W. 33.00 stup asc. 39.44 Inter. E. of
stake. 32



Thill & Castor
March 14th. 1910.
Begin at the N.E. cor of sec 31
Tp. 23 S R. 5 W. Var. 24° asc
2000 tamp post. 39.92 Inter. E. of
1/4 cor. 64.+ 19.96 mixed 1/16 cor. W. 32
and marked black 12" N 9° E 25
" " fir 10" S. 37° W. 16
West from 1/16 Var 21° 35'
stup desc 39.98 intersect S. of
1/16 cor. 31 corrected back and set
stakes on true line.

# Ohlsen

March 21.31 1910

Begin at the 1/4 sec cor on W side of 6 Tp. 23 S. R 5 W. Old tree gone post in place Var. used 20°35' Run East from cor. 39.04 temp peg. 39.30 set peg on E side of rail fence.

March 31st.

1/4 cor. bet 6 & 7 Var used 20 3/4° set a cedar post, from bad bear. tree. other tree gone. North from cor. at 20.00 and 40.00 temp peg. 79.06 Inter E of post in field set by C.S. 22. 40.00 from 1/4 cor bet 6 & 7 set a post — marked. a fir 8" N. 56° E. 51.



# Humphrey

Sept 19 1910.

Begin at post established in center of sec 6 Var at cor at 9 am 21° East. Sun post N. 6 lks. Run East from cor. at 14.50 N side of Co road. 19.85 Inter S of C.S. post. 36 corner bent. Moved temp post on N side of road N. 2.7 - W. 37




at N.W. cor marked fir 16" N 52 E 1.13

John R Daniels
April 25 1911

Begin at post in center of
ore 18 marked C.S. set a flag
at the 1/4 sec cor. bet. secs. 7 & 18
and run line to same 40.23
Through oak timber, laurel a
manzinita Var by line 22° 35'
in Tp 27 S. R. 6 W.



Munn
Apr 26 1911.

" 7 & 18 84.36
bet 18 & 19 84.82

# Frank Brown

Apr. 27 & 28.

Begin at an iron pipe in center of Co. near Soldiers Home and from line South by pine line on North of road to river

South from iron pipe 30 ft.

Bl 3. St. 40 ft. 225 ft N. side of Co road.
2 lots E. 50 ft wide from N.E. cor of lot 2 S & Co road 160 ft.





M. M. Survey
May 10th 1911 to 13th
Began at the 1/4 cor between
Secs 7 & 12 T 22 S. R. 5 E. runs
West 9.04 chs to temporary
stone marked S. from which

Pine 8 in dia Var 21° 45' brs
Temp. Stone marked S. 1/4 cor
between East & West cors 23 lks
Mesquite 6 in dia Var 21° 45'
brs 31.21 to pg. mound stones mark 9
on true line, line crosses
Creek at 8.00 & 8.90 chs
Temporary Stone marked S. 1/4
Stone on hill and ground S. 9.04 chs



Smith Survey
May 15th 1911
Began at the 1/4 sec cor
between Secs 12 & 13 T 22 S. R. 5 E.
Var 18° E. Set a stone 4 ins sq
5 ins long mkd 1/4 S. 12 on
which a hole 1/2 in deep was
drilled from which
Pine 10 in dia Var 18° E. brs
S. 37 lks dist.
Returned to 1/4 cor set by former
survey East of 1/4 cor at 2.00 chs
Set a stone 4 ins sq 12 ins long
mkd 1/4 S. 12 on which a hole
1/2 in deep was drilled
Oak 12 in dia Var 18° E. brs
N. 17 lks dist from cor on which
a hole 1/2 in deep was drilled
from which
Oak 24 in dia Var 18° E. brs
S. 31 lks dist.

A. A. Porter

May 9th & June 2nd

Began at a point 15.44 S.
[illegible] E. cor. NE¼ SW¼ sec. 4
[illegible] in creek from S. 1857
to angle point which is
a black 12" bk. E. 2.0 E. 63
" wh. " bk. N. 85½ E. 29
N. bl. [illegible] from which
Cor. S. 85° E.

Run S. 89½° W. 23.24 to [illegible]
Rock to NE cor. of claim and
also running to SE cor. of Bonita
claim in all S. 89° W. [illegible]
Run S. 68° W. 9.47 thence S. 11°
38' E. [illegible] 25.44 to [illegible]
thence S. 88° W. 8.56 to bend fence
thence S. 11° W. 4.47 to [illegible]
from NE cor. of claim S. 89° W.
[illegible] 17.48 to [illegible] fence line
S. 11½° W. thence measured to stake
[illegible] 46 + 24.70 + .40 to stake + 4.47
[illegible] SW cor. N. 9 W. [illegible]
post



1145
1445
2669

13.34
1.70

J. V. Carter.

June 15 + 16 1911.

Began at the NE cor. of
Lindsey Applegate Donation Claim
from which a bl. oak
20" diam. bears S. 48½° E. 12.8
marked a bl. oak 45" diam. bears N. 61° E.
80 marked Cl No 42.
offset N. 46 thence S. 89½° W.
1479 offset S. 46 S. 89½° W. 30
to Easterly line of Carter Donation
North 2.70 to NE. cor. thence
S. 89½° W. 26.69 thence S. 12° E.
old fence line 32.93 to line fence
between Bates & Bush 35.00 on
white oak post thence S. 89° 30'
E. 11.55 thence South 11.00 to centre of
Co. road. East 45 North 11.00
thence S. 89° 30' E. 14.69 to SE. cor.
thence North 31.70 to place
of beginning.

94 acres.

J. M. Woodward
Aug 8 1911

Begin at NE cor of Cl 37
Tp. 23 S R 5 W. Run West
16.86 ft. to center of Co road.
thence S 57 E 337 ft. S 38° E 317
S. 36 W. 148.5 ft. S 52½° W. 400 ft.
S 57½° W 400 ft. center of Co road
thence S 2 E

Begin at SE cor of Cl run
West 28.93 to cor 3.60 further
West oak post on line new
cor. of Miller Claims
Thence N 4° W 15.47 to cor.
" N. 25¾° E 603
" N. 24 W. 36.6 to stake
in Co. road.



Booth Baker & Seals
Nov. 7th 1911.

Begin at sec cor on TP line
bet Rgs 4 & 5 Tp. NS.
Begin at NE. cor of sec 24.
old post set by former survey in
place. Run South from cor.
Var. used 22° at 1.15-dsem cw
asc. 650 top desc 2000 limb cw.
E of School house contd South
39.81 center of Elk Cr. E cw.
40.00 no trace of old bearing
trees contd South to sec cor
80.40 Enter E. of sec cor. 1.14
at sec cor a stone set in mound

2)1.14
2)5.7
28½

at ¼ cor set iron pipe post
S 40 from ¼ cor. fr 8 brs S 89 E 103

at 1/16 N of ¼ cor marked
a wh oak 24 1/16 on N & S cor stands
10 ft E of school house

## Burk Davis

Nov. 27 1911

Begin at 1/16 cor set per Ritchey by former survey Var 19½ E. fence 20.32 run Lk 3.62 to cedar post thence S. 23¼ E. 12.20 to Co road. S 57¼° W. 1.37 along N side of Co road thence S 34¼° E. 1.04 to post center of cr 10 lks further on.

Begin at 1/16 on S side of sec 12 stone a W. pine 15 old marks lks. 1.62 E. 12 ~~East .50 thence~~ & old cedar marked lks. N 72¾° E. thence East .50 lks set cedar post at 1/16 cor. marked a 8" lks. N 44½° W 61 lks pt stand in gardon run S 88½ E on old line stake 397 to cr 4.25 center of W. 1/2 SE. 25 cr. thence N 43¾ W along cr. 2.36 N 12¾ W 2.19 to post from brch lks N 32½ W 6.17 to lks [illegible]



## Phlean & Frances

Nov. 28th 1911

Begin at the S L cor of Haywood den cl. run W est on random line to Sec cor. Enter N. of cor. 37

18 4 12/3

21.34 − 18.00 = 3.37 / 12

18.70 + 3.14 = 21.14

20.04

Nov 29th (140 acres more or less.)

Begin at S E L cor of den cl 18.20 set stake and mared line S. 12 on trench line, and staked line north to 1/4 sec cor the old line fence over mountain appears to be on line at cor in gulch. the line given N 1/4 cor last spring appears to bear E of present line.

E. H. Dameron
Dec 18th 1911

Begin at post or 1/16 cor.
Var used 20° 25' run N 89¼
W. are hill 20.10 ext post
marked a bl. 30 N 9° W .57
L. from cor. 2.000 alt chestnut
post. old Laurel tree with blaze
line marked laurel 12 N 40 W 21
" Hemlock 10 S 13 E 39
Run brix S 89½ E enter
at cor. stone in mound of
stone
marked a fir 15 S 84½° E 28
Old bearing trees gone
found stumps of NE. tree
and marks on same
Established cor from
this stumps

$4.00
Paid



I O O F Cemetery
Mountain Lodge No 108
Drain Oregon
Jan 31st 1912
and Feb 2nd & 3rd.

Begin at NW cor
of cemetery iron bolt
in ground. run S 500
and set a stone 9x9x15" at
the SW cor. for the initial
point thence East 600
thence North 500 thence W.
600 chns. The initial point
brs. N. 18° 13' E. 16.25.8 ft. of
the 1/4 sec cor. bet sec 16 & 21
Tp. 22 S. R. 5 W. The W ½
is staked at corner of blocks
by a gal pipe 3/4" x 2 ft.
and the E ½ is staked
around the outside by same
stakes.

J. J. Thomas et al

Mar. 4, 5, 11, 12, 13 22-23 1912

Begin at the NE. cor of sec 36 T. 22 S. R 5 W. Cr Canals on bank of cr. set a cedar post Var 21° 40' E run South from cor. 40.20 Enter E of cor 18. Alt 2010 set stake and mound pg N 9 lks. Run line South to T. cor old trees all down did not chain last ½ mi West on T. line 7.00 Var 21¾° cont. West to ¼ cor brnd fence cor North of old blazed line. From ¼ cor Run North, did not chain

Begin at the ¼ cor bet 30-31 old tree gone marked fir 6" S 31 W 24
" " " 6 N 22 E 20
Run West Var 21¼ 2.00 Temp cor 40.69 Enter N. of



sec. cor. 34 Mound 1/16 cor. S. 17 set a fir post marked fir 6" N 78° W. .15
" " 7 S 67½° E. 21.

North from 1/16 cor. Var 21¾° desc 5.50 pk of desc 9.30 N. side of Right-of-way set post (cedar) from which
a fir 10" N 53½° W. .35
" " 8" " 9½ E .44
Var 21¾ center of Railroad track brs. S 56½° W. 9.30 N. side of right-of-way set a cedar post marked
fir 16" diam brs N 53½ W. .35
" 8 " " " 9½ E .44
through bottom heavy brush 15.00 offset W. 1.25 .50 North Pass brush 50 W cr. 4.00 offset W. 50 North 100 Alt 150 N of true cor set post, (Contained in Dawson cr) 7.89 E side of Cr

S. S. Thomas et ux.

Road, thence S 35½° Ed on South side of road 4.00 to fir post. Returned to railroad and measured along N side of Right-of-way 5.61 and set post. no bearing trees to this corner.

Begin at N.E. cor. of el. 37 (Estes dis) Var 2 p m. 2 1¾° run south and set flagg on hillside on line. and then went to S.E. cor of claim set a cedar post, by old trees North from cor var. used 22°, desc. 2.10 stream c N.W. ascend 11.50 top along N slope descending 26.35 ft. of hills. 29.08 North side of Right-of-way, flagg on set on hill brs. E. of line about 3 ft.






Begin at the ¼ sec. cor. between 30-31. Var 2 1¾°. E. from cor. through small fir 16.50 bottom bears timber 20.00 temp cor. 23.00 stream c N. through field 33.50 Co. road c S.E. Rail 40.80 Inter N. of sec. cor. 16 lks. Stone is E. of cor. 4 lks set by Briggs. Alt 30.15 set iron rod for cor marked Italian prune 3" B.T. brs. S. 7° W. 6½ lks.

South from 1/16 cor.

# J. J. Thomas et al.

Var. 21¾° offset N. 100
(Line from cor runs through
barn) 3.50 offset E 1.00 asc
7.00 stream & N.E. asc 20.00
fir post. (Briggs cor is N.W.)
West 40rds 1/16 cor Var 21¾
20.04 Inter S of stake 4 lks
marked e cedar 3° lks N.W. 3 lks
60.59 Inter N. of cor 16
Corrected Section lines
Begin at N.E. cor. of sec 31 run
S. Var. 21 pm Mar. 22nd 21¾°
cor. stands E. of watershed & here
40.40 no trace of old cor
S.E. cut & burned.



# J. J. Thomas



W. H. Lykes
Mar. 19th 1912

Begin at the 1/4 cor bet secs. 17-18 Tp 22 S R. 5 E.
drove an iron pipe 1½" x 4ft
Var. by N. & S. line 22½

South from cor. 1.65 S. side of County road. 1000 to cor West 2000 and North to Co. road 5.60.
14.99 acres. $6.50



Jasper Eagle
Mar. 25 1912




$3.00

# Comstock Cemetery
Apr 1st 1912.

Begin at the N.E. corner section 20 T. 21 S. R 4 W. set a cedar post in hole of old post all trees dead but S.E. staked a line from corner towards graveyard and intersected E. line 1.58 North of S.E. cor. In afternoon found Var. to be 21° 50' E. measured N 5° E 3.41 chns. along old board fence measured across center of yard. 3.15 set a cedar post at all corners. From a point on E side and 1.58 from S.E. cor. measured line back to S.E. cor. 24.13 and found the line to bear N 65° E. $6.50



# J. A. Fenn
May 7-8 1912

Survey for a ditch from Longford river. Rise 117.8 ft. length of pipe line 3171 ft. from pipe line run ditch E. to W. of same with 1/8 in. fall to rod.

John Hanson
May 9 & 10 & 13 1912

Begin at the 1/4 cor 2.000
E of SW cor of sec 20.
Post 21° E 28 Co. road
a cedar 4 ins diam. 20.40
Post. S 72 E 1/2 Pa cor
a cedar post 4x4 ins marked
both ways blazed & Co. road
Observed. North from 1/4 cor
Var at cor 21 1/2° dec through
timber 40.00 temp. cor 44.00
County road E & W. 80.24 Intersect N of 1/4 cor 6 lks.
Corrected back at 40.12 and E
03 lks set a cedar post
marked a maple 12" N 63 1/2° W. 26
" " " 8 " 27° E .28
At 1/16 cor N & center common
a cedar post and mounded
with oak 10" S 42 1/2° W. 32
" " 6 " 61° E .30
At 1000 North of 1/16 cor



set a cedar post marked a
bl. oak 36 S 24° W 33 cor
Now interior cor of fractional
Begin at center stake and
Run West (Var 22 1/2° west)
40.25 Intr S of 1/4 cor in old
tree standing variation has
been 21 1/2° At 20.10 set cedar
post on S side of Cr. and run
N. Var 21° 38' at 20.06 temp peg
Begin at 1/4 cor sec 17 & 20 and
run West on old blazed line
no chaining gate N of Lane by
peg by fence marked from old
blazed line North to peg 20.36
at 20.12 from South set a cedar
post and marked a maple
8" N 71 1/4° E .80.
From this cor. platt line E
to corner now line is north of an
old picket fence.

# F. C. Ritter

May 22nd & 23rd 1912

Beginning center Co road. 12.76 East of the N.W. cor of John Scott don. cl measured East along cent fence 13.16 S.W. cor of John Scott cl. W.& N.W. 35 lks. 27.00 set stake N. 22. Var 22°05' Begin at stake in Co road Var 22½° N. 34½° E. 7.60 set stake marked fir 12 S 72° W. 53 Var 22½°

North 23½° W. 5.00 North 32 E. 10 ℄ cor. marked a fir 18" N 57½ W. 36.

North 32° E. 6.50 ℄ cor fir 8" N 77 W. 39

July 21st 1912

From S.E. cor of Carr place measured N. 22½ chained W.& along fence 11.95 center of Elk cr. from cor N. 14.22 to stake × 11.95 + 14.22 + 27.00 + 12.76 to claim corner.



cor on cl. line 12.76 East of NW cor marked. 12 8½ W.& oak 14 & 31 N. 12 8½

S.E. cor of Carr place is East of sec. line 12.6 Surveyed by Frank Sain.



L. F. Rose

May 2nd. June 5th. 1912

Began at the 1/4 sec cor between sec 32 & 29 T. 23 S. R. 5 E. W.M. Ran East 21.15 chs. thence N. E. along brush and oak ridge. Cattle trail and dug road into through barg 4 to 1/16 cor on ridge 1 E East 2.00 temp cor by said trail 19.85 to cor set by former survey. 40.20 temp cor. ft of hills. 58.50 Co road 59.50. 1.00 temp cor 60.50 enter brush.

79.98 intersect E. & 1/4 cor 15.

Corrected back on line Established sec cor. by old trees, but measured 2.85 from N.E. tree witness & 3.35 from 1/4 cor. set 2.00 South. 40.10. Room



sec cor South to 1/4 cor 39.85

At the sec. Back a blaze on the 1/16 cor. South sec cor set a white oak post marked, cor. sec. 16" pt

" " 8 " pt

Thos Krewson
June 3rd and 5th 1912

Begin at the NE corner
Graham Burdell dec from
a stone. Var 9 am 21½°
South, from cor 12.4 W
with the witness tree marked
on the east side S 87½ E 17
links to a hub 25 links to
the line between Graham Burdell
and Krewson, with said
S. line intersected Easterly
point 23. Continued South
1.07 to the center of school house
road from East to creek 1912
feet on bank of creek to
a stone 1912
[illegible] 12 W S of NE cor
of 61 rods West and set
an iron pipe 3/4 2' long
and 1" diam on North bank
creek and fence on the old
[illegible] drain Southerly, there



S 2½° W 9.64
" 2½ " 15.15
S 46½ E
9.00 = 8.62 - 2.59
60 = 57 - 18
4 = 4
923. 277

From the East side of Road
creek run East to Easterly
intersect South side of stone
line West from school House
Corner 4.20 N 87½ E




At the NE. cor marked
a double black 30° N 15° E 26 links

Chas Schaefers.
June 19, 24, 25 1912

Begin at the 1/4 sec cor. bet 4-9 Tp. 22 S. R. 5 W. set an iron rod. 18" x 1¼" for cor. by stump of W. Ld. tree and marked. fir 8" N 18° E 24 lks.
Var at 9 am 21° 11' E.
East from cor. 20.00 temp cor. enter brush. 40.26 Inters. S of cor. 26. all old tree cut down to sec cor.
South. Var 21° 25' E.
ase 20.00 temp cor. Var 21¾° E. 40.33 Intersect Ld east of cor. 2 lks at. 25.00 S of sec. cor. marked a fir 18" S 71° W. 47 at 5.00 N of the cor run S 89½° W. 10.00 set stake marked.
a fir 12" N 67 W. 10 lks
" " 12" South 19 "
and S 89½ W. to 1/16 cor marked fir 26" N 86° E 17. Var 21° 38'



at 1/16 cor bet secs 4-9 set a stone 12x5x5" marked.
fir. 14" N 42 W 7 lks
" 12" S 46 " 5 "



## Beimers - Kelly,
Aug 21 - 22 1912.

Begin at the 1/4 cor post set years ago, supposed to be correct, set a cedar post. South from cor. Var 10 am 21° 35' ase N slope heavy brush

40.22 set a maple post. and iron pin 3/4 x 28" and marked

fir 12" N 84° E. .20
" 8" S 39 W 13

set stake on line from cor East.

Begin at 1/4 cor. bet secs 3 & 10 Tp. 22 S R. 5 W.



## Mrs M. J. Perkins
Oct. 26 & Nov. 15th, 1912.

Begin at a stone bet secs 8 & 17 Tp. 22 S R. 5 W run West, by line fence on hill East 4 town 5.00 chns enter brush and timber very rough brushy and bottom x Intersect 2 chs South of corner. old bearing trees all standing.

Var. by line across valley 21 3/4° North from cor did not chain dist as cor old post standing x 4 10.00 chns S of 1/4 cor. set a fir post and marked

fir 16" S 43° E. .41 marked S.B.T.

## Perkins Cont'd

Begin at the S.E. cor of Browns brick took angle by brick store across street measured West 3.94 to E side of street North .75¼ West 0.51½, North .75¾ West 9.40 South to sec line 5.44 West of ¼ cor fir post marked wh ok 20" S 5° E .8

Begin at cor 10.00 South of ¼ cor bet 7 & 8 run East. At the corner 20.00 East of ¼ cor measured South 1.00 and unmeasured line pole fence on line. Line appears to bear S 89½° E. by using Var. 21¾°

Charges $21.00



## Copy of Co. Survey of Road

Beginning at a point called for in petition from which the N.E. corner of Thos Corwan's donation land claim bears N 88° 53' E 1279 feet. from which a bl oak 32" brs. S 49½° E. 1409 ft.

Run center of 40 ft. road.

| | | |
|---|---|---|
| N 89° 53' E | 929.5 | ft |
| S 59° 53' " | 214.7 | " |
| " 28° 30 " | 95.7 | " |
| " 85° 30 " | 92.6 | " |
| " 25° 15 " | 189. | " |
| " 2° 30 " | 318 | " |

to point in petition from which a wh. oak 18" S 29½° W. 147.5 ft

# F. C. Alten
## Sec. 2, 3 & 4 R. 1912

Begin at the N.E. cor of sec 32 Tp 22 S R 4 W
I W. & N W bearing tree standing N.E. tree fence measured South along fence 10.34 temp stake 39.92 to post. Begin on Tp line and measured along fence North 39.96 to post.
Ft 11.00 chns North of 1/4 sec marked a divide ash 24" bk N. 18½ W. 14 Wk ok 12 N 40 E 43
Returns to N.E. cor of Sec and cl sec flag and fence line West to flag on nw cor. peg on sec line bse N 4 lks. No trace of cor to secs 29, 20 & 32 to be found
N out to nw cor of cl and measured East 40.11 chns to fence line set stake S. 18.58 along fence



# F. C. Alten
## Sec 12 R. 1912

Begin at the line fence between Carr & Applegate on the center line of sec 32 measured East 24.99 to fence of Lloyd W use. From N wire fence East to 1/4 cor. 54.08
Begin in County Road on sec line and North line of Cl 38. Chained West 17.75 road turns to North. 40.15 center of Co. road. 40.21 picket fence on hill North. 54.08 to line fence South across prairie 79.06 to stake on line 40.11 East of NW cor of Cl 38.

W. A. Porter
Jan 6th 1913.

Begin at a stone 20.00 East of the 1/4 cor between secs 45 T 23 S R 5 W.
Run and measured line East to fence on W side of D. E. Voris 2nd add to Yoncalla 19.34 chns. measured South along fence 7.90 to center of 30 ft road South 210 to center of turn in road - returned and chained North 20.00 and West 4.25 chns.






Leona Mills Co.
Jan 22, 23 25 & 27 1913.

Begin at a point 117 L of the N.W. cor. of the SW 1/4 of SW 1/4 of sec 24 T. 21 S R 5 W. which is a witness cor. from which a fir 6" diam brs S. 37° W. 92 Thence S run S. 55° E. 6.06 (Var. used 21° 30') thence N 59° E 12.82, thence North .15 thence N 38° E .64 to beginning point of road survey.

| | | |
|---|---|---|
| Thence N 38° E | | 1.80 to W Perkins line |
| " | " 38 " | 3.20 chns. |
| " | " 43 " | 3.00 " |
| " | " 53 " | 1.50 + .20 to Pass cr. |
| " | " 57 1/2 " | .20 across creek. |
| " | " 63 " | 1.00 to E line Perkins |
| " | " 75 " | 1.72 chns |
| " | " 82 " | 1.50 " |
| " | " 85 1/2 " | 1.50 " |
| " | " 87 1/2 " | 1.50 " |
| " | " 79 3/4 " | 1.50 across Sandy cr. |

(Note. beg. pond brs. S. 17.39 and East 16.26 of 1/4 cor set secs 33 & 34)

# Leona Mills Co.

| | | |
|---|---|---|
| N 76½° E. | 1.00 chns. | |
| " 69½ " | 100 " | |
| " 62½ " | 2.50 " | |
| " 68 " | 1.00 " | |
| " 69½ " | 3.00 " | |
| " 72½ " | .65 cl. line fence | |
| " 72½ " | 150 chns | |
| " 77 " | 150 " | 300 |
| " 80 " | 150 " | |
| " 82½ " | 150 " | 300 |
| " 77½ " | 150 " | |
| " 84½ " | 350 " | |
| East | 1.00 " | |
| N. 82° E. | .50 | |
| 78° " 74 " | .50 | |
| " 66 " | .50 | |
| 62° " 58 " | .50 | |
| " 48 " | .50 | |
| 48¾ " 49½ " | .50 | |
| " 48° " | 1.00 to cr. C 88. | |
| " " " | 3.00 " " C 240. | |
| " 48 " | 3.25 chns. | |
| " 43° | 1.00 " | |



# Leona Mills Co.

| | | |
|---|---|---|
| N. 37° E | .50 cr. C 88. | |
| " " " | 4.08 " C 240 | |
| " 87 " | 5.08 chns | |
| " 44 " | 1.50 " | |
| " 87 " | 1.75 center of Co. road | |
| " 57 " | 4.00 cent of cr C 88. | |
| " 57 " | 8.38 chns. | |
| " 47½ " | 3.95 " | |
| " 57 " | 1.40 center of cr C W | |
| " 57 " | 4.20 chns. | |
| " 70 " | .35 center of cr C 88 | |
| " 70 " | 5.10 chns. | |
| " 56 " | 2.42 " E. W | |
| " 42 " | 2.20 cl. line fence | |
| " 42 " | 3.35 to a point | |
| 16.16 S of | N. W. cor of sec 34. | |
| N. 43½° E. | 1.50 chns. | 3.00 |
| " 40½ " | 1.50 " | |
| 1½ " 38½ " | 1.50 " | 3.00 |
| " 34½ " | 1.50 " | |
| " 30½ " | 1.50 " | |
| ½ " 26½ " | 1.50 " | 3.00 |
| " 27½ " | 1.50 " | |
| | | 1.50 |

Leona Hill Co.

| | | | | |
|---|---|---|---|---|
| | N 32½° E. | 150 chns | | |
| | " 37½ " | 300 " | | |
| 43 | " 39½ " | 150 | 300 | |
| | " 46½ " | 150 | | |
| | " 52½ " | 300 " | | |
| | " 44½ " | 450 " | | |
| | " 42 " | 8.27 " | | |
| | " 46½ " | 610 " | | |
| | " 41 " | 150 | | |
| 36 | " 36 " | 150 | 450 | |
| | " 31 " | 150 | | |
| | " 26½° " | 8.60 " | | |
| 38½ | " 36½ " | 150 | 300 | |
| | " 40½ " | 150 | | |
| 35½ | " 37½ " | 2.00 | 400 | |
| | " 33½ " | 2.00 | | |
| 28¼ | " 29½ " | 200 | 445 | |
| | " 27 " | 3.45 | | |

to a point 3.79 chns South of the center of sec. 26.
Length of road 581 rods.
25 ft roadway.



Beckley Bros.
Feb 5 & 7 1913.
Begin on North bank of North Umpqua Run North from river through prarie 12.00 Var 21½° 23.50 cor to secs 8, 9, 16 & 17 Tp 26 S R 4 W. brs East 10.90 32.00 top of hill Var by line 20° 40' dec. enter oak tree 48.20 cr 20 W C Sec 53.70 to wire fence marked

| | | | |
|---|---|---|---|
| N. 46° E. | 6.90 | wh ok, 6" S 28° E. 16 | |
| " 65° " | 2.50 | " " 12 N. 80 " 32 | |
| " 63 " | 8.00 | | |
| " 29½ " | 3.40 | | |
| " 42° " | 1.25 | | |
| " 54 " | 3.00 | | |
| " 46 or 48 | 24.75 | | |
| " 35° " | 10.30 | | |
| " 26½ " | 6.20 | | |
| " 40 " | 4.00 | | |
| " 42½° " | 6.12 | ¼ sec cor bears | |
| 4-9 brs S 5.9 E | | | |
| " 42½ E | 21.20 | | |

# Buckley Bros.

N. 44° E. 2.50
" 54 " 2.30
" 42 " 160 to a cedar, post from
which a wh oak 8" N 39° E. 56
" " " 6" " 56 N 14
From this corner run
North across mountain but
did not chain.
At the 1/4 cor bet 8-9 the
N.S line bts. 11.70. West of
the 1/4 cor.



# Co. Road Survey through Old Trail July 1911.

N 9° 29' W 143 ft. at 36"
leave Bull Estate 670 ft. E.
of the 1/4 corner between 33-34
Thence N. 53° 42' W 189.5 ft.
" N. 33° 20' " 304 "
" " 4° 35' " 90 "
" " 12° 05" " 186 "
to cor. in old road 743 ft.
North of the 1/4 cor.
Var. 21° 05" E.

Vacated

M. H. Lawrence
Apr. 22nd 1913

Begin on 4.35 chs. S. of. Nw. cor. of N E 1/4 of N W 1/4 of sec 26 T. 21 R 4 E. Run S. 89 3/4 E. (Var 21 1/2°) 14.46. S. 52 1/2 E. 6.25 center of Road or c Sub. 8.52 center of R.R. track returned to beginning point and chained S 20.99 to cor on c line thence East 6.99 center of R.R. track. R.R. track lies N 39° E. by same variation



J. J. - Geo Wilson
May 2nd 1913
Begin at the N.E. cor of Wilson cl. Var 22°10' E
Run South 4.00 set corn rock in rock marked ans oak. 22" I. 58 E. 50 West 2.00. North 2.00 temp post returned to cl cor and run West 2.00, South 19.98 to temp cor at 19.97 set cedar post North of E & W fence / run West on North side of fence to East side of Right-of-way thence S 13° 55' E along E side of right-of-way 30.53 thence East 43.79 to E line North 9.74 to iron rod

## T. M. Henderson
July 12th 1913

Began at mon. 6 in gate on E. line of Este claim. Chained on line South to center of Pass creek 6.85 returned to mon. peg and runs N. 86° E. 1.22. South to creek. containing 3/4 ac.

## L. E. Edwards
July 12th 1913.

Begin at S.E. cor of old lot in East drain. N. 2½° W. 3.5 to fence post. thence S 87½° W. 1.25 to S.E. cor S 87½° W 2.59 North 2.30 N. 48° 24 E. by angle needle thence 48½° 1.83 to stake in gulch.



## H. C. Otten
July 8th 1913

Begin at 17.76 East of mon on line of Sec 31 thence S 89° 58 W. 3.21 thence on north pass 4½ by 4 long x 1 in marked with cut. 18 S 89° E. 14 North 3.00 set gal. pipe 4½ x 1 in

Begin at corner noted N. 34½° E. 3.64 (West 4.35) 3.64 + 3.97 = 7.61 N. 23¾° E. 4.23 West to corner 27.00 East and 32 north and Chained North 9.80 to line North line bs N. 89° 43' cor 2 pipe

Ralph Cochenour
Apr. 12-13th 1921.
Begin at ¼ cor on Tp line
bet. sec 2-35. Tp. 24 R 5 W.
Both old trees down found
mark on N.E. tree. Var.
25° E set a cedar post
marked Wh oak 18" S 75° W 29
" " " 10 N 20 E 33.
North from cor. asc
750 top of ridge did not
chain farther due to cor
prairie.
Followed Tp. line East
4000 chns. no trace of
sec. cor. to be found.
found old blazed line S.
over ridge and also North
from supposed cor.
Begin at ¼ cor. between 34-35
pgs in place W tree gone
chained E along fence 20.30
fence N. 15 40.12 cedar post
marked Wh oak 18 S 88 E 2.87



Mrs. Wood
June 16-17 1921.
Begin at the sec cor of 33.
Var by N. & line 21° E.
East from cor 20.00. North
Var 20° 51' 20.00 cedar post.
fir. 15 S. 34 E. 9 wh. oak. 10 N 54 E
15. East from cor. Var 21° 20'.
ascend N. slope 20.00 rock pile
2 fir. 12 & N. 12°, 72 fir 14 N 7° E 78.
Begin at SW cor of Woods land. E
run line North to Knox Land.
Intersected East of cor.

Jon Pembroke
Sept 22, 23, 24 1913

Begin the N.W. cor of sec 22 T. 30 S. R 4 W.
Var. at 1 pm. 20 3/4
Old old bearing trees standing
Run S 89° E.
3.00 top of ridge E W. Sec along on S slope. 20.00 temp
Cor. 25.60 top descend.
39.38 Intersect S of 1/4 cor. 29
stone cor in mound.
bearing rock S 16° W mixed of 22 1/2
ot 19.69 old cedar post.
Begin at the 1/4 cor. between
22 & 27 old trees standing
Chained through on true
Magnetic line 4.80 ex E run
steep asc 17.25 top of ridge
SE & NW desc. 20 on level cor
29 on ft of desc steep asc.
33 on top of ridge
39.80 E cor. old post gone

John Perdue, Cont.

1990 1/16 cor. marked
Laurel 10. S. 69° E. 32.
" Ash 20. N. 30 W. 44.
Meet 1½ from 1/16 cor.
Between them the S. & W. bdy.
Intersects E. & W. 1/4 cor. bears
North 40 lks. Euc. cor.
From 1/16 cor. on North. dec.
7° to begin. Beg. dec. 17° to cor.
wood from Conspicuous S.E. knot
pine fell & split fair 2 ways
Limb cor. 3.70 North bank of
Umpqua River. Line meet Bdy.
angle S. 28½ E. = S. 3.69.

Begin at Mid cor. & 22
S. 1½° W. 3.00 top of ridge. dec.
11.25 center of Co. road.
11.30 offset W. 50 on west bdy. bdy.
19.36 " E. 50 to line
19.50 limb cor.
32.20 center gravel bar.
36.10. bear W. 2.00 angle S.
2.5½° E. = S. 4.19. across.



1/4 cor. stands in mtn. old bearing trees standing.
36.10 + 4.19 = 40.29 = 74 = 39.65
at 40.44, run East to N. & S. line
19.58 to line cor. stamped on
S. bar. at. West. Thence surveyed
mined and staked line.

At 1/16 cor. at the S.E. cor. of
said ¼ of said sec. set a cedar
post marked
a double wh. oak 32 N. 85 E. 1.84
" " " 12 " 88 " 2.75
Channel W. from this cor.
19.48 to line on bluff.
Var. by needle 20¾° E.

Chainmen
C. Mulvihill
Albert Hopkins

# Perdue and Worley

Oct. 14 & 15th 1913.

Begin at 1/4 cor bet secs 15 & 22 T 6 30 S R 4 W

Run S. 1½° W. Var 19½° E. along on W slope cor descending. 19.77 temp cor 22.60 Co road S W & N E through field 31.20 bank of River 34.50 to water edge Base N et 1.00 flagg on opposite bank bears S 22° E. distance across 2.50. + 34.50 + 1.96 = 38.96

Marked maple 20" N 54° W .70 Var 20¼° E.

Cairn cor is East .80 and North 1.80. Did not chain further. Intersected W. of 1/4 cor on South 1.68






at 1/16 cor. S of 1/4 cor bet 15 & 22 cedar post marked. pts 4" N 37½° W 21. cedar 20 S 74° E, 80 Var at this cor by line 19¾°. at 1/16 cor of this marked a double W. oak 20" N. 55½° E. 1.21 wh. oak. 12 East. wh. oak. 16. N 61 W.

# Carl Leitch
Oct 15th & 16 13.

Begin at S. W. cor. of section 15 Tp. 30 S R 4 W.
Took bearing to pine 9 lks. West of Meander cor. on S. bank of River.
Dec. for tbr. 400 leave timber through pasture 19.00 center of Co. road. Cl. & N.E. 35.66 to Meander cor. 35.66 + 3.80 to 1/4 cor = 39.46.
at 19.73 cedar post marked wh oak 12 N 5° E 77 tripple wh. oak S 54° E. 59 Var. 19¾°.
From 1/16 cor run S 88° E asc.
at N.E. cor. marked wh. oak 36" S 29° E. 21



# T. B Dean
Nov. 11, 12, & 13. 1913
Begin at the cor to secs. 2, 3, 10 & 11 Tp. 30 S R 4 W.
N.W. and S.E. bearing tree standing Run North from cor through field 13.77 Clearm line, Cl. cor is East. less than 1.00 leave field begin asc.
37.87 Intersect West of 1/4 cor 68
From 1/4 cor run N. 1¾° E through field 10.00 leave same enter timber step asc. 2.00 limp post. near top of hill. did not chain any further Intersect East of cor on Tp. line 2.54
At 2.000 North of 1/4 cor. set a cedar post. 94 West of limp cor. Marked
Bl oak 14" N. 15° W. 29
" " 13 S 66° E. 31.

T. B. Dean Cont.

N. 89½° W between secs
3.10 Var 19° ¾° E.
2.40 Porter Cr 10 W Course South
16.25 limb peg for Cl line
33.80 gulch C S. 40.13 Intersect
S of ¼ cor. 87. Both trees standing
Ft 20.06 and North 43½ set
stake — Run N 1° E 9.50 begin
steep asc S slope at 13.00 I go to
the N.W. cor 7th Cl. set 49 h cedar post
and run West from cor Var 19° E
3.36 (at NW cor of Cl marked
bl. oak 22" brs South 29) West on
Cl cor intersect North 39 of limb
peg 13.00 + 39 set cedar post
marked cedar 6" N. 56° E. 19
wh oak 10" S 6 E. 25



T. B. Dean Cont.

Begin at ¼ cor. bet secs.
2-3. Run N 89½ W.
4.95 wagon road C S.
9.55 center of Porter Cr. 150 C S.
steep bushy asc. of E. slope.
at 20.06 set fir post.
on steep hillside marked
laurel 30° N 77 W. .21
fir 36" S 35 " .64

— Chaney.

Nov 14 1913

Begin at S W. cor of Sec 49 Tp 30 S. R 4 W. set a quartz stone 12x8x4 a little N. of center of Co road by a wh. oak 30" 5 brs. N 65° E. 104.

West to S E. cor of Sec. set cor by big fir bearing brs West of cor. staked the line from cor to cor.

Begin at 1/4 cor bet 10 & 11 stone cor marked wh. oak 30 S 11° E. 127 bl. oak bearing tree gone.

Run line North from cor at Sec line set cedar post. and staked line North to Co road.



E. L Smith

Nov 24 & 25 1913

Established cor to secs 4, 5 8 & 9 Tp 23 S. 5 W. set a cedar post by N W. and N E. bearing trees. (N E. tree cut down)

Var by line to 1/4 cor South 21 3/4° staked line South to Co. road. The line North from sec cor to 1/4 cor brs N. 1° 55' E staked line North at 81 links set a stone 14x12x3. staked on North to road. set stone on sec line.

# Geo. S Wilson

## Feb 16-17 1914

Begin at N.E. cor. of sec 16 Tp 23 S.R. 5W. set a new cedar stake. transit line South to 1/4 cor. at 9.52 set temp stake. at 15.04 to line wire fence. on North line of young sec hill 26.10 wire fence on South side of same set temp stake. 32.50 top of ridge a step brushy descent. at 40.60 Entered N. of 1/4 cor. 20 lks. (stone in place) moved line East on true line at. 9.52 South of sec. cor. set a cedar post marked
Wh. oak 8" N 61° W .43½ lks
" " 30" S 26 E. 1.27 "
at 26.15 set a cedar post marked, bl. oak 24" N 65° W 19
Var by N. S line 20° 54'



From a point 26.15 South of sec run West desc. 9.70 post marked
fir 20" N 2° W .15½
" 12" " 30" " .13
North.
through brush land.
15.00 temp. cor.
Begin at a point 9.52 South of sec cor. and run S 84° W.
through brush land.
9.75 Enter W of temp cor and North 4 lks. At 9.75 fir stake marked fir 16" S 88½° E. 21.
at 9.75 South of sec cor.
Var by N. S line. 21° 37'

C. M. Henderson
Feb. 19-20 1914

Begins at N.E. cor. of Cl. 37
Var. 2 1/4° run West 8.25
South to sec cor. on West. cl
of old corner. Pass cr
R.R. 40.30 found old bearing
trees set a meand cor.



E. P. Ford
Dec. 22nd 1915
Begin on cl line 1276 chs.
E. of N.W. cor. of J. M. Scott Cl.
Survey of school Lot.
S. 14° W. 390. East 2.86 N. 14° E
390, West 2.86 = 1.08 acres.
Chained from cor. in road
East along fence & creek
at 30.82 Chained South across
field to division line fence
10.53 feet. then chained East
along fence & creek 669 feet
reach to center of cr. or water
E. bank.

Mumpower Bros.
June 29th 1914

Begin at the N.E. cor of sec 34 Tp 21 S. R 5 W. South from cor 6.79 chns. N. 89 E. 690 wagon road. Intersected line North of Cl cor 9.93, should have been 10.21 Corrected and staked line back to sec line From sec line East 3.97 and South 10.40 to fence.



Road Survey
by Sermond

Beginning at a point which bears East 16.34.1 ft of the 1/4 sec cor between sec 33-34 Tp 22 S R 5 E

Thence N. 20°10' W. 382. ft.
" 29° 30' " 794 "
" 42° 28' " 305.9 "

to the center of the present Co road cut a sandstone 6x12" which bears N 12.74.9 ft and West 98.5 ft. from the 1/4 sec cor.

A strip of land 40 ft wide 20 ft. each side of the center line. Containing 1.36 acres more or less.

Caine Survey

For Ford & Cooper

From cor. ¼ sec 33 T 22 S R 5 W. North 1173 ft. to a 17x7 N.F. board fence post on S. side of road & cor. and corner post East 17

At SE cor. of ft. 25. N 31° 20' W 6.25 - North 5.34 West to arc line 22.67 Same arc line West 8.93 and North 5.34 came North by board fence.

Prod. and Survey

Begin at ¼ cor. bet. secs 8-17 T 23 S R 5 W S. 40.00 set a cedar post (Var 21¾)

West from cor. 2.00 Comp pos 39.40 East mark of cor. 30.

At ¼ cor. set chiseled post marked pit 12 N 11 E.



Leaders Price.

Oct 14th 1914

Begin at ¼ sec cor. bet 5-8 T. 24 S R 5 W

East from cor 3.79 to West side of Right-of-way thence S. 47° W 3.67 S 41 W. 2.73, S 32¾ W. 2.70, S 28 W 6.20 to pit post from which marked wh. oak 38" diam bears S 33 W. 3.02 N. 77° W. 3.60 stream & S.W. 13.87 center of County Road post marked an ash bears S 77 E. 3.60 N. 26° 21' E. along center of Co Road 42.74 to line fence S. along fence 29.54 to ¼ cor. cor. of fence or post as North 13.

From ¼ cor fence bears N. 6° E. Var by fence 21° 45' E.

Thompson's Book
Dec. 3rd 1915

Began at ¼ cor bet 27 & 34
T. 31 S R 3 W (old corner plate)
Var. by sun 20½° North from cor.
stakes, line bent, old mark chisel
N. 85° W.

Began at ¼ cor bet 26 & 27 and
ran east for true East from
cor. apparently bar by M. 8 bet
20½° dec. 2 S of top elbc hemlock
timber 30 on stream E 12. 3 pos
Rock Cr. C. S. 39 83 to suppose
old corner, red. peg which bears
S 65° W 31 from N.E. bearing tree
(old note maple 14 N. 52° E 31
Cedar 49 S 39 W. 90
S. 89° W. 9th

Began at the ¼ cor. of
Estes donation Var. used 21°
North from cor 1021 temp peg
1709 temp peg, set line
2042 temp peg 3063 temp peg
on Interval East of ¼ cor

Thompson's Book
33 lks. Corner bent back
at 31.5 from ¼ cor. for true
marked maple 10 S 29½ W. 58.
30.63 North of ¼ cor marked
N. 16 and W. 36 red pine knot
marked for 80° N. 34 W. 05.
Run line S 89½° West on
48.23 Intersect old line 34.
13.36. Moved line N. 27 and re-
trace on W. to Mark bet. last mon.
Chain to top of hill, from top
of hill to ¼ cor. bent 13.05
S. 89° W. 11th

Set temp cor on line chain
South on line 10.00 temp peg
13.42 to ¼ cor returned to 3.45
North of ¼ cor. marked
pin 14" S. 53 E. 44
6. N. 35. 49.

Began at ¼ cor. chained
South 7.40 to post W. of line
1876 Scotch W. of Lumley's
Corner a Corner bent back

Hamphrey Bros.

Beg. at ½ cor.
& a cedar post marked
pin 6. N. 46 E. 40
6. S. 69½ E. 21
½ cor. north & ere cor.
red plumb tree & fence
beam bs S. 33 W. 46

Dec. 27 4

Begin at stake on ere line
½ of ere cor. Nor & centre
on road 379 thence S 36° 10 W
thence S. 33½ W 913 to fence
& excel 21°.

Dec. 28.

Run ea. 379. N & ere line
26° 10' E. 278 across No 2.
46° 05' E 300 to ere. line 338
stake N. 40° 35' E. 497 to stake
10° E 305 N line of No 2 and E
ere line 590 695 to stake
25' E. 1046 N line of No 3
East of ere line N. 00
N 26° E. 340 N 49° E. 294



Humphreys Bros.
N 42° E about 3.20 N. 20° E
P=420

Oct. 2nd. 3rd. 1917.

Next to twenty [illegible] ere. 26 trees
marked & described as follows & as
pted. The former course intersect
north. 06 + 39.83 + 0.05 + 39.88.
Run South from cor. ere cor. tree
pt. 2 nor. [illegible] peg. continued by
bank to ½ cor. no trees to be found.
North. Nursery on Estes: donated
W. 169 S. of cor. cor. ere cor. pine
marked. pt. maple. S. 84 W. 86. pine
tree cor. charred W. 80. rock & gun
mark. Rock pt. bo. S. 03.
pt. north to cor. 1024 North & intersect
creek. Down creek S. 89 W. Ver. ft
over hill to brook. Land Interse
ed. South of Bear Creek. 22 ft

Lawrence & Pounds
Feb 13 1916

Beginning at the NE cor of the SE/4 NW/4 of Sec 3 thence run S 89° W 1320 ft to the NW cor of said SE/4 NW/4 thence run S 0° 30' E 1320 ft to the SW cor of said SE/4 NW/4 thence run S 89° W 1320 ft to the SW cor of the NW/4 NW/4 thence run N 0° 30' W 1320 ft to the NW cor of the NW/4 NW/4 thence run N 89° E 1320 ft to the NE cor of the NW/4 NW/4 thence run S 0° 30' E 1320 ft to the point of beginning containing 40 acres more or less.

Surveyed this 13th day of Feb 1916 by Lawrence & Pounds

Pringle & Copenhaver
Feb 17th 1916

Beginning at the NE cor of Sec 33 T 23 N R 4 W thence run West 1320 ft to the NW cor of the NE/4 NE/4 of said Sec 33 thence run South 1320 ft to the SW cor of the NE/4 NE/4 of said Sec 33 thence run East 1320 ft to the SE cor of the NE/4 NE/4 of said Sec 33 thence run North 1320 ft to the point of beginning containing 40 acres more or less.

Surveyed this 17th day of Feb 1916 by Pringle & Copenhaver

Crow Applegate Anderson
Feb. 23. 24. 25 1916

The old rock at superseded by
cor. Dec 1910 [illegible]
30 lks East of true corner
Blk oak 18" E. 10.91, Blk oak 16" S. 19.25
S.36 thro true cor witness corner
to West & sec cor South remeas-
ured from N bearing tree and along
E. N.E. tree stone and corner. 1269
cl line. West & NE cor of Clar-
ry set plugg, wood on line & edge
timber thence N. to cor identified
N. of cor. Blk. stone and oak post
in place — Began and chained E. on
line 13.92 temp pg. 23.92 temp
33.94 to fence on sec line.
S2C. line bears. N 1° 16' E. chained
on line N. 13.80 NE. cor of N.
Crows set round iron post
27.21 to 1/4 cor. or stone at fence
corner. Began at sec line & Cl.
line N 1400 Crows S.W. cor 20.00
Applegate Lot cor. 4 marked

fir 12" N. 20° W. .55
North 1° 16' E. 15.40 cedar post
marked double ash oak 18" d. 16½ N 189
" " 12" N 72 " 2.65
Set plugg at cor. and went to
Crows N.E. as 15 pk N. set a cedar
post W. 1400 Crows N.W. cor.
Cedar, gave line S. 1° 16 W to Cl line
one. N 1° 16' E. 1.60 to N. line
return & Crows N.E. N 1° 16' E 1.60
set a cedar post and 15 pk N
set a cedar post. Return to
Applegate NE cor and staked
line East to sec line



C. N. Ahlert
Mar. 21st & 31st 1910.
Begin at the ¼ sec cor on
W side of sec 6 Tp 23 S R 5 E
old tree down post standing
in place. Var 16° fence in bottom
20.35 Run E on ¼ sec 39.32
set peg East of fence.
Mar. 31st
Begin at ¼ cor bet 6 & 7 var
var 20° 45' E, set cedar post by
3 wit bearing tree: at 20.00 and
40.00 temp ¼ peg 79.92 Interest
E of cor 22 cor set by C.S. in
place. Alt 4000 from ¼ cor on S.
fir post marked 8" N. 52° E. 57
(moved stake N. 11 on true line
at center of sec) and 5½ at ¼ cor.



Field & Doctor
March 14th 1910
Begin at N.E. cor of sec 31
Tp 23 S R 5 E Var 21° E sec
Fnd 20.00 Temp cor. 39.92
Interest E of ¼ cor. 64
1996 mon & Temp cor N. 32
marked bx oak - 12" N 9° E. 25
fir 10 S 37 W 16
" West from cor
Var 21° E desc 39.98 Interest
South of ¼ cor 31.

Humphrey
Sept. 19th 1910

Begin at post on century cor. 6 Tp. 23 S R 5 W. run by Osborn survey post from which a fir 8" brs N. 56 E. 57 and marked B.T. Var at 9 am 21° Co survey post is N. 06 1/2 W. East from cor. 14.50 N side of road 19.85 Intersect S to cor. set by Co. survey. 36 corrected line at road. Marked N. 27 W. 37 N. 30 W. along W side of road 2.35 and N. 40 set fir stake From S W cor. run N. 2.03 fir stake marked fir 16. N. 52 E 1.13






G. F. Prior
May 24 1912

Begin at the ¼ cor. bet secs 20. 29 Tp 23 S R 5 W Var. used 21¼° followed old blazed line South 16.00 top of ridge, E. N. desc 19.85 to corner stake. 20.00 set temp stake 40.00 temp cor. ft of hill 58.50 Co road 60.50 enter brush 79.98 Intersect East of ¼ post. 15

| | | |
|---|---|---|
| From ¼ cor. South | | 40.10 |
| " sec " " | | 39.88 |
| | | 79.98 |

At ¼ cor. South of sec cor wh oak post marked wh. brk 16 S 74 W. 57
" " 8 N. 40 " —

Vanda R. Coffey
Aug 4th 1916

Located ¼ cor. bet. 27 & 28
Tp 22 R 5 W North from
¼ cor. 5.24. East to fence
24 l. West to the North line
of Vanda Coffey claimed
on line already staked
through farm board fence
on East Cedar post) at
17.50 leave field enter brush
23.75 center of Mud cr & NE
26.00 enter field 28.37 to
stone for W. side of R. R. fence






S. H. Brown
May 4th 1917.

Begin at a stake set by
a former survey on West side
of roadway West 11.55 to fence
Post South by fence Var. 22°
21.58 center of County Road
N. 55¼ E. 3.74 chns
" 37° " 7.22 "
" 38 " 4.92 "
Returned to stake set on
West side of roadway and
staked line and chained 10.92
center of County Road
This line bro. S. 4° W.

W. W. Love & Miller
Aug 20th - 30th 1917

Begin at S.W. cor. of Hay-
ward Son, stake & pile
set bearing tree gone.
Stamp X & S found.
Run East & East side of
County Road. 4.78 set a
post and marked a wh oak
20" N 77½ W. 18. S 52° E along
E side of Co. road. 8.50 Temp.
Neg on supposed line between
Love and Miller.
Returned to stake set on Cl.
line and run East. 6.72
Aug 30 Began at S.E. cor of Cl.
and run line to Sec cor. Enter-
ed N. of cor 40 Corrected back
to N.E. cor of Loves land. set a
for post on Cl. line
Q tree marked by Dotty 140"
Bears S 52° E. 46 Dec. 18½°



R. J. Lear
Field 8th Jan 24th 25th 1918
Begin at the 1/4 cor bet 4-33
Tp 24 S R 5W. Stone in place
range line N 89° 45' W by line
on hill West of R.R. 23.65 bank
of creek + 100 ft center of creek.
From this point run N. 52½ E
6.20, N 60 E 3.50 N 63½ E 2.80
N. 30 E 3.60 N 59 E 4.60 S 89¾ E
1.60, N 67½ E. 3.55, N 61½ E 2.84
to N. S line 3.00 to road South
of bridge N 33½ W. 12.50. N 40½ W
5.16. N 75 W. 3.30 to stake from
which a wh. oak 30 brs N 76 W. 2.00.
Continue N 75 W. 10.50, N 41½ W
9.00. West to 1/4 cor 11.09.
Begin at the N.W. cor of 33
Run S by old fenced line. Partly
line 21¼ to a stake in traffic
of County Road - Begin at the
Corner by RR bridge on
account of water could not go
to exact corner. Run N

A. J. Gear Cont.
across field. 39.30 Into E
of stake. ob at 39.65 1/4 cor

July 22nd 1918.

Begin at cor on Ft line from
which a maple 18 N 58½ E 32.
set a cedar post remarked old tree
(used Var. 21°) N 60¼° W 5.96 set
a cedar post marked maple 8" S 79½ W
8 lks. Cont N 60¼ W. 50 Center of old
cr. bed. 3.44 cedar post marked a
willow 15 N 74 E .05 lks. Cont line
1.94 thence S. 66¾ W. 5.85 S 10½ E
332 to iron bolt. Chained Meas
from ¼ cor bet 4.33 23.50. S 1.38
flagg across brs N 53° 45' dist
across 1.88

N. 60¼ W. 9.40 S 31 W 3.00. S 67
W 5.34 to cor. Cont. 2.94 across



Survey Home Place

Begin at NE. Cor of sec
34 (Hanlon) Tp. 22 S R 5 E.
Var 21° E. at 40.00 temp cor.
80.02 Intersected South of sec.
cor 20 lks. corrected line back
drove a cedar stub ellm with
ground.
At the center of sec 34, brs
anchor post of N. & S. fence
brs N. 62½ E. 30 lks.
a pear tree brs. S 60½ W. 18 links
This line was established by
1/4 cor to 1/4 cor (by flag).
North from 1/4 cor 32.75
Hanlon Cr. 40.15 to 1/4 cor.
From 1/4 cor bet 33.34 East.
9.61 center of present Co. Road.
10.71 West side of RR right-of-
way. From center of 34 chained
N. 16.97. West 15.00. North 1.45
West 8.03 to Division line between
W. E. Robt. 24.50 center stake

Home Survey

26.75 center of mud cr.
32.43. East side of Right-of-way 32.89 center of track 39.99 to sec line. 49.00± claim line.

West of Pacific Highway 27.90 acres



F. M. Henderer
Nighswander
Oct 15 and 16th 1919
Begin at the corner boards
B, 4, 9 & 10 Tp. 19 S R 5 W.
Var by sun 21° 55'
Run North from cor 45.00 to
trail of 1/4 cor to be found.
Run North from 1/4 cor 6.00
cedar peg, thence N. 80 E

# J. H. Kruse

Jan 14, 15, 20, 22 & 28 1920

Began at N.E. cor of 27 in Tp. 22 S R. 5 E. Rains Creek Var. 21° 20' E. Two old bearing trees standing 20.00 temp cor. on N side of top of hill steep descent 40.00 no trace of old trees. × - Began at the NE bearing tree bet 27 & 28 West from tree 3.22 ft North 8.60. North 20.00 temp cor. Run line North 40.00 no trace of cor. cor. at 60.00 " " " 1/4 " West to N.W. cor of 22. two old trees standing but new tree wrong direction, distant South from cor followed old blazed line to top of hill, descent open & steep 39.05 enter West edge of Line 12 No trace of old bearing trees Went back to cor and run N. 89½ E. Var 20° E. steep ascent



# J. H Kruse Cont.

at 41.58 intersected North 1.40 at 40.79 and 8.70 set post for 1/4 sec cor. from which a fir 30 S 44 E. 07
" " 15 " 12½ W. 19
Run East from 1/4 cor set 1/4 cor Var 20° for post marked a bl oak 16 N 7½ W 34
" " " " 30 S 13 " 50
Run line North from 1/4 cor did not chain. Var. 20°.
South from 1/4 cor Var 20½ ascent 10.25 top of ridge 20.00 for post - marked
wh oak 30 S 77 W 13
fir 10 N 86½ E 23.
Corrected blazed line W to cottage fence, marked
bl oak 30 N ¾° W. 47
above to iron pipe for cor

W. W. Wilson
Jan. 29. 1920
Begin at ¼ sec. cor bet
sec. 15-16 Tp. 23 S R. 5 W.
runs West (Var. used 21½ E.
7.20 set pit. stake marked
bl. oak 30 & 6 W. 65
pine 18 N. 71 W 16

---

Pres Turpin
Nov. 3rd. 24 1920
Begin at the ¼ cor bet secs.
30 & 31 Tp 22 S R 4 W & NE. Iron
pipe stone in plain, Runs
West from cor. Var. used 22½°.
20.00 bl oak post. on top of ridge
marked a bl oak 10 & 60 W 14. South
Var 22¼° acc 5.10 top steep clear
20.00 yew post North of stream
marked maple 17 N 37 W 40.
S 89½ W (Var 22½) no chaining
Enter Tp line 4. links N. of cor.
marked bl oak stump for cor.
Scribed S. from sec. cor. 20.00

---

A. L. Wilson
June 8-10-14th 1921
Mining Relocation Survey
Begin at a post set for cor
Bet Sec 8 & 9 T. 28 S R 4 W. Var used at cor
21½ Run E. from cor. 3 oaf ft.
cedar post

Bery. Huntington
Nov. 4-6, 1921

Begin at the N.E. cor of
Sec 30 T 22 S R 5 E Wor 21°
E 22 lks from a scribed angle on a
boulder 12 x 12 x 6 ins. Bears East
2 lks. Set a cor. and bound marked
Bryo. Stone Dr. cor. marked
Ash Oak 15 lks N. 49° W. 39. Run
N. North over mountain
to intersect East of corby cairn
reached 5.18 Th. the ¼ cor Bears
East in place N.E. bee Fallen
metal line back over mountain
to place of beginning.

Nov. 5th

Begin at ¼ cor Sec 29 & 30 on
cedar post in pile of stone.
Bears 3.50 cedar post North from
cor. Var. 21° East of cor. 80
links NE cor of 30 NE. bee should
4.45 instead 4.45 Run bees
E. from cor. to ¼ cor 39.71
N. of cor. Stone in place.



C. R. Lawrence
July 5th 1921.

Began at the N.E. Cor of Sec
20 T. 21 S R 24 E Var. 21° east.
Run N 89¾ W. dist. 13.75 to
N.W. Corner N. 160 to highway
on Sidney-Deighton marked
ash oak 14 N. 82 W 84 Run S 7¾
W along N. side of highway 4.94
S 87½ W. 98. S 80½ W 168 N 71½ W
180 to R.R. fence Railroad fence
bears N. 57½ E 56.9. 15.55.
from Railroad to highway 3.79.

---

Huntington cont'd.
from cor of Sec 30. S 89½ E 350
ote Stone mound of stone marked
ash oak 6" N - W. 24 Run
bees North over mountain
to Head of cor. 89 ash 20"
steel post around large bees
N. back Corrected line back
88 lks. E. Var 21° East cor. 23.40

J. B. Hetrick et al
Nov. 28, 29 SW 5 3/6 1921
Begin at 1/16 cor (Set for Robt. Clark) S.W. bearing tree standing other fallen post at cor. gd. price in place
Run East from cor Var. used 21½° at 20.10 temp cor 40.20 temp cor 60.30 temp cor. 80.26 Intersect South of 1/16 cor 1.08. corrected line back to beginning.
At 1/16 cor on line Sec cors 27-28. marked fir 20 N 17½ W. 42. fir 36 N. 40 E 56.
At 1/16 cor. W. of cor bet. 27-28 set a cedar N.E. from house marked. fir 18 N 60 E 55
" " 15 S 44 E 42
Set 5-4.
Begin at SE cor of 28 Run East. Var 21½ Along N. slope 20.25 set maple post marked hemlock 5" S 7° E 5.



Contd
North from cor. desc 4.30 creek 15 W cor. 5.85 wagon road E. & W. asc hill 20.15 dogwood post
Marked a cedar 24 S 39 E 7
" " fir 16 N 18 W 39.
N. 89° W. along on S. slope rather rough. heavy fir timber 20.65 Inter Sec cor 24.
North from 1/16 cor bet 27-28 asc steep hill Inter N of 1/4 cor 28 Var used 21½° Change W steep at 1/4 cor set a cedar post. marked a fir 16 N 46 E 27. S.W. tree standing N. 89½ W (Changed Var to 20¾) 80.86 Inter North of 1/4 cor 1.12 old tree down fire marks on S.W. log. at 1/4 cor marked a hemlock 20 S. 3° E 53
Set stakes on town line E. from 1/4 cor 20.21 1/16 cedar post marked dogwood 10 S 7½ W 73 40.42 set cor S. on town line

Rodd Anlauf.

Coyle & Davis.
Feb 9.10.11 1922.

Begin at the ¼ sec. cor. bet Secs. 17 & 18 Tp. 22 SR 5 E.
Var used 22½° E.
Run N. 37°25 E. 158 ft. then North 120 ft to S. side of R.R. St. thence East 7.26 chs to Black's line, Returned and run N. on same line 2.50 fence 16.50 to S. bank of Cr. Changed West from line fence of Black's land, and on S bank of Elk Creek West 2.50 of est. N. 92 to N. line fence, West to bank of creek 11.00 ×
From ¼ cor North 372 and N. 1.99 to division line × North 12.87 thence East 4.11 to W side of barn North 3.53, thence West 4.11 thence S. 3.53.





# Stewart Bros.

May 31st 1919.

Beginning at the N.E. cor of sec 26 Tp 21 S R 5 W. ~~E~~ Road West 40.48 no trees or old cor. old trees gone + at 20.24 set a fir post.

North from 1/4 cor
Var. 21° 35'. 65 center of highway, ascend hill. 20.19 chiseled post on top of ridge
Marked
fir 40 N. 20° W. 6½
" 1 W. S 42½ E. 17.
Run S 89° 45' E. did not
Chain. Ind. N of cor.



# Jas Toner

Oct 3rd. 1921

Began at a stake set by a former survey in center of sec 30 Tp. 22 S R 4 W.
From this corner chained N. along wire fence 20.00 set fir stake 11 lks. North of oak fence post.
Run line N. (Var 22°) along North side of wire fence 20.06 set stake in field. North from cor. (Var 22°) through fill 4.20 center of Elk creek E. 8.13 to cedar post on S bank of Elk creek from which an Alder 8" brs. N. 11 lks. From post N 73½° W. 1.27 center of bridge
Thence following center of Co road to-wit S 20° W. 8.36 S 5° W. 3.44, S 21½° E 16.81 (back flag brs N 21¾ W) S 5° E 6.00 S 2¼ 8.30 S 59½° E 14.90 to Corps line thence

Stewart Bros.
May 31st 1919

Beginning the N.E. cor of Sec 26 Tp 21 S R 5 W. ~~Willamette~~ Mer
West 40.48 no trees or cor. old trees gone + dt. 20 ft set a fir post.
North from ¼ cor
Var. 21° 35'. 65 center of Siskiyou Case Hill. 20 ft Chin-capin post on top of ridge
Marked
fir 40 N 20 W 6½
" 12 S 42½ E 17
Run S 89° 45' E. Ind mds Chain. Ins. N of cor.



J. A. Jones
Oct 3rd 1921

Began at a stake set by a former survey in center of Sec 30 Tp. 22 S R 4 W.
From this corner chained N. along wire fence 20.00 ch fir stake 11 lks. North of oak fence post.
Run line N. (Var 22°) along North side of wire fence 20.00 ch stake in field. North from cor. (Var 22°) through field 4.20 center of Elk creek E. E 8.13 to cedar post on S bank of Elk creek from which an Alder 8" brs. N. 11 lks. From post N 73¼° W. 1.27 center of bridge
Thence following center of Co road to wit S 60° W 8.36 S 5° W. 3.44, S 21½° E 16.81 (back flag brs N 21¾ W) S 5° E 6.00 S 2¼ 8.30 S 59½° E 1.90 to Corps line thence East 1.70 to S.E. cor of Jones land

Jas Loner Contd
From the ¼ sec cor bet 30
and 31 chained North pone
cor 19.48 to line fence.



James Cooper
May 2, 3, 4, 5, 6 1922
T 26 S R 6 W

Begin at the Sw cor of Lot 61. Run East over oak hill 39.60 offset N 1.00 into open pasture continued East Var 21½° 53 min stream 10 W & NW. 63.65 cross N. & S board fence on flat 117.43 Intersected South of cor post set by Cole. 329+102=431 old blazed line through oak timber bears North of my line.

Begin at the S.E. cor of sec 17 old tree gone, found marks on rotten log on ground. cor post with plate set by Cole.
Run North from cor. Var 21½° dec 5.25° East 4 rod enter field 9.90 stream 6 W & SW 15.50 begin steep open ase 2000 temp cor dec thence ase through oak timber 40.00 to ¼ cor W oak post

Stone ¼ cor S & S line 6.11 dd oak 20 S 88 W 8L

Jas Cooper Contd
Found marks on Nw. tree
S.E. gone marked wh. oak 5 S 87
E. 5. Set 20.00 N. of sec cor.
marked
a bl. oak 30 & 46 N. 22
" " " 28 " 85 E. 46
West from cor. Var 21½°
sec. 800 top of ridge steep desc
1780 creek C.S. across bottom
steep asc to cor. 2032 Set 8 N. of
Return to sec cor and Run West
across field through fence or-
chard asc steep asc. 2000. temp
Cor. Cont W. through oak timber
4 0.34 Inter S. of cor 33. at 2017
and N. 9. set wh oak post for
to cor. marked wh. oak 16 N. 82
E. 19. bl. oak 16 & 30½ W. 40.
Run North from cor. Young timber
From to cor bet 17.20 run East
1300. Set S. of Coles cor 3 South
from cor 2606 to sec cor.
N. & line appears to be a new line



E. E. Labrie
May 25 & 26 1922.
Begin at the N.E. cor of sec
29. Tp. 26. S R 6 E.
wh oak post in place.
Set 2 L.C. bearing trees standing
other trees gone.
Run line W on Coles line of
stakes. 870 top of hill.
11.86+7 to Coles line, iron pipe
S on section line.
Begin at Coles cor on sec
line and run line South on Coles
line of stakes. 180 top of ridge
desc 1760 stream C. W. 2000 Coles
corner, did not find stakes on line
any further. 2350 top of rise 29.50
center of dec road 30.26 North
side of school lot fence
through pasture asc. 6000 to straw-
berry patch. 7615+450 wh. oak post
a laurel 6 NE. 20 Laurel 6 NW 20
Cor N of Coles line 7 no trace of
old cut. West to River no trace
of old. Cor.

# Walter Skidmore,

May 13th. 1922

Begin at the 4 sec cor. on the East side of 25. Tp. 21 S R 5 W. Var. 21½

North from cor. through small fir timber sec. 10 cs stream 1 W. C Sec 20.17 set a fir post. marked
a fir 10" N. 10½ E 71
" " 18 S. 9° W. 126
" " 18. N. 89½° E out in field

West from cor. through small fir timber 20.22 marked
a fir 12" N 9° W. 3
" " 22 S 19 W. 12

West to L cor. of Don and run line West to Cor. Intersecting N. of cor. 30



# N. M Ohrling

May 23rd. 1922

Begin at the 4 sec cor between sec 31. 36. Tp. 21 S R. 4 W. One old bearing tree marked by former survey standing marked a new tree fir 12" S. 58° W. 67. (fence post at corner) South from cor Var used. 21° 25' are followed on W'ly fence and blazed line 20.08 set fir post. marked. — fir 8" N. 23 W. 27; fir 8 S. 88½° E. 32.

East from Cor.

Sec. 630 stream 1 W C. N. are 2102 set fir post by road. marked wh. fir 20 S 36½ W. 36
" — " 20 N. 59 E. 37.

South from cor.

sec. brushy. 19.98 Tp. line found old blazed. line West of cor. marked. a wh. fir 12" for post. marked. Cedar 30. S. 87° W. 45
" wh. fir. 18 N. 73 E. 30.

Walter Skidmore.
June 27, 28, 29 1922
Tp. 22 S R 4 W.

Begin at N.E. cor of sec 5 set by Briggs C.S. West from old cor. 41.43 found S.E. blazed for the ¼ cor. set cedar post marked fir 18" N. 31° E. 43.
West from cor. steep desc 8.45 Co road C.S. along on N. slope brushy 20.25 temp cor 40.50 no trace of old cor trees gone. Ht. to cor. W. of ¼ cor. set cedar post marked
Hemlock 30 N. 2° E. 21.
R. fir 42" 60 E 48.
South from cor.
very steep asc 10.40 top of ridge steep desc 12.15 ft. 15 to top. steep desc. 1870 set cedar post marked fir 48. S 5° E 9.
cedar stump 30 N. 77 W 24.



East from ¼ cor 20.25 set ¼ cor on steep East slope set a fir post marked.
fir 6 S 34 W 14
" 8 " 14 E 11
South from ¼ cor.
very brushy asc 950 top of ridge. E. W. desc to cor. 1870. cedar post marked Laurel. 16 S 80 E 2
fir 10 N 18 W 46
Ht 89° 45° W.
along on S. slope 12.60 top of ridge N.E. SW. steep desc 20.25 cedar post marked fir 24 S 40 W 34. Corner desc. did not chain. Gather.
Intersected 4 lks. N. of cor.
73.41 acres.

Turpin 146-A

East from ¼ cor
desc 20.20 cedar.
pos. E of barn.
and marked
cedar stumps 40 ins
N. 57 W. 28.
cedar stumps 30 ins
S. 32° W 69½.

146-B

Chas. Turpin
Aug 27th 1880.
Tp. 2 S. R 4 W

Beginning at ¼ cor Sec
corner 7 x 12 post in
place. SW bear cut
down. South from
cor (Bear 213 brushy
29.30 to road E W S &
SW. deer & stream
40.18 yew post.
all trees & old tree
gone. — marked —
fir 20 S 88½ W. 135
maple 10 S 35 E. 43

John L Elvira
July 10th 1922
T 21 S R 4 W

Begin at the ¼ cor on west side of sec 7. Cut in Sec tree and found old marks. Sec tree gone. Remarked Sec tree.

East from cor.
Creek, bushy. 1560 stream
5 N.C.S. 1625 S.N.C.S. through clearing. 2047 set a cedar post in clearing. did not mark any tree.
Run line North to road.
Var. not given on account of needle not working.
120.95 acres.






July 28th

Flagg Hill

| | | |
|---|---|---|
| 6.6 | 7-6 | 4 ft above |
| 3.8 | 4 | |
| 2.8 | 11-6 | |
| | 4 8 | |
| | 16.4 | |
| | 5.4 | |
| | 21.8 | |
| | 5.0 | |
| | 26.8 | |
| 1½ | 5.1 | |
| | 31.9 | |
| 21.6 ft level grade | 10.3 | |
| 8 ft level grade | 21.6 | |

Recheck of same
Aug 10th

| | |
|---|---|
| 6-3½ | 25-7½ |
| 2 1 | 3 8½ |
| 8-4½ | 29-6 |
| 4 4 | 3 8½ |
| 12-8½ | 33-4½ |
| 4-4 | 2 |
| 17-2½ | 31-4½ |
| 4-1 | 1-6 p. line |
| 21-3½ | 33 00½ |
| 4-4 | 10-3 |
| 25-7½ | 22-07½ |

3915 ft long

City of College Grove
Grade for side walk on 12th St
Located SE cor of Block.
Took grade from Street and side walk West.
Height of Insts. 4"-7½"
Rec. S of Ins. 4"-4½"-4"-5"
4"-3" cor of Alley 4-8' St. Runs
4-8 opposite side 4-8, 4-6, 4-6½
4"-7½ top of cement sidewalk.
Distance across. 278.75 ft.

J. E. Stephenson.
½ Tp. 22 S R 4 W
Sept. 15 and 21 1922

Begin at NE cor of sec 29.
NE and Scd trees standing
Run west from cor Var
used 22° 20 45 enter S of cor
set for Bonds survey 2 links
for 10 marked bs.
S 76½ W 22, for 10 N. 18° E 26
Boone line fence bs. N. 1½° E.
South from cor. Var used 21½°
steep asc 10 co top of ridge did no
go farther.
South from sec cor. asc
15.50 top of ridge steep desc 20.20
for post. marked
for 8" N. 86° E 10. for 8 N 82 W 23.
Old blazed line E. 10 ft.

20.00 x 2
20.11



Kinney-Jemison
Tp. 21 S R 5 W
Sec. 13th. 14th 1922.
Begin at S.W. cor. of sec. 35
set a yew post.
Three bearing trees standing
Run. North from cor desc
through timber 14.00 ft. to
steep desc heavy timber Fulton
25.50 S bank of Elk Cr. C no
Enter. East of sec cor. 48 lks
Chained South from sec. cor.
17.00 temp peg S of fence
asc 28.30 top by hill desc open
40.22 set cedar post for ¼ cor
42.30 center of highway
51.66 center of R R track. new
E SE desc after
40.22 set post N. of trial
line 24 lks
Var. used 21°

Roll Ginlauf
Mar 20th 1923

Begin at ¼ cor 2 ons bound
[illegible] 19½ [illegible]
[illegible] 66½ W 4.93 to post on N
side [illegible]
marked [illegible] W pit 24" N 62½ W 25
cedar 15 & 82° W. 91. Run N 62½°
W. 9.00 Lorane Road stop as
15.60 to W wire fence chained along
wire fence & 4.38 to pig along
fence.
Begin in center of Lorane Road
(at 9.10) & 8° W. 2.10 S 8° E 3.77
S 53¼ E. 6.15. to W side of High
way. N. 27½ E. 6.0
NW. cor on hill along wire fence
marked pit 12 & 65 W 64
pit 8 N. 18½ W. 49.



City of Sutherlin.
Mar 27 1923

Grade for Sidewalk
Beg in on E. side of Umpqua
St. Give grade North from
Main St took grade from
curb at Intersection level
across block No — to N. side
of Street from this point grade
Runs 26' to next St.
Gave grade + line 9 inches
from cor. of Bl.
Raised grade 1 inch from
level
Length of bl. 100 ft + 20. for alley
100 to cor Stred 60 ft. + 100 + 9.50 +
100 to cor.
Width of Umpqua St 60 ft.

750
465
9.35

Stage fare return $1.30
dinner .35

J. J. Kenny
J. Mar. 30th 1928

Begin at NW cor of Estes D.L.C. chained S along fence 18.70 S. of school Lt. thence S. 77½° W 6.90 of set S. 63 to cross on highway bridge S 77½° W across Sandy or ont Bridge 450 of set N. 63. S 77½° W 1.10 = 12.50 reaches fence board fence. From School Lt. S 77½° W 8.63 to center of Sandy Cr. Begin and Chained on C Line to RR. 28.20 center of Highway 2610 beginning RR. At 2620 chained S 77½ W 6.00 to center of Cr. 2695 bank of Pool Cr. set center of road 1.00 from S. bank to RR. 27.95 + 3.15 to R of Lt. N. 87° W. 6.45 point on Concrete Bridge bs. N. 16 W S. 73° W. 3.50 point of bridge bs. N. 8½° E.



City of Cottage Grove
May 22nd 1923.
Road for S 4th St.
Begin on line of Shields
Dec. to land Cl. N 0.56 6.16 ft
N. of Lucas or Cline E city limits
Distance 1029 ft to S side of
Pool N. & RR. Grade from
Center of Pacific Highway
Beginning of Grade is 7 ft above
Highway. Set grade stake
N Cl. thence S. 1029 ft
E Rise in grade

Roy Bebe
June 9th 1924

Begin at N.E. cor. of sec 17 Tp. 21 S R 4 W.
Var. used 21 3/4.
South from cor through fir timber and brush 40.40 Enter Edge of 1/4 cor old post in place set for survey of C.C. Watkins N. 11 to 15 fallen, & tree cedar remarked. at 40.20 set stake and mound S. 89 1/2° E. did not chain the 1/2 mile timber and brushy. Intersect a little South of 1/4 cor, on N. side of Briggs land Var.



Kent and Nicegarden
Sept - Nov. 1924 Var 21 3/4
Begin at 1/4 cor bet. 13 & 14 Tp. 22 S R 6 W. set a stone for cor NE tree standing other fallen but found stump by other tree. Run North from cor. 40 ~~00~~ no trace of old cor. trees all gone, Mnt to 1/4 cor bet 13 & 12. NE tree standing other gone. set cedar post. Run ~~West from cor~~ N 89 1/2° W. 710 East bank of Elk R, 1675 Co road N & S 26.00 N. side of Co road 3150 S side of Co road.
South from 1/4 cor. at 20.00 temp cor. 40.52 Ent N. of sec cor 34 set fir post remarked Sec tree NE. tree gone.
At 20.26 set peg on East side of wood. marked
Bl oak 12 S 54' W. 41 lks
fir 8. N 50 E. 41 1/2 "

A. D. Coyle
March 5th 1925
Tp. 22 S R 4 W.

Beginning at the NW cor of
J. M. Scott Donation
Land Claim. N 89° 58' E. 4.74
North 10.27 to SE. cor
of Lot. set iron post
Marked. Fir 24 S 82 W 6
" " 40 N 62½ E 115
" Var used 22½° E
Iron pipe at NE cor
of Cl. Run. line north.
from SE. cor of lot. to NE.
cor of same. did not
chain line. Entered at 3.4 to
W of cor.

# Field Book No. 115

# Pages 160-174 Blank

John L. Elsie 148
Robt Linlaw 152
City of Sutherlin 153
J. F. Kenny 154
Wm Beebe 156
W. O. Cole 157
J. E. Stephenson 158
J. B. Hetrick 132

# Index


O. W. Olsen 114
Fred. Taylor 115
Humphreys 116
L. F. Pratt 117
Vanda Coffey 118
L. A. Bradley 119
Love & Miller 120
A. J. Dear 121–122
Stone Survey 123. 124
J. N. Forest 125–126
H. W. Wilson 127
Pac. Telephone 128
A. E. Wilson 129
Benj. Huntington 131. 130.
C. H. Lawrence 131
M. E. Wood 85
Stewart-Bird 138
Jas. Power 139–40
Jas. Cooper 141–42
E. E. Labrie 143
Walter Seymour 144–6
R. M. Ohrling 145


# Index


Pa
Leona Mill 73.5
Beckley Bros. 77–78
Conrad Survey 79
W. H. Lawrence 80
E. E. Wilson 81
T. M. Henderson 82
A. E. Edwards 83
A. E. Olson 85
Tom Perdue 85
Earl Switzer 92
F. B. Dean 93–94
J. Chance 96
E. L. Smith 97
E. J. Wilson 98–99
A. D. Reed 107
Humphreys Power Boom 102, 106-7-8.
Road Survey by Sumond 103
Cams Survey for Coffey 104
Fred. A. Brown 104
Theodore Rice 105
Hampton-Pringle 110
Pringle-Eagles 112
Green-Applegate

Index


| | Page |
|---|---|
| A Porter | 38 |
| F Carter | 39 |
| J. M Woodward | 40 |
| Burk Baker & Sons | 41 |
| Beg. Davis | 42 |
| Ohlson & Francis | 43 |
| E. H. Duncan | 44 |
| E. A. Fr | 45 |
| S. S. Thomas | 46 to |
| [illegible] Eyres | 52 |
| [illegible] Fiske | 53 |
| [illegible] Smetzer | 54 |
| [illegible] & Co Fenn | 55 |
| [illegible] Hansen | 56 - 57 |
| F. G. Alten | 58 - 59 |
| G. F. Porter | 60 - 61 |
| Geo Koeneen | 62 - 63 |
| Chas Schaefers | 64 - 65 |
| Reimers & Helles | 66 |
| Mary Perkins | 67 & 68 |
| Edward Durney | 69 |
| F. G. Alten | 70 - 71 |
| [illegible] Porter | 72 |


Index


| | Page |
|---|---|
| Edward Wood | 2 |
| A F Bonin | 3 |
| E Vernon | 3 - 4 |
| Wollenberg Bros. | 5 |
| Pioneer Co. | 6 |
| Louis Dumbleton | 7 |
| Fregeau Bros Ditch survey | 8, 9, 10 |
| J. C. Johnson | 11 - 12 |
| A. M Wilcox etal | 13 & 17 |
| Rosen Green | 18 - 20 |
| Chas Dumbleton | 21 |
| Peter Green | 22 - 23 |
| L. H. Bull | 24 |
| A. Zurcher | 25 |
| W. Roth | 27 - 28 |
| Frick & Porter | 29 |
| Eilsen | 30 |
| Humphrey | 31 |
| F. R. Gordon | 32 |
| Frank Bowne | 33 - 34 - 35 |
| M. M. Shannon | 36 |
| Smith & Lancer | 37 |

180