

**OSCAR THIEL'S
FIELD BOOKS**

BOOK 20

INDEX

Oscar Thiel's Books

BOOK 20

The following information was compiled June/July 1982. It is not necessarily indexed into the regular Surveyor Office files. USE AS YOU WILL.

<u>T-R-S</u>	<u>FOR</u>	<u>PG.</u>	<u>CONTAINS INFORMATION CONCERNING:</u>
T.22-4 Sec. 33	Kit Letsom	1	NE corner Section 33
T.22-4 Sec. 32	Mrs. Vroman	5	NE corner Section 32
T.22-4 Sec. 31	H. Turpin	8	SE corner Section 31
T.21-4 Secs 19 & 30	C. Tanner	9	1/4 Cor. Sections 19 and 30
T.22-6 Sec. 12	Tanner/Richey	10	Center of Sec. 12
T.21-3 Sec 7	Lewman & West	14-15	1/4 Corner Sec. 7 (West)
T.23-5 Secs. 6&7	A. Reckord	22	1/4 Corner Secs. 6 & 7
T.23-5 Secs. 1&12	P. Smith	25	1/4 Corner Secs. 1 and 12
T.23-5 Sec. 9	P. Huntington	29	SW cor. DLC #39
T.205 Sec. 30	Cogswell	31-32	Water right
T.23-4 Sec. 21	Jackson	40	NW cor. Sec. 21
T.23-6 Sec. 1	Yoncalla Lbr.	42	Center line, Section 1

(Pages omitted are difficult to determine location and/or value)

BOOK 20

Handwritten scribbles

KANE & MARCUS COMPANY

Waterproof Entertaining Books, 111
5th Avenue, New York, N.Y.
EVERETT, WASHINGTON

Ethel Maroney Jr

2000 W. Stevens Treatment

4400 NE Wisconsin St.

Portland 13.

Corey

Box Lot 100m 21.1.1950

Oct 23rd 1950

Begin at N E cor post 33
Top 22 S R 4 W. all old
trees gone but stumps of SE
wind marks on slabs. Tree
Reestablished cor from this and new

fallen N E entirely gone

marked with Oak 28"

brs N W 128'

W. oak 22 S 15N 36 ft

H is 5.5' in diam

N 13° E 177 ft.

Bl. Oak 24'

S 50° E 120 ft

Set an iron corner
and gave line north to top
of hill and 22.00 through
timber post to cor stake

Unicomb Co
Oct 26th 1950

2. Beg in E of 1/4 sec N of
6th cor of block 13
1/4 sec 4. W. 54" 10.00

Nov. 8th 1950

3. Begen at square post
supposed to be center of east-
low 7. find run line that
on all blazed line at 20.15
see a stake did not mark
begin trees. All stakes a little
North and East
Run. North var. 21° + 30-21/2
steep desc. along W slope - 1050
steep - N. slope 500 ft. one 20:15
for stake on S. slope
marked for 18 S 27 W 25 ft
marked with compass pencil
8 ft. post. 4.00
Estimate 8 to 30 m 5/16 \$11.00

3

J. B. Dancy
Nov 5th 1950

1. Recheck on former survey
Begin on road on the section

Line 15:45 ch to Road way (pipe)

N 32° W 8:18 ch to a pipe
" 90° E 4:84 " "
" " " " " "

4

Alexman & Chessa

N. W. 27 1950
Sp. 23 8 R 5 W.

East from S W cor of
A. F. Ambrose East of S
line 17.39 to R of cor. paper

12 N W of center run
N. 50 W. 300 chm NW 41 μ

1 11 15° E 7.27 to un-

der crossing of highway

N. 40° E 5.40

N. 7 W 24.88 to live fence
with a long fence

22.55 to

12.10 highway fence

18.00 South on nr line 20.10
from S W cor north

19.33 to top

20.33

29.33

3 hrs

4 hrs

7 hrs

12 hrs

Time 9 to 4

6 X 112.50

Mrs. Vroman

Dec. 16th 50 Sp. 22 R 4 W

N E cor of lot 22 1/2 by 24
S W trees signs with markers

From old highway on S 2 E
(Scatter) North of E line of creek

32 chained North along fence

10.00 found an old stake along fence
found the S W tree had been cut

into and old marker toward re-
marked with S. 32 N. E. tree not to be

found N. W. tree cut in 1920
marks to be found at on iron

chapt. 30 in long x 3/4 inch Run
line S. oak iron pipe 2 1/2 x 30 in

long with right angle with tree
fence line across valley give line

West to N. S fence by right angle

DEC 20th
Begin on N. end of old E. R. chained

along fence 2 pins creek C W

29.75 fence post 11.05 + date of
cut. Found 3/4 in gal pipe

2. Marked tripple with mark 40.00
N. W. 12 3 W 11.00

John from
10 Dec 1950
Suffern, N.Y.
L. V. BRET, WASH.

N. 89° W. E 80.74 F.R. 5?

6
Dec. 16
" 20
" 31

From Seed
Nov. 14 12 p.m. by 200

along wire fence west
7.46 N. of fence cor 8 ft
North of rd Rd 6
S. south 12.45 ft break E. W
14.54 (13.54) 3/4 of 22.24. 100
40.14 ft to cor or line
North 24.01 chow. to nw. on hill
rd 2. P.

12/21
North
20 00 on the SW cor rd on hill

4 01 pumps shall with square on top
24.01 1/2 x 20.12 N seed break

North from W.P.
Description in seed 10 aca
Reg 66 7.50 S of 78 cor of aed. 32.74 22.88 P
West 30 7.50 S 13.50 S
North 54 9.50 S 54 7.50 S east 30 rods
North 54 rods to Reg. 10.00 aca.

11 00
12 00
12 00
35 80 52
" " 172
Pd 2 - 22 841.1
" " 3570
" " 670
" " 41.00

Zonocolla Lbr Co. 1.8.5 7
Jan 4th 1951

N. 10° E 8 ch. Cedar 36
S 50 W 20 ft

N. 23° E 3 ch. 24 ft

marked Cedar. 24
N 30 W 32 ft
Jun 15 8.21 E 34 ft
~~8.22 S~~

N. 5° E 3 ch. 23 ft

~~N. 10° E 40~~
Cedar 20 S. 72 W. 37 ft
N. 130 E 6 ch. 18 ft to
E. N. line

West from N. 15 fine
10.21 to Cedar road on E slope
Maple 16 N. 180 E 31 ft

Reg rd. W. 40 N 90° E Line 4 + 1 = 5 10.00
1500
1500

WASHINGTON STATE FOREST SERVICE
DAVE A. HANCOCK, CO. SUPERVISOR

10

Apr 24 1950
Eddie J. Janner - M.A. J.

old Wake Richey line
vees from above cash from 1 stone to
Unter w 322.

Iron stone in Road
E end 4 55 ft gutter of
creek course

Iron stone S 72 10' W 1 ch 38 ft
& S 7 W 2 ch 48 ft
Leane Co. Road

S 5' W 4 ch 52 ft to
pipe 1 1/2 in paper of M bank
of creek

Iron creek N 11° W 6 ch
+ 20 47 ft to stone corner

wh for 45 S 52 E 7 ft

66
38
102 lat

66
48
180 pipe

66
244
320 to pipe 1 1/2 in

Paid May 1950

to apply a 18th W Adams 11
May 18 1950

77 ft
beg in at the 4 steel cor on

North S 60 E 220
21 S R 32 W Cedar stakes set by
a former surveyor. Remarked cedar
S.E. end wh for N.E.

Rain line South change
200 at 201 to line fence

Begin at S.E. corner line
20.40 East of 4 cor
M marked part 10 S 80 E 1 1/2 ft
E end 15 S 80 ON 12.7 ft
East 6.11 ft to iron fence

14 25
20 35 iron pipe w of
fence
mark chime 39 E 39 ft
wh for N 88 E 37 ft

Henry A. Mather
CHAIRMAN

122
 589° E 155 ft
 " 82° 106 1147 ft
 " 140° 3/4 N 384 ft
 North easterly 407 ft
 N 89° 09' 234.5 ft
 " 82° 106 1147 ft

Floyd Cor aig 7 P
 May 22nd 1900.
 Begin iron pipe 24.03 S 89 E
 of 4 cor bed. over 405
 Run East from pipe 155
 pipe 1/2 x 22
 ft end an pipe here cor.
 South along fence S 4 3/4 W
 281 ft to old Road
 apt 9th 19 ft 30 in
 Charles S. 80 E 140.5 ft 0 av.
 Steady way to angle No 1,
 N 82° 20' E 114.7 ft to
 pipe on N.P. 11 ft & out of 1
 New survey north 234 1/2 ft
 Along road, shifting 407 ft
 8 am to 2 pm
 June 5

580 E 140.5 ft
 " 82° 106 1147 ft N.W.
 N. E 407 ft
 N. 89° N 234.5 ft
 beginning
 66) 407 6.616
 396 583
 1707 199
 1200
 chm
 355
 2345 =
 2 11.99
 5.99 chm
 ch
 24.03
 66
 144 18
 1585.98
 155
 1740.98 beg pd
 ch
 26.38
 2345 =
 2 11.99
 5.99 chm
 ch
 384
 583 5 4 3/4 W
 596
 576
 528
 180

174 L.S. L corner on 3rd Street

100' x 160' May 26th 1958

2p. 218 From elementary to cor
R. 311 on. n. w. side of sect 7

Each 131 1/2 ft (131.5 ft)
stone (corner) m. onto C.S.

Each along fence 36 ft
to poles 1 1/2 ft
corner 11.19 ft 1/2 in gal pipe

71° 35' N 22.8° E
Lat 28.50 ft to cor. w. fence

S 11° 05' N 49.5 ft to gal pipe
slope 71.82° E, 3.67 ft to cor. OK

tree 15 in diam
71.35° E 50 ft
71.53° W 63 ft to S. side

59.41 ft 8.75 w. 50; 85.5° W
16 along road and 11.19 ft 36.3

610 to pole of tower
88.6 ft
on n.w. corner 45.2 ft to gate
from corner gate to W 111'

From pipe cor S. of elementary Rd
22 ft to center of Rd.

803 W 139 ft to west line from
gate

11 19 ft
50
3.67
15-3.6

Loyal E. Leonard
1766 ~~Everett~~ ^{Everett} ~~Wash~~ ^{Wash} ~~Co~~ ^{Co}
Edge Home Dry

16

M. Fullbright
May 29th 1950

Began at the ic cor
and by former survey
Re-measured the West
line 12.50 chms. began
and run line West to
40 acre line & at 20, 0.12
fence 1/2 in ch by 22
marked
4x 22 in lim
North from box
begins base. Lymy the
take

May
10.00
9/10

Began ic cor on 74 line
old bearing tree color stake
South old blazed line to
hill close 20.70 in from
marked

at 75 ft marked for 7m

Must
2 10.00 Jim 21.89 E & N
1 6 m 24 R 34 E 13 7/8 M
29th 8 am 16.00
31 8 11 17 1/2 M

17

M. Fullbright
June 2nd 1950

Began at last survey
Wed 4.41 Thome North
10 53 6 blazed
10.00 1320 1430 1000
5.00 11.00 11.00
15.59 14.30 8 of bed

Wed 20.00
330 14.10
66 8.91
396 4.66
332 5.24
429 3.4
576 4.14

May 29th 1950 \$16.00
" 31 " 16.00
June 2nd \$48.00

18.

June 30 57

Perry Smith

Begin to erect iron bar
40 x 2 1/2 in above ground

Black 100 1/2 S.W. marks
1/4 S. C. G. S. RT
S.E. original about 45° E
and a new west marks

Society taking fence
to pipe 40 3/4 ft

Re-measurement of line across
center red line

July 57

1/2 in by 36 for
for m. in. box 20' x 3.30
then in. paper 1/2 x 36 long
has an iron pipe 1/2 x 36 ft
2V 51 E / 3.56 ft

198
205
218 1/2

no 1004

5 3/8
5 1/8
5 1/8
5 1/8

500 28 rods
200 Broken 2 2 4 19

66 / 208.7 (3.18) 248 2087

198 107 218 2087

146 28 436 (41712)

470 151 316 316

392 14 392 632

14 168 392 632

3.16 28 436 632

1896 28 436 632

31 6 392 632

498 4 6 2 14

998 4 6 2 14

998.5 6 7 7.00 cho. est for stake

66 / 417.5 (6.98) 1500 417.5

876 29 225 521.7

275 41 70 225

198 83.5 83.5

198 208.7 5

198 2178.0 9.7 5 65

13560 2173.7 4 1

Robt L. Corcoran Rd. #1000

24

Reck of Simpson
Shompson

chas
15.0
4.00
\$ 19.00
by ck

20/5 PR

25

786 & 65
Perry Smith
1/4 cor. 50d 1412
Sp 20 & R. 5W
x189042 W
Remarked S E
marked with W. OK
36 or 30 W. 88 1/2 ft
March

Round about
W. OK 20
N 80 W. 40 ft
66 / 38 of 60
89 1/2

20/10 fence ex
36.38 ft = 36.55
3.45
3.45
40.00
4.6
66
16
5.2

84 ft from 76 cor to iron pipe
= 7 road

From 1/4 cor north 36.55 to an
iron pipe by large corner road in
N. side of road highway + 345 to cor.
sur. + 82 ft pipe of former survey

26

850

W. L. Lerman
July road 1957

Begin and
Line East from
O.H.N. 82.8 367.5 ft

330 on S side 850
" " " 3.30

297
47.5 879 or 80 cut

886 N. S side of
Road

Schmitt
Johnston 2.00

885.90

Recd from Mr. Freeman

8/7/57 For water map \$300

July 21st 27

1700 + 57.50
to save time Sunday 1.57

Begin in air 8 ft E of iron pipe

pipe North 7 and 8 ft & center
of Cemetery Road 7.80

From fence in South to fence on

North Road S. of fence 8 ft 32



34 ft 10 down on 35 ft
End 4. 68 to pipe

780 3000 35 ft
2340 3500

300 2115
26.4 960

330
230

32

at the Pump station drive
iron pipe 1/2 in 42 in long
on West side of ex to bank
ex wire 2nd wire
at Lamp marked on Cash
7.76 \$ 16 ft 10 in

66
9/25
D 77 N. 57 1/2 N 98 1/2 E W
6 1/2 in by 8 1/2 in old pipe line
along it and 7 1/2 in 7 2/4 in

66
9/25
cutbank + 87 ft to Road
South 500 \$ 15.84 and

9/25 Paid \$ 10.00
" " 4.75
\$ 14.75

Loni Bennett 33
Aug 28th 1950 7:15-5

rechecked iron covered line
of gamma survey 261.5
Beg in at 88 on a stone
Mark 185.5 ft to pipe 0.2
8 1/2 in along metal pipe
116.3 ft pipe on N side of 80

Road Beg in at SW cor of shaft
with cog wheel 4 1/2 in in
diameter north 198 186 ft
to pipe This is former cut
off

New Survey N. 5 line 13 1/2 on 12°
Beg at S on cut road with
cog wheel marker and mark
along highway 261.5 ft
Mark 185.5 ft to road
line 1/2 in pipe marked a low
14 in on SW side S. 2 ft 22 on N side
side S. 2 ft near SW cor

ON North side of 160 ft + 44 ft = 204 ft
from N.E. cut. From N. to S 528 ft

34

John M. E. Hubbard
Sept 13th 1952

35

36 Warrig Station ROBY
 66
 14
 52

Deh. 9th 1957
 Begin on East (corner push)

Line 6.00 chrs to a fence
 running (6.00 less 14 ft) then

payee marked Bl. Oak 5 rods
 N. 5 2 W. 8 1/2 ft. North

788.
 580
 1365
 1500
 2865

Send Section
 Oct. 20th for \$19.00 Pd

Deh. 10th 1957
 198
 22
 1957
 594

Form center of Deh. 8.64° W
 80 ft to Right - by way
 N. 35 E along highway 3 ch 36.7
 ft then N. 55 W 80 ft

course of N. end by S 45° W
 3 ch 46.2 ft to ch on north end of
 Right of way (3.70 ch)

Dr. south side N 72 1/2 W 9 ch 25

(Oct. 12)
 on N. line by N. 55° W

91-0
 8 35 W across N. end 6 ch
 26 ft

mark on S. line 9 ch + 27 ft
 Deh. 27th (recheck) 8 35 1/2 W
 along Deh.

396
 66
 896

38 Ridge 12 Rustic.
2² pld. 1¹ P.S.

At the Spur corner

Marked a wh. oak (double)
10 in diameter
S. 60 wh 9 1/2 ft
S. 60 wh sec cor. W. Or. state
20.00 wh of fence N.W.S

flaggs hrs S 53 E (37°)

wh 330 5.70 + 60⁵⁹¹ ft
60² wh sec cor wh of 157 10 E 25 ft
wh oak 6¹ N 80 W 7 ft

to corner of ab. iron pipe 1/2 at all of the corner.

11/18 1.185
66
529
529

PA by ch X 36.00

11/18
529

N. E. Sharp. 11/7 57.39
7 P.S.

Begin at fecol rd on S. side of Co. road North. steep bank across road steep ave. 9.00 to of ridge steep desc. to North line

Begin at the 1/4 sec corner East which has an iron pipe West 150 chm. West 750 North 150 West 1250. South

PA \$16.00

More old wood place
E. Edward 4.00

40

Jason Jackson

5 1/2 hrs. 6 Nov. 17th 1957

2 1/2 hrs. 7 Nov. 23rd 8 P.M. 4 W.

5 1/2 hrs. Begin at N.W. cor of sect

7 1/2 hrs. The bearings begun by

recent "Fibre a Steel rod

with 4 in cogwheel on top

chained line S. along fence 20.00

cut an iron rod through at

the road where East 20.00 of chm.

cut west on N. slope thence

South to top of ridge thence

West 2.50 to N. & S. line

staked line line S. to Road.

E. W. line
Corrected

\$16.00

" Time 8 am to 5 p.m.

Wallace Hunt

41

Nov. 27th 1950

Begin. at June cor on coal road

of road 34 Run East steep asc

7.50 top steep desc 26.00 W.

ridg of Co R. marked A

down alk 24' N 67° E. 57' elev

At 20.00 W 89° 00 S N. at side of Co

Road Run line North to 1/2 cor

ask by former survey thence South

2.50 stream c. Sec 5.00 top of ridge
desc.

3 + 2 = 5 hrs 12/6, 1950

3 - 3 = 6 hrs + 4.10 * Oct 12/6, 1950

June 9 am to 3.30 p.m. 6 = 12.00

Oct 12 p.m. to 4.30 = 11.00

43

June 12/13 9 23 30 - 62 hrs
12/13 7 58
12/12 20 hrs

Chicago 10 2 35 6 64 2 H

Geneva Lbr Co
to EC 11th 1907.
Apr 23 8 R 6 W

Begin in the center of
Red 378 in x 24' with rtd
being a point on center line
W 1/2 cont south of the
center of Red One & Stone
N. 18 3/4' E center of road 105. 10
Marked a fix 180 x 17 6 86.4
feet from an iron rod 7/8 x
all in long thence N

858 to an iron rod on
Geneva line a few 24 685
W. 72 ft 11' - 1200
12 1300
12 1400
12 1500
12 1600
12 1700
12 1800
12 1900
12 2000
12 2100
12 2200
12 2300
12 2400
12 2500
12 2600
12 2700
12 2800
12 2900
12 3000
12 3100
12 3200
12 3300
12 3400
12 3500
12 3600
12 3700
12 3800
12 3900
12 4000
12 4100
12 4200
12 4300
12 4400
12 4500
12 4600
12 4700
12 4800
12 4900
12 5000
12 5100
12 5200
12 5300
12 5400
12 5500
12 5600
12 5700
12 5800
12 5900
12 6000
12 6100
12 6200
12 6300
12 6400
12 6500
12 6600
12 6700
12 6800
12 6900
12 7000
12 7100
12 7200
12 7300
12 7400
12 7500
12 7600
12 7700
12 7800
12 7900
12 8000
12 8100
12 8200
12 8300
12 8400
12 8500
12 8600
12 8700
12 8800
12 8900
12 9000
12 9100
12 9200
12 9300
12 9400
12 9500
12 9600
12 9700
12 9800
12 9900
12 10000

12 ch 53 ft to pencil
NW 24 8 85 1/2
W 22 4


42

66
36 1/2

Q 2 1/2


Time 12/13 9 to 3:30 = 6 1/2 hrs
7 hrs - 11 1/2 hrs - 12

45



BUFFINGTON PATHEO PICTURES
RANE & HARRIS CO. EVANSTON, ILL.

788



44

INDEX

Page	
29	Phil Huntington
30	Layton D Jones
31-32	Fred A. Jewell
33	Levi Bennett
34	John Mc Culbough
35	
36	Harold Davis
37	Richard Rice
38	
39	W. E. Stamp
40	Jackson

INDEX

Page	Name	Page
1	Letcher, Wm.	1
2	Monculla, B. Co.	2
3	Davis, J. B.	3
4	Doheerty, Herman	4
5	Norman, Mrs.	5
6	"	6
7	Monculla Lbr Co.	7
8	Henry, J. W.	8
9	E. M. Jander	9
10	Eddis, "	10
11	Martha, Williams	11
12	Floyd, Corral	12
13	"	13-28
14	Loyal & Laurman	16
15	D. M. Fullbright	17
16	"	18, 25
17	Purmbroath	19
18	Robert E. B. ...	20
19	Corral, Long	22
20	Ornt, Petchard	23
21	A. E. McDonald	24

$\frac{1}{4}$ cor. bek 1 1/2 7 218.7
 $1^{\circ} = 160$
 $46 = 36$
 D. E. Badler
 Surveyor 10 8 P.

Recd from Eoggeveld
 10-18 cash \$8.00

Paid on acct.
 Cash 21 lumber and 2.95 \$
 5/10
 11 38 24 11/20

REGISTERED
OREGON
 LAND SURVEYOR

MARCH 10, 1944
 OSCAR F. THIEL