

**OSCAR THIEL'S
FIELD BOOKS**

BOOK 8

INDEX

Oscar Thiel's Books

The following information was compiled June/July 1982. It is not necessarily indexed into the regular Surveyor Office files. USE AS YOU WILL.

BOOK 8

<u>T-R-S</u>	<u>FOR</u>	<u>PG.</u>	<u>CONTAINS INFORMATION CONCERNING:</u>
T.23-4 Sec. 19	R. Dodd	13	South 1/4 Corner Sec. 19

(Pages omitted are difficult to determine location and/or value)
This book is very poor in giving Sections and Tps and ranges.

Oregon State Board of Engineering Examiners

THIS IS TO CERTIFY THAT

Oscar F. Thiel
Yoncalla
Oregon

REGISTERED

REGISTERED

Registered Professional Land Surveyor of the State of Oregon
having paid his renewal fee is in good standing for the

1952

STATE BOARD OF ENGINEERING

O. F. Thiel
Registrar's Signature

660
52
 $\frac{712}{20} = 35.6$
 $\frac{700}{20} = 35$
6.90

North 52 1/2 Sec
West 20 rd
S 52 W 10 1/2 62 N
To beg with 2-5-52

5624E

John H. Payne
January 1952

Jan 18 6 hrs Sun
P.M. an. acct 8.00

Expenses July 25 52

Begin on a new algebra line
North-South line
W.M. North on line 7th Sept
to a Hazel stake marked 70
cor bet seats 12 x 13

\$69.28
764.08 = 162 chrs.
878.8 4000 558 = 14.

on Rd 8 31W 2. d 56 1A

Paid 7/5 15.70

2

Dickey

Feb 12th 52

Began at S.E. corner of Bl. 12
3/4 in iron pipe in center
of S.E. West from cor 120
14 inches & 1/2 in iron rod

150
90

Center line
120
11 in center
1/2 in

3

R.R. Rd 6.00

3

E. C. Mill.

March 15th & 22 1952

Survey in Bl 15
F. W. O. Add. & Yoncalla

Yoncalla S. R. R 4/16/52

Right-of-way north side of
Co. ad. fence line running E. W
stone (sand) 18 x 6 x 4

Marked maple 12" S 12 E

4 trees in bunch 40 ft
marked for 24 E ad 15.5 ft

2 1/2 hrs 5.00

PR MAR 26 3040

Glenn F. Cole Bx 743 7
DRAIN

Apr 22 8 P 4
May 22nd 1952

at the Survey over 13

Apr 22 8 P 4 18
1/2 in iron pipe by driving
old and new bearing trees
destroyed

Run East from corner
due S 50° along due 12.30
to W cor No 45 S W. tree
20.00 no trace of cor. found
blazed N 2 S line 67.00
at top acc. 2.000 set no cor.
at N. N. slope
4 Ft in 56 S 1 1/2 W. 30 aka
per del. No 45

Pd 17.00

6
A. J. Starnes
May 17th
Apr. 25th & P. 5-60

Found & locate a legal
starting point for

a former survey
found to find dead
point secured dead
measured along high
way on E side 5.12
8.00 on parcel N. W. corner
at 10.03 chms. N. W. corner
+ 2.00 pt. on North

5 80 2 8
N. 10 1/4 1
" 10 1/4 W 3 1/2

10.42
3.02
13.44

Pd. \$10.00

8

A. J. Skarns

May 24 1952

Went to Cedar and on "Bios"
at Noon

Came back on 5 PM
3 hrs looking over
dead descriptions 3 hr. 6.00

Yancey L. B. Co 9
June 13th 1952

Paid by check 13.50
on full time survey & log 7.00

Map. and description 4.00
June 10th Pond Label 2.50

pt 13.50

10

Knight

July 26th 1952

1/4 section 20 Tp 25 S

9 x 4 W

The only way any

survey found was a
the col what tree a post
set by my eye years ago

Ray Good
Aug 16th 1952

Begin at 7/6 col
2 trees & trees set and
marked vein West 200 ft
2000 to east line 200 ft
add corner and some sloped
trees on n. s. line.

June 8 to 5-30
Not Rd 9 to 18.00

Geo. Bullock 11
June 18th 1952

Begin at a young Cedar

stakes marked 3, 5, 9, 8
on 19° 40' marked on N. side
of stake 76 (11-52) rec'd 7

Measurement on line to center

of new road at 264
132
99
241
131
111

157 1/2 N of 1/4 cor stake 7/8 thus

132
32 1/2
164 1/2

stakes 10 ft of true line

to old 310 ft road

Following the road to west

158° 50' W 151 ft N 32.10 W 186 ft

171 1/4 W 148 " " 122 " 75 ft

111 26 E 158.5 " " 42 " 169 1/2

111 1/2 W 352 " " 59 " (28)

111 19 1/2 E 95 " " 22 W 151

111 33 W 160 to show turn S W

6/25/52
KANE & MARCUS CO. 1954
BUFFINGTON PATENT PROCESS 5 5 1/2
EVERETT, WASH. 131

12

Dayel Pond

Aug 18th

52

Reatache & Co. cemetery

From 8 am to 12 am. 4 hr. 8.00
dual

Cooper & Callen 13

at old foot of N side 20
stake in place.

Buy 4 x 85 or 12 ft
dual for 10 m. 15 15 ps
return check

Roy G. Oddy
7th Dec 3rd 1952
Ip. 23 S. R 4 W

Begin at 7 p.m. cor a steel
rod 1 in in diam. on S with
side of each 19 old boxes from
lot.

189.00
15.00 Rd
Total

88/100 roadways

Bob Howard 15.

Nov 15th 1952
 Begun at a corner of
 cut No 8. & W main drive
 set a 9/4 in pipe x 2 ft by
 fence post.
 Run line West (var 2 1/2)
 3.48 set pipe East of 9 7 in
 per tree fence line North down
 hill to road. Return & lay
 pipe and run North along
 fence to Road. 5.00 pipe
 2 1/2 x 8 R 9 W
 S & cor of Lot 10
 sack 15

4 hrs	4	12.00
3 3/4 "	6	1.50
7 1/4 "		
1.44		13.50
6 3/4 "		15.50

dustry
 Paid \$16.00

A. Anderson

Nov 18th 1952
 Begun on N. side of 99 to a
 iron shaft.
 54 20 + 84 ft dam
 W 27 ft from line
 steel top
 11.40 150 ft erect S &
 50 ft dry erect S &
 50 W 180 + 55 ft

W	2 9/12	\$ 2.00
W	4 3/5	\$ 4.00

4 3/5 ft pipe
 on my line cr. 8 30 ft
 S 40 cr.
 S 40 W to frame 435 ft
 wood line cr. 8 30 ft

14

47° 55
 89-90
 25

16

Leone

ad Lloyd Mithis

June 12/12 5 hrs

12/13 SAT 7 1/2 "

8 P 5 W 12/15 4 1/2 "

12 hrs afternoon began at fence line begin fence path supposed to be S. E. cor of Tom's Holloman land measured along parcel North 18.88 to long @ cedar post which is on the 1/2 line (old blazed line West on line)

Begin at N.E. cor of Holloman 1/2 rd on 1/2 line 4.90 chrs North steep one S. slope 1250 top along East slope

Apr 27 '23 L. P. 5 W

Apr 27 '23 45 yr old
Joe D. Holloman
12/14 341.00

2,47
2,43
490

Carlyle Dr. Co

17

Delmon Rice

Dec. 16 1952

Re-survey

Reg. at the gal. iron pipe at the N. E. cor. thence running S 52° E 940 chrs thence S 35° W 3.72 to pipe thence S 69 or 70° N. 9.44 to iron pipe from which a double wh. cap & 60 W. 15 links thence N. 34° E 6.44 to begin pt

9.40	372
9.44	644
9.42	110.16
6.08	508
75	36
421.0	
428.5	36
0.00	

WYOMINGTON PATENT PRODUCTS
LITTLE ROCK, ARK.
JANU. 31/52

20 180

1-4 41
227

7.

30 road thru ~~to~~ 47-8
along E side of Rd
221 ft 1 m by 13 m
N. 31 W along Rd

E end of farm survey

47-10 N E of Rd

East. 251 +
36° W on E. level *

Co. Rd. 227 ft

180
47
227

120 N 410.00

Dr. J. Stearns Naught
Oakland 201

Feb. 18th 1953

old mark on Cedar tree 30 m

7 m tree 729 ft K S

any mark
Cedar marked S. R. T
Dewore

22 Byron Dorr 2

Byron Dorr

M. W. 29th 1953
East 6. ch. 40 ft and 11 mm
to center of Col Rd 61 ft

North 79° E 600 ft Road
March 58th 3 ch. 20 ft

North 79° E 3 ch. 44 ft to
2.64

East line

marked in 8 & 76' W 43 ch
1 1' 10" E 90 ch

4-11 Rd 410.00
4-12 " 14
4-13 " 7.1
4-14 " 16
4-15 " 16
4-16 " 20.8 E 5 ft
old marks

marked S 75 W 12 ft
North from 76.00 3.14 ft
to creek 519 ft
of 60 Road E-W 3-41 to center
Bel in 4:00 road

Byron Dorr 2
14 1953

Begin work to cover the area
1-2 chains S to Co road

Byron backed out road
did not sell 4/24th

48 6

844.6 = 12.80 chms @ 287
287 21.4
1.90

287
Buffington Patent Process
Everett, Wash.
33
214

**OSCAR THIEL'S
FIELD BOOKS**

BOOK 8

PAGES 24-47 BLANK

Baylo. I was for Eugene

Page

John W. Payne
a paper published
at Leakey
Mill St. J.

1
2
3

179