

- LEGEND:
- Found 5/8" x 30" I.Rod unless otherwise noted.
  - Set 5/8" x 30" reinforcing rod with yellow plastic cap marked, "LAND MARK".
  - Calculated Point.
  - Found D.C.S.O. Brass Cap
  - ↗ Ownership Tie
- Record Information
- ( ) M137-20
  - [ ] M137-69
  - (( )) REF.. NO. 2003-018293


LINE TABLE			CURVE TABLE			
LINE	LENGTH	BEARING	CURVE	LENGTH	RADIUS	CHORD
L1	46.51	S01°03'23"W	C1	83.72	2864.79	S07°24'30"W 83.72
L2	40.37	S89°12'34"E	C2	93.08	2864.79	N07°18'54"E 93.08
L3	58.63	N08°14'44"E	C3	91.69	2864.79	N05°28'02"E 91.69
L4	57.25	N04°33'01"E	C4	90.69	2864.79	S05°27'26"W 90.69
L5	222.47	N06°21'51"E	C5	83.64	602.96	N22°27'25"W 83.57
L6	30.30	S26°25'51"E	C6	45.16	602.96	N16°20'15"W 45.15
L7	30.30	S26°25'51"E	C7	34.66	602.96	N12°32'42"W 34.66
L8	30.28	S26°16'40"E	C8	36.51	100.00	N61°06'56"E 36.31
L9	30.31	S26°16'40"E	C9	146.64	75.00	N73°19'53"W 124.38
L10	53.31	S22°56'20"E	C10	185.94	175.00	N76°52'44"W 177.32
L11	45.01	S22°56'20"E	C11	150.71	199.18	N18°33'55"E 147.14
L12	35.51	S22°56'20"E	C12	160.10	200.00	S69°22'23"E 155.86
L13	37.45	S15°01'08"E	C13	184.12	230.00	S69°22'23"E 179.24
L14	50.02	N88°00'01"E	C14	136.09	170.00	S69°22'23"E 132.48
L15	83.52	N88°46'56"W	C15	87.37	259.18	N30°08'50"E 86.96
L16	69.92	S20°29'22"W	C16	170.45	205.00	N83°29'51"W 165.59
L17	71.37	N62°50'14"W	C17	82.98	45.00	N76°31'11"W 71.71
L18	10.00	N66°18'20"E	C18	7.04	115.00	N19°04'14"W 7.04
L19	10.00	S69°10'35"W	C19	3.90	35.00	N20°30'22"W 3.89
L20	61.23	S25°30'53"W	C20	47.47	130.00	N61°06'56"E 47.20
L21	34.02	S06°36'39"E	C21	76.99	105.00	N41°49'49"W 75.28
L22	54.65	S83°26'54"W	C22	47.36	205.00	N53°03'31"W 47.26
L23	96.45	N00°58'17"E				

PARTITIONER: Douglas County Public Works  
 Douglas County Court House  
 Roseburg, Oregon 97470

NO. OF PARCELS: 3

WATER: City of Roseburg  
 SEWER: Roseburg Urban Sanitary Authority  
 ZONING: (PR) Public Reserve  
 COMP. PLAN: (IN) Industrial & (RR5) Rural Residential-5

PLANNING FILE NO.: 06-M111.



Sheet 1 of 3


### PARTITION PLAT

S.E. 1/4, Section 36, T.26 S., R.6 W. &  
 S.W. 1/4, Section 25, T.26 S., R.5 W. WM.  
 Douglas County, Oregon  
 OCTOBER 2006

FOR: Douglas County Public Works  
 Douglas County Court House  
 Roseburg, Oregon 97470


REGISTERED PROFESSIONAL LAND SURVEYOR  
 Mark A. Heimbürger  
 OREGON  
 JULY 16, 1987  
 MARK A. HEIMBURGER  
 2287  
 RENEWS JUNE 30, 2007

LAND MARK SURVEYING, INC.  
 3329 N.E. STEPHENS ST.,  
 ROSEBURG, OREGON 97470  
 TEL. (541) 677-9400  
 FAX (541) 677-9401  
 LM Prof. No. 2006-0170



LINE TABLE		
LINE	LENGTH	BEARING
L1	46.51	S01°03'23"W
L2	40.37	S89°12'34"E
L3	58.63	N08°14'44"E
L4	57.25	N04°33'01"E
L5	222.47	N06°21'51"E
L6	30.30	S26°25'51"E
L7	30.30	S26°25'51"E
L8	30.28	S26°16'40"E
L9	30.31	S26°16'40"E
L10	53.31	S22°56'20"E
L11	45.01	S22°56'20"E
L12	35.51	S22°56'20"E
L13	37.45	S15°01'08"E
L14	50.02	N88°00'01"E
L15	83.52	N88°46'56"W
L16	69.92	S20°29'22"W
L17	71.37	N62°50'14"W
L18	10.00	N66°18'20"E
L19	10.00	S69°10'35"W
L20	60.00	S27°06'44"W
L21	34.02	S06°36'39"E
L22	44.56	S83°33'09"W
L23	64.46	N01°04'32"E

CURVE TABLE			
CURVE	LENGTH	RADIUS	CHORD
C1	83.72	2864.79	S07°24'30"W 83.72
C2	93.08	2864.79	N07°18'54"E 93.08
C3	91.69	2864.79	N05°28'02"E 91.69
C4	90.69	2864.79	S05°27'26"W 90.69
C5	83.64	602.96	N22°27'25"W 83.57
C6	45.16	602.96	N16°20'15"W 45.15
C7	34.66	602.96	N12°32'42"W 34.66
C8	36.51	100.00	N61°06'56"E 36.31
C9	146.64	75.00	N73°19'53"W 124.38
C10	185.94	175.00	N76°52'44"W 177.32
C11	150.71	199.18	N18°33'55"E 147.14
C12	160.10	200.00	S69°22'23"E 155.86
C13	184.12	230.00	S69°22'23"E 179.24
C14	136.09	170.00	S69°22'23"E 132.48
C15	87.37	259.18	N30°08'50"E 86.96
C16	170.45	205.00	N83°29'51"W 165.59
C17	82.98	45.00	N76°31'11"W 71.71
C18	7.04	115.00	N19°04'14"W 7.04
C19	3.90	35.00	N20°30'22"W 3.89
C20	47.47	130.00	N61°06'56"E 47.20
C21	76.99	105.00	N41°49'49"W 75.28
C22	47.36	205.00	N53°03'31"W 47.26



- LEGEND:**
- Found 5/8" x 30" I.Rod unless otherwise noted.
  - Set 5/8" x 30" reinforcing rod with yellow plastic cap marked, "LAND MARK".
  - Calculated Point.
  - Found D.C.S.O. Brass Cap
  - ↗ Ownership Tie
- Record Information**
- ( ) M137-20
  - [ ] M137-69
  - (( )) REF.. NO. 2003-018293

Sheet 2 of 3  
**PARTITION PLAT**  
 S.E. 1/4, Section 36, T.26 S., R.6 W. &  
 S.W. 1/4, Section 25, T.26 S., R.5 W. WM.  
 Douglas County, Oregon  
 OCTOBER 2006  
 FOR: Douglas County Public Works  
 Douglas County Court House  
 Roseburg, Oregon 97470

REGISTERED PROFESSIONAL LAND SURVEYOR

*Mark A. Heimbarger*


OREGON  
 JULY 16, 1987  
 MARK A. HEIMBURGER  
 2287  
 RENEWS JUNE 30, 2007

**LM LAND MARK SURVEYING, INC.**

3329 N.E. STEPHENS ST.,  
 ROSEBURG, OREGON 97470  
 TEL. (541) 677-9400  
 FAX (541) 677-9401

LM Proj. No. 2006-0170

2007-0021C



**DECLARATION:**

KNOW ALL PEOPLE BY THESE PRESENTS, that Douglas County is the owner of the land represented on the annexed map and more particularly described in the accompanying Surveyor's Certificate, do hereby declare the annexed map to be a correct map of the Partition Plat including all streets and easements as shown on plot of said property. They have caused this partition plat to be prepared and the property to be partitioned into parcels as shown, and do hereby created and dedicated to the public the Public Utility Easements and Kenneth Ford Drive, Jerry's Drive and the additional right of way of N. Stephens Street as shown hereon.




Douglas County  
**ABSENT**  
 Douglas County Commissioner  
*Maureen Kittelman*  
 Douglas County Commissioner  
*Joseph L. Krumm*  
 Douglas County Commissioner

**ACKNOWLEDGMENT:**

State of Oregon) ss  
 Douglas County)  
 On the 12<sup>th</sup> day of February, 2007 before me appeared  
Maureen Kittelman  
Joseph L. Krumm  
 Commissioners of Douglas County, Oregon, being duly sworn, acknowledged to me that they are authorized to represent the owner of said property, and that they executed the foregoing Declaration freely and voluntarily.  
 In witness whereof I have hereunto set my hand and affixed my seal this 12<sup>th</sup> day of February, 2007.  
Donna Clarke  
 Notary Public for Oregon (Printed Name)  
*Donna Clarke*  
 Signature  
 My Commission Number: 375184  
 My commission expires: January 30, 2008

**Surveyor's Certificate:**

I, Mark A. Heimbürger, do hereby certify that I have correctly surveyed and monumented with proper monuments, the lands so indicated on the annexed plat and that the boundaries are properly described more particularly as follows:  
 Beginning at the Township corner common to Section 36, Township 26 South, Range 6 West, Section 31, Township 26 South, Range 5 West, Section 6, Township 27 South, Range 5 West and Section 1, Township 27 South, Range 5 West of the Willamette Meridian; thence, North 01°09'16" East 1302.41 feet to a 5/8 inch iron rod; thence South 72° 21' 46" East 98.28 feet to a 5/8 inch iron rod; thence North 01° 12' 22" East 708.22 feet to a 5/8 inch iron rod; thence North 89° 04' 49" West 94.91 feet to a 5/8 inch iron rod; thence North 89° 02' 51" West 543.29 feet to a 5/8 inch iron rod; thence North 89° 03' 12" West 305.91 feet to a 5/8 inch iron rod with a plastic cap marked "LANDMARK 2287"; thence South 01° 03' 23" West 46.51 feet to a 5/8 inch iron rod with a plastic cap marked "LANDMARK 2287"; thence South 52° 13' 34" West 326.30 feet to a 5/8 inch iron rod with a plastic cap marked "LANDMARK 2287"; thence South 71° 34' 34" West 39.16 feet to a 5/8 inch iron rod with a plastic cap marked "LANDMARK 2287"; thence North 89°03'13" West 60.70 feet to a 5/8 inch iron rod with a plastic cap marked "LANDMARK 2287"; thence South 8°32'07" East 287.73 feet to a 5/8 inch iron rod with a plastic cap marked "LANDMARK 2287" thence South 71°34'34" West 239.25 feet 5/8 inch iron rod with a plastic cap marked "LANDMARK 2287" on the Easterly right of way line of Pacific Highway 99; thence along said right of way South 26° 25' 51" East 299.60 feet to a 3/4 inch iron pipe; thence 163.46 feet along the arc of a 602.96 foot radius curve to the right, the chord of which bears South 18°39'52" East 162.96 feet to a point; thence North 74° 59' 06" East 429.49 feet to a 5/8 inch iron rod with a plastic cap marked "LANDMARK 2287"; thence North 74° 59' 06" East 303.27 feet to a 5/8 inch iron rod with a plastic cap marked "LANDMARK 2287"; thence South 15° 01' 08" East 37.45 feet to a 5/8 inch iron rod with a plastic cap marked "LANDMARK 2287"; thence North 88° 00' 01" East 50.02 feet to a 5/8 inch iron rod with a plastic cap marked "LANDMARK 2287"; thence South 01° 59' 51" East 711.70 feet to a 3/4 inch iron rod; thence South 89° 12' 34" East 40.37 feet to a 3/4 inch iron rod; thence South 06° 21' 35" West 657.94 feet to a 3/4 inch iron rod; thence South 88° 46' 50" East 444.70 feet to the POINT OF BEGINNING, containing 32.78 acres more or less.



**NARRATIVE:**

The purpose of the survey is to demarcate and partition the a portion of the property described as Parcel 1 and Parcel 2, Partition Plat 2002-0052A thru C and by that certain instrument number 2001-22078 as shown on Survey M137-20. Said property has been adjusted by those certain instruments as recorded in Deed Reference Numbers 2003-018293, 2006-16255 and 2004-16256 of the deed records of Douglas County, Oregon. The property was then Partitioned in compliance with a request for Partition per Douglas County Planning Department File No. 06-M111.  
 The exterior boundary was determined using found monuments as shown on M137-20, Partition Plat 2002-5 and M137-69. The missing monuments along the North boundary and at the Northwest corner were established at record positions per M 137-69.  
 The boundary of the property described in Deed Reference Number 2001-22078 were controlled by monuments shown on M137-20. The right of way of the Pacific Highway was revised to correspond to the Deed of Dedication recorded in Reference Number 2003-18293. The centerline which is described with ties from the Township Corner common to Townships 26 & 27 South and Ranges 5 and 6 West and to the 1/4 Corner common to Section 36 and 25, Township 26 South, Range 6 West. The centerline was computed from the Township Corner using record information and rotated to the 1/4 corner. The right of way was computed at record offsets from this centerline. A portion of the property lying in the Northeast corner was also dedicated per the Deed of Dedication. This piece was determined by holding the North and East boundaries and using the deed information to establish the boundaries.



**APPROVALS:**  
Keith L. Cubic 2/12/07  
 Douglas County Planning Director Date  
Randy Allen 2-12-07  
 Douglas County Surveyor Date  
 I hereby certify that all taxes and special assessments or other charges required by law have been paid.  
Sandra K. Coore 2/14/07  
 Douglas County Tax Collector Date  
 Filed this 14<sup>th</sup> day of FEBRUARY 2007 10:54 A.M.  
BARBARA E. NIKLSEN Shirley L. Burnett 2-14-07  
 Douglas County Clerk 34: DEPUTY

Sheet 3 of 3  
**PARTITION PLAT**  
 S.E. 1/4, Section 36, T.26 S., R.6 W. &  
 S.W. 1/4, Section 25, T.26 S., R.5 W. WM.  
 Douglas County, Oregon  
 OCTOBER 2006  
 FOR: Douglas County Public Works  
 Douglas County Court House  
 Roseburg, Oregon 97470  
 REGISTERED PROFESSIONAL LAND SURVEYOR  
 Mark A. Heimbürger  
 OREGON  
 JULY 16, 1987  
 MARK A. HEIMBURGER  
 2287  
 RENEWS JUNE 30, 2007  
 LAND MARK SURVEYING, INC.  
 3329 N.E. STEPHENS ST.,  
 ROSEBURG, OREGON 97470  
 TEL. (541) 677-9400  
 FAX (541) 677-9401  
 LM Prof. No. 2006-0170

2007-0021C