


FILED  
Date: 5/30/2000 By: JP  
This survey consists of: 5 sheets  
Map: M134-74 B  
Narrative:  
Corner Rpt:  
DOUGLAS COUNTY  
SURVEYOR SP

N. W. 1/4 SEC. 18 T. 26 S. R. 5 W., W. M.  
S. W. 1/4 SEC. 7 T. 26 S. R. 5 W., W. M.  
N. W. 1/4 SEC. 7 T. 26 S. R. 5 W., W. M.  
N. E. 1/4 SEC. 13 T. 26 S. R. 6 W., W. M.  
S. E. 1/4 SEC. 12 T. 26 S. R. 6 W., W. M.



BASIS OF BEARING AND  
CONTROL NETWORK SCHEMATIC  
NOT TO SCALE

BASIS OF BEARING  
S 8° 21' W 473.167 m  
(RECORD 473.297 m)

RESIDUALS FOR DISTANCES AND ANGLES

AT	TO	DISTANCE *	DISTANCE RESIDUAL	ANGLE RESIDUAL
2	1	757.043	0	0° 00' 03"
2	7	347.260	0.001	-0° 00' 03"
2	6	150.085	0.001	-0° 00' 05"
2	3	106.459	-0.001	0° 00' 03"
2	4	361.236	0.001	0° 00' 03"
2	5	558.587	0	-0° 00' 02"
3	1	655.947	-0.001	0° 00' 02"
3	2	106.457	0.001	-0° 00' 01"
3	5	454.261	0	-0° 00' 00"
3	4	261.437	0.001	-0° 00' 01"
4	2	361.236	0	-0° 00' 03"
4	7	703.029	-0.002	0° 00' 00"
4	6	507.060	-0.001	-0° 00' 01"
4	3	261.438	0	0° 00' 04"
4	5	204.523	0	-0° 00' 01"
4	1	395.813	-0.001	0° 00' 01"
5	2	558.587	0.001	0° 00' 00"
5	3	454.261	0	0° 00' 02"
5	4	204.522	0	-0° 00' 01"
5	1	212.149	0	-0° 00' 01"
1	2	757.045	-0.002	0° 00' 02"
1	3	655.946	0	0° 00' 01"
1	4	395.812	0	-0° 00' 03"
1	5	212.148	0	0° 00' 00"
6	4	507.060	0	0° 00' 00"
6	2	150.086	0	0° 00' 02"
6	8	160.882	0	-0° 00' 02"
8	4	667.920	0.002	0° 00' 01"
8	6	160.881	0.001	0° 00' 03"
8	7	45.925	0	-0° 00' 03"
8	9	165.852	0	-0° 00' 01"
7	4	703.029	-0.002	0° 00' 01"
7	2	347.261	0	-0° 00' 01"
7	9	210.587	-0.002	0° 00' 02"
7	8	45.923	0.002	-0° 00' 01"
7	12	249.243	0.001	-0° 00' 02"
7	13	253.574	0	0° 00' 01"
12	7	249.244	0	0° 00' 00"
12	10	123.645	0	-0° 00' 01"
12	11	81.860	0	0° 00' 03"
12	13	28.745	-0.001	-0° 00' 02"
11	10	125.387	0	-0° 00' 02"
11	12	81.861	-0.001	-0° 00' 02"
11	13	110.546	0	0° 00' 04"
13	7	253.574	0	-0° 00' 03"
13	10	137.130	0	0° 00' 01"
13	11	110.545	0.001	0° 00' 02"
13	12	28.744	-0.001	-0° 00' 00"
10	9	305.555	-0.001	0° 00' 01"
10	11	125.388	0	0° 00' 02"
10	12	123.646	-0.001	0° 00' 00"
10	13	137.129	0.001	-0° 00' 03"
9	7	210.586	0	0° 00' 00"
9	8	165.851	0.001	-0° 00' 02"
9	10	305.553	0.001	0° 00' 02"

NETWORK POINT COORDINATE TABLE

POINT ID	LDP NORTHING	LDP EASTING	DESCRIPTION
1	186668.011	378665.521	SET 16 mm X 762 mm I. REBAR W/38 mm BRASS CAP STAMPED "ODOT CONTROL 1", FLUSH W/SURFACE
2	187406.642	378831.467	SET 16 mm X 762 mm I. REBAR W/38 mm BRASS CAP STAMPED "ODOT CONTROL 2", FLUSH W/SURFACE
3	187300.482	378839.432	SET 16 mm X 762 mm I. REBAR W/38 mm BRASS CAP STAMPED "ODOT CONTROL 3", FLUSH W/SURFACE
4	187054.528	378750.797	SET 16 mm X 762 mm I. REBAR W/38 mm BRASS CAP STAMPED "ODOT CONTROL 4", FLUSH W/SURFACE
5	186851.168	378772.574	SET 16 mm X 762 mm I. REBAR W/38 mm BRASS CAP STAMPED "ODOT CONTROL 5", FLUSH W/SURFACE
6	187537.690	378904.625	SET 16 mm X 762 mm I. REBAR W/38 mm BRASS CAP STAMPED "ODOT CONTROL 6", 50 mm ABOVE SURFACE
7	187715.621	378989.967	SET 16 mm X 762 mm I. REBAR W/38 mm BRASS CAP STAMPED "ODOT CONTROL 7", 100 mm ABOVE SURFACE
8	187691.840	378950.678	SET 16 mm X 762 mm I. REBAR W/38 mm BRASS CAP STAMPED "ODOT CONTROL 8", 30 mm ABOVE SURFACE
9	187644.967	378791.587	SET 16 mm X 762 mm I. REBAR W/38 mm BRASS CAP STAMPED "ODOT CONTROL 9", 25 mm ABOVE SURFACE
10	187847.965	379019.963	SET 16 mm X 762 mm I. REBAR W/38 mm BRASS CAP STAMPED "ODOT CONTROL 10", FLUSH W/ SURFACE
11	187966.508	379060.825	SET 16 mm X 762 mm I. REBAR W/38 mm BRASS CAP STAMPED "ODOT CONTROL 11", FLUSH W/ SURFACE
12	187964.623	378978.987	SET HUB AND TACK
13	187966.070	378950.279	SET HUB AND TACK

CONFIDENCE LEVEL LIMITS

POINT #	SEMI MAJOR	SEMI MINOR	ORIENTATION
3	0.002	0.001	99° 29' 27"
4	0.003	0.001	102° 55' 13"
5	0.003	0.001	104° 09' 30"
6	0.004	0.001	114° 52' 23"
7	0.007	0.001	114° 43' 09"
8	0.007	0.001	110° 34' 19"
9	0.006	0.004	110° 45' 28"
10	0.010	0.002	111° 08' 42"
11	0.014	0.002	111° 09' 24"
12	0.013	0.002	100° 47' 09"
13	0.013	0.002	97° 00' 15"

FIXED POINTS NOT SUBJECT TO LEAST SQUARES ADJUSTMENT OR CONFIDENCE LEVEL ANALYSIS: 1 & 2

\*CALCULATED HORIZONTAL DISTANCE IN METERS  
DERIVED FROM THE MEASURED SLOPE DISTANCE

LEGEND

- ▲ SET NETWORK POINT
- FOUND MONUMENT USED AS BASIS OF BEARING
- ▲—▲ LINES OF OBSERVATION

REGISTERED PROFESSIONAL LAND SURVEYOR  
*Christine V. Blevins*  
OREGON JULY 19, 1994  
CHRISTINE V. BLEVINS 2669

Expires : Dec. 31, 2001

OREGON DEPARTMENT OF TRANSPORTATION

HORIZONTAL CONTROL, RECOVERY AND RETRACEMENT MAP

SUTHERLIN CR. - WILBUR RD. ROCKFALL

PACIFIC HWY (I-5)

DOUGLAS COUNTY

O.D.O.T. 3500 N.W. STEWART PARKWAY, ROSEBURG, OR. 97470

MAY 17, 2000

SHEET 2 OF 5

